



BUYERS GUIDE

2024/2025

Contents

Fasteners

All Threaded Rod	1
Anchors	1
Bolts	1
Hardware	1
Lifting	2
Load Restraint	2
Nuts	2
Socket Screws	2
Security Screws	2
Self-Drilling Screws	3
Self-Tapping Screws	3
Stud Bolt & Nut Kits	3
Rivets	3
Washer	3

Grout & Concrete

Grout	4 – 7
Concrete	8

Chemical Anchoring

Chemical Anchoring	9 – 13
--------------------	--------

Sealants & Adhesives

Facade Sealants	14 – 17
Passive Fire Protection	18 – 22
Construction Adhesives	23 – 27
Curtain Walling, Glazing & water Sealants	28 – 32
Roof Sealants & Adhesives	33 – 35
Backing Rods & Foam Tapes	36 – 37
Tools & Accessories	
Application Gun	38 – 40
Accessories	41 – 43

Contents

Welding Supply

General Welding Accessories	44 – 48
Manual Arc Welding	49 – 53
TIG Welding	54 – 66
Electrode Holders	67 – 69
MIG Guns	70 – 77
Welding Electrodes	78 – 88
Welding Wires	89 – 104
Gas & Tig Rode	105 – 112
Hardfacing Consumables	113 – 119
Goughing Rods	120 – 121
Solders & Fluxes	122 – 124
Welding Helmets	125 – 131
Eye & Face Protection	132 – 134
Welding Gloves	135 – 136
Welding Lenses	137 – 140
Hearing Protection	141
Welding Jackets	142

Drill Bits

Jobbers	143 – 154
Step Drills	155 – 158
Glass & Tile Drills	159 – 160
Timber Drills	161 – 162
Masonry Drills	163 – 168
Countersinks	169 – 171

Burrs

Tungsten Carbide Burrs	172 – 176
------------------------	-----------

Hole saws

Hole saws	177 – 181
Hole saw Accessories	182 – 183
Hole saw Sets	184

Contents

Abrasives

Abrasive Discs	185
Abrasive Belts	186 – 187
Accessories	188

Grinding & Cut-Off Wheels

Cutting Wheels	189 – 192
Grinding Wheels	193 – 195
Fibre Discs	196
Flap Discs	197 – 196
Diamond & CBN	198 – 199

Fine Grinding & Polishing

Fine Grinding	200
Economy Rolls	201
Surface Conditioning	202
CD & CDR Range	203

Wire Brushes

Wheel Brushes	204
Cup Brushes	205 – 206
Hand Scratch & Miscellaneous Brushes	207
P.O.S Wire Brush Display Packaging	207

Files

Engineers Files	208 – 209
-----------------	-----------

Blades

Saw Blades	210 – 214
Reciprocating Blades	215 – 217
Cutting Fluid & Lubricant	218

Safety

Protective Headwear	
– Hard Hat	219
Hearing Protection	
– Disposable Earplugs	220
– Earmuffs	221 – 222

Contents

Protective Eyewear

-Safety Glasses	223
-Browguard /Visor Combo	224

Respiratory Protection

- Half Masks & Accessories	225
- Disposable Respiratory	226

Equipment

Hand Protection

- Synthetic Dipped Range	227 - 228
- Disposable Range	229
- Cotton Range	230

Sun Protection

- Lip Balm	231
- Accessories	232
- Sunscreen	233 - 234

Hand Tools

Workshop

- Storage Solutions	235
- Mobile Solutions	236 - 237

Electrical Tools

Cooling Service

Measuring

Automotive Speciality

Tool Kits - Custom Series

Pliers & Cutters

Locking Pliers

Adjustable Joint Pliers

Aviation Snips

Clamp

Sterling Chalk Line Set

Sterling Chalk Refill

Sterling Pencil & Level


Contents

Hacksaw	261 – 262
Knives and Blades	263 – 265
Measures	266
Driver Bits	267 – 272
Staples	273
Hammer	274
Multiple Drive Socket Set	275
1/4" Drive	276
3/8" Drive	277
1/2" Drive-Impact Sockets	278
Wobble Extension Bars	279
Hex & Torx Keys	280
Spanners & Shifters	281
Adjustable Wrenches	282 – 284
Screwdriver Set	285
Fastening	286 – 287
Lighting	288 – 289
18 Volt Cordless Tools	290
Wet & Dry Vacuum	291


"Your One-Stop Shop for Fasteners, Save time and money!
As an authorized distributor of well-known brands, we're here to fulfill
all your fastener needs. Consult with us today for smooth orders!"




All Threaded Rod



Threaded Rod



Sampsonrod



Foundation
Stud



Engineer Stud



Accessories

Anchors



Chemical
Anchors



Mechanical
Anchors



Screws




Nylon Anchors



Installation
Accessories



Insulation
Fixing



Carry Cases

Bolts



Hex Bolts



Structural
Bolts



Purlin Bolts



Hex Set
Screws



Hex Flange
Bolts



Hex Washer
Head



Hex Coach
Screws



Cup Head
Bolts



Fish Bolts



Plow Bolts



Track Bolts



Hex Blank
Bolts



Trailer
Adjuster Bolts



T Bolts



HBS-Bolt -
Blind



One Side Bolts



SEMS Bolts

Hardware



Post Supports




Brackets &
Connectors



Eye Bolts &
Eye Nuts



Shackles



Wire Rope



Rigging
Screws



Terminal
Swages



Packers &
Shims

Lifting



Lifting Eye Bolt & Nut



Lifting Sling



Lifting Shackle



Chain Connector



Chain Master Link



Lifting Hook



Lifting Point Welded

Load Restraint



Ratchet Tie Down




Trailer Safety Kit

Nuts



Standard Hex Nuts




Structural Hex Nuts



Thin Hex Lock Nuts



Flange Hex Nuts



Nyloc Hex Nuts




K-Lock Hex Nuts



Flange & Nyloc Hex Nuts



Wheel Lock Hex Nut



Plow Hex Nuts



Track Nuts




Coupler Hex Nuts



Cone Hex Lock Nuts



Dome Hex Nuts




Weld Hex Nut



Hobloch Hex Nuts



Slotted Hex Nuts



Square Nuts



Shear Hex Nuts



Wing Nuts



Tee Nuts



Strut Channel Nuts



Rivet Nuts



All Metal Slotted Lock Nut



Petrochemical Nuts



Furniture Nuts

Socket Screws



Cap Screw Standard



Low Head



Button Head



Countersunk (Flat) Head



Grub Screw



Shoulder Screw



Pressure Plug

Security Screws



Self-Tapping Screw



Metal Thread



Barrel Nut




Socket Bit



Socket Key


Self-Drilling Screws



Self-Tapping Screws




Stud Bolt & Nut Kits



Rivets



Washer





SikaGrout® -212 HP

Dual Shrinkage Compensated High Strength Cementitious Grout For

Item Code	Packaging	Colour
SK411020	20kg bag	Grey concrete



SikaGrout® HES

High Early Strength And Rapid Set Cementitious Grout

Item Code	Packaging	Colour
SK411533	20kg bag	Grey Powder



SikaGrout® Ultra

Flowable, ~ 100MPA Ultra High Strength Cementitious Grout

Item Code	Packaging	Colour
SK411534	20kg bag	Grey Cementitious Powder



SikaGrout® Deep Pour

Flowable , Precision Cementitious Grout for Deep Pours upto 500mm

Item Code	Packaging	Colour
SK411535	20kg bag	Grey powder



SikaGrout® -300 PT AU

High Performance, Zero Bleed, Sand Free, Cementitious Grout for Post-Tensioning Applications


Item Code	Packaging
SK411021	20kg bag



SikaGrout® UW

Shrinkage Compensated Cementitious Grout for Under-water Applications

Item Code	Packaging	Colour
SK114614	20kg bag	Grey Cement Powder



LANKO 701 Duragrout

Davco Lanko 701 Duragrout is a High Strength, Dual Expanding, Class C

Item Code	Packaging	Colour
SK619095	20kg bag	Grey Powder



LANKO 702 Durabed

Davco LANCO 702 Durabed is a high strength, Class A structural Grout


Item Code	Packaging	Colour
SK619096	20kg bag	Grey Powder



SikaGrout® -3350

Ultra - High Strength Fatigue Certified Onshore Wind Tower Precision Grout

Item Code	Packaging	Colour
SK631145	25kg bag	Light Grey Powder
SK672254	500kg bag	



SikaGrout® GP AU

General Purpose, "Class A" Pumpable, Shrinkage Compensated Grout

Item Code	Packaging	Colour
SK411964	20kg bag	Grey Premixed Powder



Flowfill Grout GP

Multi Purpose Class A Cementitious Construction Grout

Item Code	Product Name	Packaging	Colour
BK30840122	Flowfill Grout GP	20kg bag	Grey
BK3084011	lowfill Grout GP WA		



Flowfill Panel Grout

General purpose non-shrink class A cementitious Grout

Item Code	Packaging	Colour
BK30840172	20kg bag	Grey



Techflow Grout GP

Bostik Techflow Grout GP is a High Performance, Non-Shrink (Class C), Dual

Item Code	Packaging	Colour
BK30840156	20kg bag	Grey



Techflow Grout HES

Bostik Techflow Grout HES is a High Performance, High Early Setting Non-Shrink (Class C) Cementitious Construction Grout

Item Code	Packaging	Colour
BK30840123	20kg bag	Grey



Premier Grout MP™

Premier Grout MP™ is a Class A, Non-Shrink Cement Grout That Complies with AS MP20, Part 3 (1977)

Item Code	Packaging
RS-RPGMP	20kg bag



MakGrout Panel Grout

Multipurpose class A non shrink Grout

Item Code	Packaging
16-Grout	20kg bag



Polaris Hinge Ready Set Grout

Polaris Ready - Set - Grout is a rapid setting cement specifically designed for the glazing industry. Purpose-made for setting core drilled spigots into concrete and glazing frameless glass panels into balustrade channel and rails



Item Code	Packaging
PH-QSB	10kg bag
PH-PAC	20kg bucket



Epoxy Grout 7042

High early strength - 80 Mpa in 3 hours at 20° C. High flow, pourable consistency for good bonding and penetration. Tough, durable 100% Epoxy 100% solids - negligible shrinkage. Resistant to vibration and cyclic loading



Item Code	Product Name	Packaging	Colour
RS-EP7042L13	Epoxy Grout 7042 Standard	13L	Off-White
RS-EP7042L3	Epoxy Grout 7042 Standard	3L	Off-White
RS-EP7042LEL13	poxy Grout 7042 Low Exother	13L	Off-White
RS-EP7042LEL3	poxy Grout 7042 Low Exother	3L	Off-White

Cement Australia Concrete Mix



A blend of cement , aggregate and sand, designed for use in projects where a quality concrete is required. Ideal for garden edges , mower strips, paths, garden slabs , foundations , footings , posts and uprights for pergolas and decks

Item Code	Packaging
CM16257	20kg bag
	48 bags per pallet

Cement Australia Rapid Set Concrete



Rapid Set Concrete is manufactured using cement , sand, specialist additives and aggregates and is formulated to harden rapidly without mixing

Item Code	Packaging
CM16548	20kg bag
	48 bags per pallet



Sika AnchorFix® -1

Fast Curing Styrene Free Chemical Anchoring Adhesive

Item Code	Packaging	Colour	
SK497844	300ml cartridge	Part A	White
	12 per box	Part B	Black
	75 boxes per pallet	A+B mixed	Light Grey



Sika AnchorFix® -3001

Epoxy High Performance Chemical Anchoring Adhesive

Item Code	Packaging	Colour	
SK661381	250ml cartridge	Part A	Off-White
	12 per box	Part B	Dark Grey/Black
	75 boxes per pallet	A+B mixed	Grey



Sika AnchorFix® -3030

Epoxy High Performance Chemical Anchoring Adhesive

Item Code	Packaging	Colour	
SK606845	85ml dual cartridge	Part A	Off-White
	12 per box	Part B	Grey
	44 boxes per pallet	A+B mixed	Light Grey



Sika AnchorFix® Cleaning Pump

Sika AnchorFix® Cleaning Pump is a hand tool to clean drill hole sizes of Ø10mm to Ø60mm for Sika AnchorFix® applications

Item Code	Packaging	Colour
SK60087	Bag of 1 piece	Grey

Sika AnchorFix® Hole Cleaning Brushes Steel

Sika AnchorFix® tool to clean drill holes



Item Code	Packaging	Colour
SK510236	12mm	Grey
SK459553	18mm	
SK459551	24mm	

Sika AnchorFix® Perforated Sleeves

AnchorFix® accessory for application in hollow bricks / masonry



Item Code	Packaging	Colour
SK60080	Bag of 10 pieces	Plastic Grey

Sika AnchorFix® Static Mixers / Nozzles

AnchorFix® resin mixing and application accessory



Item Code	Packaging	Colour
SK60088	5 per bag	Transparent

Soudafix CA 1400

High performance, two-component anchoring resin for the pressure-free securing of anchoring rods, studs, reinforcing bars, threaded collars, profiles, etc., in structural and high load applications



Item Code	Size	Packaging	Colour
SD125538	165ml	12 per box	Grey
SD125539	285ml		

**Soudafix VE-400 SF**

A two-component anchoring resin for the pressure-free securing of the threaded rods (ETA:M8-M30), studs, reinforcement bars (ETA:Ø8-Ø32), threaded collars, profiles etc in various solid and hollow materials

Item Code	Size	Packaging	Colour
SD117475	380ml	12 per box	Grey

ChemSet™ 801™ XTREM™ XC²

ChemSet™ 801™ Xtrem™ now with XC² Vinyl Ester formula certified for Extreme anchoring applications such as Seismic, Cracked Concrete, Fire, 100 year work-ing life and Flooded hole installation*



Item Code	Packaging	Chemical Type
RS-C801X380	380ml cartridge	Vinyl Ester
	20 per box	
RS-C801X750	750ml cartridge	
	12 per box	

Epcon™ C8 Xtrem™

Versatile Epcon™ C8 XTREMTM™ is suitable for extreme anchoring environments including seismic, cracked concrete, core drilled holes, over-sized diameters, flooded conditions and underwater



Item Code	Packaging	Chemical Type
RS-C8-450	450ml	Pure Epoxy
	12 per box	



Chemset™ Reo 502™ PLUS

REO502 PLUS is designed for fast all weather dispensing, user friendly times to maximise productivity

Item Code	Packaging	Chemical Type
RS-RE0502P600	600ml	Pure Epoxy
	15 per box	

ChemSet™ 101 Plus

CHEMSET 101 PLUS is a multi-purpose Polyester adhesive for anchoring threaded studs and starter bars in solid and hollow substrates



Item Code	Packaging	Chemical Type
RS-C101C	380ml cartridge	Polyster
	20 per box	
RS-C101J	750ml jumbo*	
	12 per box	
RS-ISKP	2 x 380ml kit**	
	10 per box	

* Supplied with 2 mixing nozzles

** Supplied with 4 mixing nozzles

UltraFix™ Plus

UltraFix™ Plus is a multi-purpose polyester adhesive for anchoring threaded studs and starter bars in solid and hollow substrates. UltraFix™ PLUS is styrene free and VOC compliant



Item Code	Packaging	Chemical Type
RS-UFP300	UltraFix™ Plus Cartridge - 4 pack	Polyster
	4 per box	
RS-UFP300P	UltraFix™ Plus Cartridge	
	12 per box	

ChemSet™ Maxima™ Capsule

Rapid cure Acrylic Resin for extra heavy duty anchoring of threaded studs into solid concrete and stone

Item Code	Packaging	Drill Size	Thread Size
RS-CHEM08	10 per box	10mm	M8
RS-CHEM10	10 per box	12mm	M10
RS-CHEM12	10 per box	14mm	M12
RS-CHEM16	10 per box	18mm	M16
RS-CHEM2024	6 per box	24mm	M20
RS-CHEM2024	6 per box	26mm	M24

ChemSet™ Metal Mesh Sleeves for Hollow**Masonry Anchoring with ChemSet™ 101 Plus**

ChemSet™ Nylon and Metal mesh sleeves form a solid plug of adhesive in the brick or block cavity to provide secure anchoring point

Item Code	Packaging	Length	Drill Size	Thread Size
RS-ISM12	1 per box	1000mm	16mm	M10/M12
RS-ISM16	1 per box	1000mm	22mm	M16

ChemSet™ Nylon Sleeves for Hollow Masonry**Anchoring with ChemSet™ 101 Plus**

ChemSet™ Nylon and Metal mesh sleeves form a solid plug of adhesive in the brick or block cavity to provide secure anchoring point

Item Code	Packaging	Length	Drill Size	Thread Size
RS-ISS08	100 per box	64mm	12mm	M8
RS-ISS10	100 per box	64mm	14mm	M10
RS-ISS12	100 per box	64mm	16mm	M12

SikaHyflex® -305 AP

Weathersealant for curtain wall and metal cladding facades



Item Code	Packaging	Colour
SK500310	600ml foil pack	Black
	20 packs per box	
SK516205	600ml foil pack	Grey
	20 packs per box	

SikaHyflex® -250 Facade

High -perf ormance, professional, joint sealant for concrete, masonry and EIFS



Item Code	Packaging	Colour
SK481391	600ml foil pack	White
	20 packs per box	
SK481392	600ml foil pack	Black
	20 packs per box	
SK481393	600ml foil pack	Grey
	20 packs per box	

SikaSeal® -300 Glass and Weather Seal

A neutral -curing silicone sealant with a high movement capability and excellent adhesion to a wide range of sub-strates



Item Code	Packaging	Colour
SK550998	300ml cartridge	Transparent
	25 cartridges per box	

Sikaflex® PRO

Sealant for concrete and masonry facades



Item Code	Packaging	Colour
SK519842	600ml foil pack	Concrete Grey
	20 packs per box	
SK519850	600ml foil pack	Black
	20 packs per box	
SK519873	600ml foil pack	White
	20 packs per box	
SK520315	600ml foil pack	Dark Grey
	20 packs per box	
SK520323	600ml foil pack	Japan Beige
	20 packs per box	
SK520351	600ml foil pack	Off White
	20 packs per box	
SK520379	600ml foil pack	Sandstone
	20 packs per box	
SK520406	600ml foil pack	Dark Amber
	20 packs per box	
SK520427	600ml foil pack	Pale Brown
	20 packs per box	
SK520450	600ml foil pack	Red Wood
	20 packs per box	
SK519874	310ml cartridge	Grey
	12 per box	
SK520286	310ml cartridge	White
	12 per box	
SK520330	310ml cartridge	Black
	12 per box	
SK520405	310ml cartridge	Sandstone
	12 per box	
SK520428	310ml cartridge	Japan Beige
	12 per box	
SK520454	310ml cartridge	Brick Red
	12 per box	



Sikaflex®-400 Fire

Fire resistant polyurethane joint sealant

Item Code	Packaging	Colour
SK509357	600ml foil pack	Grey
	20 per box	

Sikaflex® -11 FC

One-component advanced polyurethane, elastic joint sealant and adhesive



Item Code	Packaging	Colour
SK519871	600ml cylindrical foil pack	Grey
	20 packs per box	
SK520355	600ml cylindrical foil pack	White
	20 packs per box	
SK520366	600ml cylindrical foil pack	Black
	20 packs per box	
SK520470	600ml cylindrical foil pack	Japan Beige
	20 packs per box	
SK519856	300ml cartridge	Grey
	12 per box	
SK519878	300ml cartridge	White
	12 per box	
SK520287	300ml cartridge	Black
	12 per box	

Sikaflex® Construction AP

High Performance Polyurethane Sealant



Item Code	Packaging	Colour
SK538822	600ml foil pack	Black
	20 packs per box	
SK538823	600ml foil pack	White
	20 packs per box	
SK519847	600ml foil pack	Concrete Grey
	20 packs per box	

SEAL 'N' FLEX[®] FACADE H725

Low modulus hybrid construction sealant



Item Code	Packaging	Colour
BK30619351	290ml cartridge	Grey
	20 per carton	
BK30619353	290ml cartridge	White
	20 per carton	
BK30619349	290ml cartridge	Black
	20 per carton	
BK30619352	600ml sausages	Grey
	20 per carton	
BK30619354	600ml sausages	White
	20 per carton	
BK30619350	600ml sausages	Black
	20 per carton	



Sikasil® -670 Fire

Fire rated silicone joint sealant

Item Code	Packaging	Colour
SK649355	300ml cartridge	Grey
	12 per box	



Sika Boom® FR

Fire-retardant polyurethane foam

Item Code	Packaging	Colour
SK412571	750ml can with rubber valve	Pink
	12 per box	



Sika® Firerate

Fire rated joint sealant

Item Code	Packaging	Colour
SK92560	600ml foil pack	Grey
	15 packs per box	
SK618615	310ml cartridge	Grey
	12 per box	



Sikaflex® -400 Fire

Fire resistant polyurethane joint sealant

Item Code	Packaging	Colour
SK509357	600ml foil pack	Grey
	20 per box	

Sika® Backer Rod Fire

Backing rod for fire resistant joint sealing



Item Code	Diameter	Length
SK580869	12 mm	50 m
SK580802	15 mm	50 m
SK580974	20 mm	30 m
SK580976	30 mm	30 m
SK580980	40 mm	30 m
SK580982	50 mm	25 m
SK580985	60 mm	25 m

Firecryl FR

Firecryl FR is a fire - resistant, smoke - tight, with heat load in tumescent plasto-elastic sealant based on acrylic dispersion



Item Code	Packaging	Colour
SD131479	310ml cartridge	Grey
	12 per box	
SD131478	600ml sausage	Grey
	12 per box	



Soudaseal FR

Soudaseal FR is a high - quality , fire - resistant, smoke - tight, neutral, elastic, one component joint and adhesive sealant based on SMX Polymer (Hybrid)

Item Code	Packaging	Colour
SD137450	290ml cartridge	Grey
	12 per box	
SD131480	600ml sausage	Grey
	12 per box	
SD155483	600ml sausage	Limestone
	12 per box	



Soudafoam FR HY

Soudafoam FR HY (High Yield) is a high quality, one component fire rated / resistance, self-expanding, ready to use polyurethane \foam, where the canister is provided with thread so it can be used on a gun

Item Code	Packaging	Colour
SD153087	750ml canister (Straw)	Pink
	12 per box	



Soudafoam GUN FR HY

Soudafoam FR HY (High Yield) is a high quality, one-component fire rated / resistance, self-expanding, ready to use polyurethane foam, where the canister is provided with a thread so it can be used on a gun

Item Code	Packaging	Colour
SD153085	750ml canister (Gun Grade)	Pink
	12 per box	



Silirub HT°-A

Silirub Ht° - A is an elastic, single component engineering sealant based on silicone which withstands very high temperatures

Item Code	Packaging	Colour
SD108265	310 ml cartridge	Black
	12 per box	



Firecement Ht°

Firecement HT° is a 1- component ready to use sealing paste which cures to form a hard joint which withstand temperatures of up to 1500° C

Item Code	Packaging	Colour
SD108264	310ml cartridge	Black
	12 per box	



FIREBAN® ACRYLIC

Fire rated acrylic based sealant

Item Code	Packaging	Colour
BK30615090	600ml sausage	Grey
	20 per carton	
BK30615089	600ml sausage	Limestone
	20 per carton	
BK30615088	300ml cartridge	White
	20 per carton	

FIREBAN[®] HYBRID

High performance hybrid fire-rated sealant



Item Code	Packaging	Colour
BK30615091	290ml cartridge	Limestone
	12 per carton	
BK30615092	600ml sausage	Limestone
	12 per carton	

FIREBAN[®] ONE

Trusted all-rounder, suitable for internal and external applications



Item Code	Packaging	Colour
BK30616836	600ml sausage	Limestone
	20 per carton	

Sikaflex® -11 FC

One - component advanced polyurethane, elastic joint sealant and adhesive



Item Code	Packaging	Colour
SK519878	310ml cartridge	White
	12 per box	
SK519856	310ml cartridge	Grey
	12 per box	
SK520287	310ml cartridge	Black
	12 per box	
SK520355	600ml foil pack	White
	20 packs per box	
SK519871	600ml foil pack	Grey
	20 packs per box	
SK520366	600ml foil pack	Black
	20 packs per box	
SK520470	600ml foil pack	Japan Beige
	20 packs per box	

Sikaflex® -111 Stick & Seal

Flexible adhesive and sealant



Item Code	Packaging	Colour
SK592239	290ml cartridge	White
	12 per box	
SK592240	290ml cartridge	Black
	12 per box	
SK592241	290ml cartridge	Concrete Grey
	12 per box	



Sikaflex®-116 High Grab

High Grab Construction Adhesive

Item Code	Packaging	Colour
SK677798	290ml cartridge	White
	12 per box	



SikaBond®-145 SuperGrip

Premium polyurethane construction adhesive with fast build up of strength

Item Code	Packaging	Colour
SK679446	310ml cartridge	White



Sikaflex®-118 Extreme Grab

Construction Adhesive

Item Code	Packaging	Colour
SK592229	290ml cartridge	White
	12 per box	



SikaBond®-142 Instant Nails

High strength multipurpose adhesive

Item Code	Packaging	Colour
SK92557	300g cartridge	Beige
	12 per box	



Sika Bond[®] INSTANT NAILS FAST

Fast cure multipurpose construction adhesive

Item Code	Packaging	Colour
SK503605	430g cartridge	White
	12 per box	



Sikaflex[®] -112 Crystal Clear

Transparent adhesive and sealant

Item Code	Packaging	Colour
SK591005	290ml cartridge	Transparent
	12 per box	



Sika MaxTack[®]

Sika MaxTack[®] is a one part high strength, Copolymer dispersion adhesive

Item Code	Packaging	Colour
SK694280	290ml cartridge	Off-White
SK694347	100g mini sausages	Off-White



Sika[®] Showerbond

Solvent based gun grade wallboard adhesive

Item Code	Packaging	Colour
SK446506	300ml cartridges	Green
	20 per box	



Sika Bond[®] Tech Grip

High strength multipurpose polyurethane glue

Item Code	Packaging	Colour
SK418051	125g cartridge	Brown
	12 per box	
SK418052	500g cartridge	Brown
	6 per box	



Sika Bond[®] PVA

Interior & Exterior wood working glue

Item Code	Packaging	Colour
SK450771	500ml	White
SK450744	1L	
SK450729	5L	



Strong As Nails Fix It

Solvent based high performance, gap filling construction adhesive

Item Code	Packaging	Colour
SD144898	350g cartridge	Beige
SD144904	20 per bucket	



Strong As Nails Super Grab

Solvent free , high performance , premium grade gap filling construction adhesive. High initial grab - up to 140kg / m2 making it ideal for bonding heavy materials without slump

Item Code	Packaging	Colour
SD144903	350g cartridge	Beige
SD144902	20 per bucket	



Strong As Nails Mega Grab

Solvent free, fibre re-inforced ultra-high performance, premium grade gap filling construction adhesive. Mega high initial grab-up to 300kg/m²

Item Code	Packaging	Colour
SD144900	350g cartridge	Beige



XTREME[®] CLEARFIX

Bostik Xtreme[®] ClearFix is a high performance, flexible sealant and high strength adhesive in one for interior use

Item Code	Packaging	Colour
BK30610665	290ml	Crystal Clear



XTREME[®] FLEX

Xtreme flexibility, Xtreme results

Item Code	Packaging	Colour
BK30610668	290ml	White
BK30610797		Grey
BK30610681		Black



XTREME[®] HIGHTACK

Sticks A to B in the time you read this

Item Code	Packaging	Colour
BK30610679	290ml	White



SikaSeal® -300 Glass and Weather Seal

A neutral-curing silicon sealant with a high movement capability and excellent adhesion to a wide range of substrates

Item Code	Packaging	Colour
SK550998	300ml cartridge	Transparent
	25 per box	



Sikasil® SG-20

High-strength, 1-component silicone structural glazing adhesive, CE-marked

Item Code	Packaging	Colour
SK107627	600ml sausage	Black
	20 per box	
SK535464	300ml cartridge	
	25 per box	



SikaHyflex® -305 AP

Weather sealant for curtain wall and metal cladding facades

Item Code	Packaging	Colour
SK500310	600ml foil pack	Black
	20 per box	
SK516205	600ml foil pack	Grey (MTO)
	20 per box	



Sikasil® SG-500

High - performance , 2 - component silicone structural glazing adhesive

Item Code	Packaging	Colour	
SK649406	Side by side cartridge of	Part A	White
SK649708	total 490ml	Part B	Black
		A + B	Grey

All Purpose Silicone

For all sealing, waterproofing and bonding applications where protection against mould and mildew is required. The ultimate all rounder silicone suitable to the broadest range of applications



Item Code	Packaging	Colour	Matching Colorbond
SD121662	300ml cartridge	Clear	NA
SD121661	300ml cartridge	Brilliant White	White haven
SD127785	300ml cartridge	Titanium	Surf mist
SD121671	300ml cartridge	Alabaster	NA
SD121664	300ml cartridge	Ivory	Classic cream
SD121663	300ml cartridge	Beige	Paperbark
SD121669	300ml cartridge	Stone	Gully
SD127786	300ml cartridge	Taupe	Jasper
SD121665	300ml cartridge	Grey	Dune
SD144928	300ml cartridge	Misty grey	NA
SD131649	300ml cartridge	Cement grey	NA
SD131648	300ml cartridge	Medium grey	NA
SD121666	300ml cartridge	Dark Grey	Windspray
SD121660	300ml cartridge	Aluminium	Citi
SD121667	300ml cartridge	Pewter	Woodland grey
SD121668	300ml cartridge	Charcoal	Monument
SD121995	300ml cartridge	Black	Night sky
SD144558	300ml cartridge	Moss green	Cottage green



Glass & Glazing Silicone

For all sealing, waterproofing and bonding applications where long term protection and weatherproofing is required

Item Code	Packaging	Colour
SD127782	300ml	Translucent
SD127781		Matt Black

Bathroom & Kitchen Silicone

Offers strong adhesion to glass, tile, ceramics, aluminium, metals (including powder-coated & anodised), painted surfaces, fibreglass, stainless steel

Item Code	Packaging	Colour
SD127783	300ml	White
SD127784		Translucent
SD154228		Grey

SEAL 'N' FLEX[®] ONE PLUS P590

Bostik Seal N' Flex[®] One Plus P590 is a low modulus, bubble-free curing, universal polyurethane sealant for construction and expansion joints



Item Code	Packaging	Colour
BK30619339	300ml cartridge	Grey
	20 per carton	
BK30619347	300ml cartridge	White
	20 per carton	
BK30619336	300ml cartridge	Black
	20 per carton	
BK30619340	600ml sausages	Grey
	20 per carton	
BK30619348	600ml sausages	White
	20 per carton	
BK30619337	600ml sausages	Black
	20 per carton	
BK30619341	600ml sausages	Limestone
	20 per carton	
BK30619346	600ml sausages	Sandstone
	20 per carton	
BK30619342	600ml sausages	Off-White
	20 per carton	
BK30619338	600ml sausages	Epping Grey
	20 per carton	

SEAL 'N' FLEX[®] PREMIUM P795

High-performance polyurethane sealant and adhesive in one



Item Code	Packaging	Colour
BK30619363	300ml cartridge	Grey
	20 per carton	
BK30619372	300ml cartridge	White
	20 per carton	
BK30619361	300ml cartridge	Black
	20 per carton	
BK30619364	600ml sausages	Grey
	20 per carton	
BK30617376	600ml sausages	White
	20 per carton	
BK30619362	600ml sausages	Black
	20 per carton	

V60 ARCHITECTURAL GRADE SILICONE

Architectural-grade glazing silicone



Item Code	Packaging	Colour
BK30804561	300ml sausages	Translucent
	20 per carton	
BK30840201	300ml sausages	White
	20 per carton	
BK30840214	300ml sausages	Grey
	20 per carton	
BK30840555	300ml sausages	Black
	20 per carton	
BK30840556	300ml sausages	Silver
	20 per carton	
BK30840229	300ml sausages	Matt Black
	20 per carton	
BK30610925	600ml sausages	Translucent
	20 per carton	

**KITCHEN & BATHROOM NEUTRAL CARE**

Neutral cure wet-area silicone

Item Code	Packaging	Colour
BK30840077	300ml	White
BK30840127		Translucent

SikaSeal[®] Roof & Gutter

1 - component neutral cure roof and gutter silicone sealant



Item Code	Packaging	Colour
SK692067	300ml cartridge	Translucent
	12 per box	
SK692073	300ml cartridge	White
	12 per box	
SK692107	300ml cartridge	Black
	12 per box	
SK692132	300ml cartridge	Grey
	12 per box	

Sikaflex[®] -111 Stick & Seal

Flexible adhesive and sealant



Item Code	Packaging	Colour
SK592239	290ml cartridge	White
	12 per box	
SK592241	290ml cartridge	Concrete Grey
	12 per box	
SK592240	290ml cartridge	Black
	12 per box	

Sikaflex[®] -118 Extreme Grab

Construction Adhesive



Item Code	Packaging	Colour
SK592229	290ml cartridge	White
	12 per box	

Sikaflex® -11 FC

One -component advanced polyurethane , elastic joint sealant and adhesive



Item Code	Packaging	Colour
SK519878	310ml cartridge	White
	12 per box	
SK519856	310ml cartridge	Grey
	12 per box	
SK520287	310ml cartridge	Black
	12 per box	
SK520355	600ml foil pack	White
	20 per box	
SK519871	600ml foil pack	Grey
	20 per box	
SK520366	600ml foil pack	Black
	20 per box	
SK520470	600ml foil pack	Japan Beige
	20 per box	

ROOF & GUTTER

100% premium roofing silicone



Item Code	Packaging	Colour
BK30800828	300 ml	Translucent
BK30840060		Grey
BK30840061		Black
BK30840059		White
BK30840335		Classic Cream
BK30840234		Manor Red
BK30840233		Cottage Green
BK30840232		Surfmist
BK30840235		Woodland Grey
BK30840449		Evening Haze
BK30840450		Basalt
BK30840448		Monument
BK30804566	600ml	Translucent
BK30840238		Grey



Roof & Gutter Silicone

Offers strong adhesion to aluminium(including power-coated & anodised)

Item Code	Packaging	Colour
SD127779	300ml	Translucent
SD127778		Grey

Sika® Foam Backer Rod Closed Cell

Sika® Foam Backer Rod Closed Cell is manufactured from closed cell, low density, polyethylene foam



Item Code	Packaging	
	Diameter	Length
SK411553	6mm	250m
SK411555	10mm	250m
SK411558	20mm	60m
SK411560	30mm	50m

Sika® Foam Backer Rod Open Cell

Sika® Foam Backer Rod Open Cell is manufactured from extruded, open cell polyurethane foam



Item Code	Packaging		Colour
	Diameter	Length	
SK411999	16mm	150m	Orange
SK412001	22mm	100m	
SK412002	29mm	60m	
SK412003	38mm	30m	
SK412004	50mm	20m	

Abelflex

Expansion Joint and Space Filler (Zip Rolls)



Item Code	Packaging	Colour
SK621844	10mm x 75mm x 25m	Dark Grey Foam
SK621847	10mm x 50mm x 25m	
SK621850	10mm x 100mm x 25m	
SK621852	10mm x 150mm x 25m	

Abelflex Rod filler

An exceptionally strong and lightweight closed cell, polyethylene foam rod expansion joint and space filler



Item Code	Packaging	Colour
SK619309	6mm x 50m	White
SK619310	10mm x 50m	
SK619311	13mm x 50m	
SK619312	20mm x 50m	

Abelflex Handy Pack

A flexible, lightweight, closed cell, cross - linked, polyethylene foam expansion joint and space filler



Item Code	Packaging	Colour
SK619306	10mm x 75mm x 6m	Dark Grey Foam
SK619305	10mm x 50mm x 6m	
SK619307	10mm x 100mm x 6m	
SK619308	10mm x 150mm x 6m	

Backing Rods

PE Backer Rods are round profiles supplied in cut 1 metre lengths from poly - ethylene which are used as non-adhesive backfilling in all construction joints to ensure correct joint dimensions for sealants



Item Code	Packaging	Colour
SD110308	10 mm	Grey
SD110283	15 mm	
SD110284	20 mm	
SD110285	25 mm	
SD110286	30 mm	
SD110287	40 mm	
SD110288	50 mm	

Application Gun

Dripless Skeleton Gun



A trade quality strong and durable skeleton gun for dispensing all cartridge based products. Applicator gun for 300ml cartridge sealants

Item Code	Packaging	Colour
SD111072	24 units per box	Yellow

Dripless HD Cartridge Gun



A Powerful heavy duty steel, trade quality cartridge gun featuring the Soudal Dripless System which reduces mess and product waste. Applicator gun for 300 ml cartridge sealants

Item Code	Packaging	Colour
SD106617	12 units per box	Black

Dripless HD Sausage Gun



A Powerful heavy duty, trade quality sausage gun. Comes with aluminium and clear plastic interchangeable barrels. Applicator gun for 600 ml sausage

Item Code
SD106617

Applicator Gun 380 mL



Heavy duty trade quality gun. Applicator gun for PU foam

Item Code
SD137930

**Pneumatic Gun – Cartridge**

Suitable for dispensing all cartridges

Item Code
SD126786

**Pneumatic Sausage Gun**

Suitable for dispensing 600ml sausages

Item Code
SD126784

**Application Barrel Gun 37cm**

For the application of 600mL sausages

Item Code
BK30803304

**Application Pro Cartridge Gun**

Suitable for dispensing 300mL cartridges

Item Code
BK30840021

**Sika® Skeleton Gun**

The Sika WT-214 Gun was designed for the serious DIY customer. Lightweight and easy to use, with strong construction and balanced design

Item Code
SK411970



Sika® Trade Gun

The Sika® WT - 215 Gun is designed for trade professionals caulking out large volumes daily. Strong, resistant and able to withstand use every day

Item Code
SK182101



Sika® Sausage Gun

Sika WT- 250 XL cartridge gun features top quality construction, an easy trigger action and the ability to dispense sealants and adhesives in both sausage and cartridge forms

Item Code
SK668800



Applicator Gun 380 mL

Heavy duty trade quality gun

Item Code
SD103265

Accessories



Application Nozzle 39mm

Heavy duty nozzle made for Bostik 600mL sized sausages

Item code	Packaging
BK30840098	10 per pack



Sika[®] Boom Nozzles

Nozzles suitable for Sika[®] Boom products

Item code
SK493288



Sika[®] Cartridge Resealable Nozzles

Replacement nozzles for standard cartridges

Item Code	Packaging
SK448162	5 per pack



Sikaflex[®] Cartridge Nozzles

Replacement Sikaflex[®] Cartridge Nozzles

Item Code	Packaging
SK434019	3 per pack



Sikaflex[®] Sausage Nozzles

Replacement Sikaflex[®] Sausage Nozzles

Item Code	Packaging
SK494957	3 per pack

**Sika® Primer-3 N**

A one - component , transparent primer for porous sur-
-faces and metal

Item Code	Packaging
SK114665	250 ml
SK122239	1 litre

**Sika® Primer-1/202**

Polyurethane based primer

Item Code	Packaging
SK411520	1 litre

**Sika® Primer-215**

Non-pigmented, solvent-based primer for plastics and
wood

Item Code	Packaging
SK1428	250 ml
SK117571	1 litre

**Sika® Aktivator-205**

Transparent, solvent - based adhesion promoter for
non-porous substrates

Item Code	Packaging
SK92517	1 litre

Cleaners

Handy Wipes

Bostik Handy Wipes are waterless, dual - sided hand towels that have a convenient scrub side for removing tough grime, and one for gentle wiping away



Item Code	Packaging	Colour
BK30840451	70 towels pack	Purple hand towels
	6 per carton	
BK30617389	30 towels pack	
	30 per carton	

Soapstone Engineering chalk – Bulk Refills – 6pce

An economical and durable soapstone ideal for marking steel plate and other rough and tough surfaces especially when welding or cutting

Item Code	Packaging
CW308985	6 pieces

WeldSkill Magnetic Work Clamp/Holder – Medium

Our WeldSkill Magnetic Work Clamps are the ideal accessory when welding and cutting

Item Code	Size
CW646764	Medium
CW646765	Large

WorkLead – 400A – 8m

400amp Work Lead 8m strong cable 50mm plug



Item Code	Contains
CW705161	400amp Work Lead
	8m strong cable
	50mm plug

Cigweld WeldSkill MIG Pliers

A must have for every MIG welder



Item Code
CW-CWPLIER

MIG Gun Consumables Organiser – BZL-15 & 16 MIG

An organiser full of consumables in one handy kit



Kit	Contains		Qty
Item Code	Item Code	Description	
CW-W4012303	OTW11/23	Contact Tip 0.6mm	5
	OTW11/30	Contact Tip 0.8mm	5
	OTW11/35	Contact Tip 0.9mm	5
	W6000600	Gas Nozzle (M)	2
	W6000599	Gas Nozzle (L)	2
	W6000602	Gas Diffuser	2
	W6000598	Diffuser Spring	2
	CWPLIER	MIG Plier	1

MIG Gun Consumables Organiser – BZL-13 & 14 MIG

An organiser full of consumables in one handy kit



Kit	Contains		Qty
Item Code	Item Code	Description	
CW-W4012302	OTW11/23	Contact Tip 0.6mm	5
	OTW11/30	Contact Tip 0.8mm	5
	OTW11/35	Contact Tip 0.9mm	5
	W6000600	Gas Nozzle (M)	2
	W6000599	Gas Nozzle (L)	2
	W6000605	Gas Diffuser	2
	W6000598	Diffuser Spring	2
	CWPLIER	MIG Plier	1



Transmig Trolley for Transmig 355i

The easy to assemble Transmig Welding Trolley is designed for maneuverability when using the 4RX Wire Feeder and Transmig 355i power source

Item Code
CW-W4015005



Welding Equipment Trolley For Larger Machines

Welding equipment trolley suitable for Transmig 220i and 255i welding machines

Item Code
CW-W4015000

TIG torch accessories kit

Premium TIG Accessory Kit



Item Code	Kit Contains	
CW-BGSAK2	Item	Size
	Collets	1.0mm
		1.6mm
		2.4mm
	Collet Body	1.0mm
		1.6mm
		2.4mm
	Ceramic Nozzles	4
		5
		6
	Ceriated Tungstens (Grey)	1.0mm
		1.6mm
		2.4mm

Stainless Steel Bristle Wire Brush

Item Code
CW646365

Steel Bristle Wire Brush

Item Code
CW646363

Spatter-Safe

Spatter release agent. Ozone safe , User safe , Non - flammable , Low toxicity, effective and economical



Item Code	Size
CW704814	400ml pump can
CW704815	1 Litre
CW704816	5 Litre
CW704817	20 Litres

Portable Drying Oven

CIGWELD' s drying oven helps reduce your amount of electrode wastage, as well as ensure optimum performance to electrodes that have been moisture compromised



Item Code
CW-VB1689

Plugs



Male Cigweld style plug 8 pin with 2 pins for TIG torches and spool guns for switch operation only. Compatible with most Cigwelds

Item Code	Size
CW-UOA706900	8 Pin
CW-UOA700738	6 Pin / Earth
CW-UOA7977710	14 Pin

Naka Measuring Gauge



A versatile tool for the use of the welding operator. The tool can be used with ease for weld joint preparation function as well as for checking weld joints

Item Code
CW646265



Crimped Fitted Cable Lugs

Item Code	Cable Size	Hole Size
CW-KP887	50-7mm	13mm
CW-KP892	70-19mm	19mm

Chipping Hammer



Chipping hammers are quite often overlooked as a tool when welding

Item Code
CW646215

CIGAGE Metric Fillet Gauge



Economic gauge to measure and leg length and throat thickness

Item Code
CW-CIGAGE

WorkLead - 400A - 8m

Item Code	Contains	
CW705161	Item	Size
	Work Lead	400amp
	Strong Cable	8m
	Plug	50mm

WeldSkill Lead Set - To suit WeldSkill 100/130/140 Inverter

Item Code	Contains
CW-W7003100	Electrode Holder with 3m Lead
	Work Clamp with 3m Lead

WeldSkill Lead Set - To suit WeldSkill 170/170HF/180 Inverter

Item Code	Contains
CW-W7003101	Electrode Holder with 5m Lead
	Work Clamp with 5m Lead

WeldSkill 180 AC/DC TIG Welder

The CIGWELD WeldSkill 180 AC /DC is a compact and light weight 12kg TIG Inverter with 10 Amp plug to manoeuvre easily around your workshop



Item Code	Contains
CW-W1008195	WeldSkill 180AC/DC Power Source
	TIG Torch with 4m Lead and Remote Control
	TIG Torch Accessory Kit
	CutSkill Argon Regulator/Flowmeter
	Twistlock Electrode Holder with 4m Lead
	Work Clamp with 4m Lead
	Shoulder Strap

WeldSkill 205 AC DC TIG Welder

The CIGWELD WeldSkill 205 AC DC TIG Welder has has great features and robust power that has been compacted down into a smaller, lighter and more portable TIG Inverter that weighs a slight 12kg



Item Code	Contains
CW-W1008205	8m Remote Control TIG Torch
	Argon Regulator/Flowmeter
	4m Electrode Holder and Work Clamp
	G Accessory Kit with tungstens, nozzles, colle

Welding Lead Set - 8m - 500A

Item Code	Contains
CW646387	Electrode holder with 8m lead
	Work Clamp with 8m lead
	Havy duty 500A

**Welding Lead Set - 3m - 200A**

Item Code	Contains
CW646386	200Amp Electrode holder with 3m lead

**Welding Lead Set - 5m - 200A**

Item Code	Contains
CW646323	200Amp Electrode holder with 5m lead

**Welding Lead Set - 8m - 200A**

Item Code	Contains
CW646325	200Amp Electrode holder with 8m lead

**Heavy Duty Twistlock Electrode Holder - 500A**

Electrode capacity up to 6mm. Heavy duty high - quality construction . Fully Insulated high performance heat resistant fibreglass handle

Item Code
CW646343

**Twistlock Electrode Holder - 600A**

Electrode capacity up to 6.3mm. Fully insulated, high quality & durable holder

Item Code
CW6EH600TL

**Heavy Duty Twistlock Electrode Holder - 400A**

Electrode capacity up to 5mm Duty cycle: 400A@35%; 300A@60%. Fully insulated, high quality, durable, complies to AS60974.11, Type A requirements

Item Code
CW646142

**Heavy Duty Twistlock Electrode Holder - 250A**

Electrode capacity up to 5mm. Fully insulated, high quality, durable, complies to AS2826, Type A requirements. Designed for AS1674.2 category A, B and C environments

Item Code
CW646165

**Twistlock Electrode Holder - 250A**

Electrode capacity up to 5mm. Fully insulated high quality and durable

Item Code
CW-CEH250TL

TWECO WeldSkill Lead Set

Tweco WeldSkill welding lead sets utilise double insulated welding cable and heavy duty accessories for increased life expectancy. High quality electrode holder suitable for 1.6mm to 0.6mm diameter electrodes

Item Code
CW-WS41625

**Tong Electrode Holder 400/600 AMP**

Item Code	Size
CW-CEH400T	400 AMP
CW-CEH600T	600 AMP

**Tong Electrode Holder 200 AMP**

Item Code	Size
CW-CEH200T	200 AMP

**Tong Electrode Holder 400/500 AMP**

Item Code	Size
CW646214	400 AMP
CW646344	500 AMP

WeldSkill MicroArc 140

Weighs around 3kg and sized at only 100mm Wide and 185mm High . Adjustable welding current from 10 to 140 amps and adjustable Hot Start and Arc Force



Item Code	Contains
CW-W1008162	WeldSkill MicroArc 140 Power Source
	3m Twistlock Electrode Holder Lead
	3m Work Lead
	Shoulder Strap

Transmig Trolley for Transmig 355i

The easy to assemble Transmig Welding Trolley is designed for maneuverability when using the 4RX Wire Feeder and Transmig 355i power source



Item Code
CW-W4015005

Tungsten Zirconiati (white)

The TIG Tungsten electrodes are suitable for AC / DC TIG welding (3T Rare Earth) and AC TIG Welding (Zirconiati)



Item Code	Colour	Size	Packaging
CW699864	White	1.6mm	2pcs/pack
CW699865	White	2.4mm	2pcs/pack



Tungsten Zirconiated (white)

The TIG Tungsten electrodes are suitable for AC / DC TIG welding (3T Rare Earth) and AC TIG Welding (Zirconiated)

Item Code	Colour	Size	Packaging
CW699866	White	1.6mm	10pcs/pack
CW699867	White	2.4mm	10pcs/pack
CW699868	White	3.2mm	10pcs/pack



Tungsten 3T Rare Earth (purple)

The TIG Tungsten electrodes are suitable for AC / DC TIG welding (3T Rare Earth) and AC TIG Welding (Zirconiated)

Item Code	Colour	Size	Packaging
CW699859	Purple	1.6mm	2pcs/pack
CW699860	Purple	2.4mm	2pcs/pack



Tungsten 3T Rare Earth (purple)

The TIG Tungsten electrodes are suitable for AC / DC TIG welding (3T Rare Earth) and AC TIG Welding (Zirconiated)

Item Code	Colour	Size	Packaging
CW699866	Purple	1.6mm	10pcs/pack
CW699867	Purple	2.4mm	10pcs/pack
CW699868	Purple	3.2mm	10pcs/pack



WeldSkill Magnetic Work Clamp/Holder - Medium

WeldSkill Magnetic Work Clamps are the ideal accessory when welding and cutting. Can easily keep your workpiece in place with up to 22kg holding capacity

Item Code
CW646764



WeldSkill Magnetic Work Clamp/Holder - Large

WeldSkill Magnetic Work Clamps are the ideal accessory when welding and cutting. Can easily keep your workpiece in place with up to 22kg holding capacity

Item Code
CW646765

Zirconiated Electrode



Item Code	Size
CW-VB1692	1.6mm
CW-VB1693	2.4mm
CW-VB1694	3.2mm

Work Clamp - Tong Clamp Style 500A



All brass construction with copper shunt. 500 amp @ 60% duty cycle. M8 mounting stud, jaws opening: H 100mm, D 140mm. Suits up to 70mm² welding cable

Item Code
CW646352

**WorkClamp - Spring Loaded 400A**

Spring loaded jaws .Copper jaws with copper braided shunt. Heavy duty clamp M10 mounting stud. Precision Swiss quality

Item Code
CW646349

**WorkClamp - Spring Loaded Style 500 AMP**

All brass construction with spring loaded jaws. Compact and durable clamp. M6 mounting stud

Item Code
CW-CWC500

**WorkClamp - Spring Loaded Style 600 AMP**

Copper jaws with copper braided shunt. Spring loaded jaws and Zinc plate steel construction. M10 mounting stud. Precision Swiss quality

Item Code
CW646350

**WorkClamp - Spring Loaded Style 400 AMP**

Zinc plate construction. Copper jaws with copper braided shunt. M8 mounting stud

Item Code
CW-CWC400

**WorkClamp - Spring Loaded Style 200 AMP**

Spring loaded jaws. Copper jaws with copper braided shunt. Zinc plate steel construction. Heavy duty clamp. M8 mounting stud. Precision Swiss quality

Item Code
CW646348

**WorkClamp - Spring Loaded 250 AMP**

Spring loaded jaws. Brass jaws with copper braided shunt. Zinc plate steel construction. M8 mounting stud

Item Code
CW-KP301R

**WorkClamp - G Style 500 AMP**

All brass construction with steel fixing screw. 500 amp @ 60% duty cycle. Compact durable clamp. Suits up to 95mm² welding cable

Item Code
CW646351

**TIG Torch 26 for Transmig 250i - Flex Neck, 4m**

CIGWELD TIG Torch 26 suits ransmig 250i features a flex neck 4m lead

Item Code
CW-W4014600



TIG Torch for WeldSkill 100/130/140 Inverter

CIGWELD TIG Torch 17 suits WeldSkill 100, 130 and 140. Includes accessory kit. 25mm dinse connection and 3m lead

Item Code
CW-W7003006



TIG Torch for WeldSkill 170/180 Inverter

CIGWELD TIF Torch 17 suits WeldSkill 170 and 180. Includes accessory kit. 50mm dinse connection and 3m lead

Item Code
CW-W7003021

WeldSkill 180 AC/DC TIG Welder

The CIGWELD nWeldSkill b180 AC/DC is a compact and light weight 12kg TIG Inverter with 10 Amp plug to manoeuvre easily around your workshop



Item Code	Contains
CW-W1008195	WeldSkill 180AC/DC Power Source
	TIG Torch with 4m Lead and Remote Control
	TIG Torch Accessory Kit
	CutSkill Argon Regulator/Flowmeter
	Twistlock Electrode Holder with 4m Lead
	Work Clamp with 4m Lead
	Shoulder Strap

WeldSkill 205 ACDC TIG Welder



The CIGWELD WeldSkill 205 ACDC TIG Welder has great features and robust power that has been compacted down into a smaller, lighter and more portable TIG Inverter that weighs a slight 12kg

Item Code	Contains
CW-W1008205	8m Remote Control TIG Torch
	Argon Regulator/Flowmeter
	4m Electrode Holder and Work Clamp
	G Accessory Kit with tungstens, nozzles, colle

TIG Torch 26V, 4m



To suit Transmig 250i. Has Flex neck, Gas valve and 4m lead

Item Code
CW-W7003021

TIG Torch 17V, Remote Current



TIG Torch 17V Remote Current to suit Transmig 175i

Item Code
CW-W4013800

TIG Torch 17V, 4m



To suit Transmig 175i, Transmig 185 Ultra and Weld Skill 185. Has Gas valve and 4m lead

Item Code
CW-W4013801

Superflex Welding Cables

SUPERFLEX is a premium grade copper welding cable which offers flexibility over a wide range of environmental conditions and performance benefits over welding cables previously available to the welding industry



Item Code	Description	Duty Cycle
CW7901220	16mm, 150m Spool	225A @ 30%
CW7901221	25mm, 150m Spool	300A @ 30%
CW7901271	35mm, 50m Spool	375A @ 30%
CW7901222	35mm, 100m Spool	375A @ 30%
CW7901272	50mm, 50m Spool	475A @ 30%
CW7901223	50mm, 100m Spool	475A @ 30%
CW7901224	70mm, 50m Spool	590A @ 30%
CW7901273	70mm, 100m Spool	590A @ 30%
CW7901225	95mm, 50m Spool	715A @ 30%

Torch SA17 190 Amp



Torch SA174D1 190 Amp has Rigid neck with 25mm Dinse connection 4m lead. Has Torch switch
Torch SA17F4D1 150 Amp has Flex neck with 25mm Dinse connection 4m lead. Has Torch switch

Item Code	Torch Mode	Duty Cycle
CW304710402	SA174D1	60% @ 190Amps
CW308710402	SA17F4D1	60% @ 150Amps



Steel Bristle Wire Brush

Item Code
CW646364

Torch SA17 190 Amp

Torch SA174VFD1 150 Amp has Flex neck with 25mm Dinse connection 4m lead. Has Gas valve Torch SA17V4D1 190 Amp has Rigid neck with 25mm Dinse connection 4m lead. Has Gas valve

Item Code	Torch Mode	Duty Cycle
CW309710402	SA174VFD1	60% @ 150Amps
CW305710402	SA17V4D1	60% @ 190Amps

**SA26 250 Amp**

Item Code
CW308720401

Rotary Clamp 250/500 AMP

High efficient 360 degree rotating clamp. All copper construction with copper shunt 250/500 amp @ 60% duty cycle. M8 mounting stud. Suits up to 95mm² welding cable

Item Code	Size
CW646353	250Amps
CW646354	500Amps

Rotary Clamp 1000 AMP

High efficient 360 degree rotating clamp. All copper construction with copper shunt 1000 amp @ 60% duty cycle. M8 mounting stud. Suits up to 2 off 95 mm² welding cables

Item Code
CW646355

Magnetic Work Clamp 600A

Item Code
CW-SMGC600

Magnetic Work Clamp 300A

Item Code
CW-SMGC300

Magnetic Work Clamp 200A

Item Code
CW-SMGC200

Dinse Socket Connector

Item Code	Size
CW705153	25mm
CW705154	50mm
CW705156	70mm

Dinse Panel Socket

Item Code	Size
CW704460	50mm
CW7977159	25mm

Dinse Plug Connector

Item Code	Size
CW705152	25mm (Male)
CW704461	50mm
CW705155	70mm

Dinse Cable Connector 50mm

Item Code
CW706551

Dinse Cable Connector 25mm

Item Code
CW706552

Crimped Fitted Cable Lugs



Item Code	Cable Size	Hole Size
CW-KP887	50-7mm	13mm
CW-KP892	70-19mm	19mm



Collet Body

Item Code	Size
CW-BG10N30/R	1.0mm
CW-BG10N32/R	2.4mm
CW-BG10N28/R	3.2mm



Collet

Item Code	Size
CW-BG10N22/R	1.0mm
CW-BG10N23/R	1.6mm
CW-BG10N24/R	2.4mm
CW-BG10N25/R	3.2mm
CW-BG54N20/R	4.0mm



Ceriated Electrode

Item Code	Size
CW699846	1.6mm
CW699847	2.4mm
CW699848	3.2mm

Chipping Hammer




Featuring a pointed end for clearing little bits of spatter and a bladed end for clearing large amounts of debris

Item Code
CW646215

Cable Connector

Featuring a Tapered Twist Lock up to 50mm for the 300 amp variant and 70mm for the 500 amp variety



Item Code	Size
CW646161	300Amp
CW646162	500Amp

Aluminium Nozzles



Item Code	Size
CW-BG10N46/R	12.5mm
CW-BG10N47/R	11mm
CW-BG10N49/R	10mm

210 Amp TIG Torch - Air Cooled



Item Code
CW424720401

Heavy Duty Twistlock Electrode Holder - 500A



Electrode capacity up to 6mm. Heavy duty high quality construction. Fully insulated, High performance, heat resistant fibre glass handle

Item Code
CW646343

Heavy Duty Twistlock Electrode Holder - 400A



Electrode capacity up to 5mm. High quality, durable and fully insulated

Item Code
CW646142

Heavy Duty Twistlock Electrode Holder - 250A



Electrode capacity up to 5mm. High quality, durable and fully insulated

Item Code
CW646165

Twistlock Electrode Holder - 600A



Electrode capacity up to 6.3mm. High quality, durable and fully insulated

Item Code
CW-CEH600TL

Twistlock Electrode Holder - 400A



Electrode capacity up to 5mm. High quality, durable and fully insulated

Item Code
CW-CEH400TL



Twistlock Electrode Holder - 250A

Electrode capacity up to 5mm. High quality, durable and fully insulated

Item Code
CW-CEH250TL



Tong Electrode Holder 600 AMP

Electrode capacity up to 6.3mm

Item Code
CW-CEH600T



Tong Electrode Holder 500 AMP

Extra heavy duty electrode capacity up to 9.5mm. Fully insulated. All positional electrode grip featuring ultra quick electrode change. Long life cool running tong holder

Item Code
CW646344



Tong Electrode Holder 400 AMP

Electrode capacity up to 5mm. Economical and fully insulated

Item Code
CW-CEH400T



Tong Electrode Holder 200 AMP

Electrode capacity up to 3.2mm. Economical and fully insulated

Item Code
CW-CEH200T

Tong Electrode Holder 400 AMP

Electrode capacity up to 6mm. Fully insulated. All position electrode grip

Item Code
CW646214

**PSF 420W, with Euro Connection, 4m**

With an ergonomic and well-balanced handle with soft grip areas(excluded on PSF260), the new PSF torch models ensure best comfort for the welder

Item Code
CW0700025061

**PSF 520W, with Euro Connection, 4m**

With an ergonomic and well-balanced handle with soft grip areas(excluded on PSF260), the new PSF torch models ensure best comfort for the welder

Item Code
CW0700025071

**PSF 415, with Euro Connection, 4m**

With an ergonomic and well - balanced handle with soft grip areas (excluded on PSF260), the new PSF torch models ensure best comfort for the welder

Item Code
CW0700025041

**PSF 315, with Euro Connection, 4m**

With an ergonomic and well-balanced handle with soft grip areas(excluded on PSF260), the new PSF torch models ensure best comfort for the welder

Item Code
CW0700025031

PSF 415, with Euro Connection, 3m

With an ergonomic and well-balanced handle with soft grip areas (excluded on PSF260), the new PSF torch models ensure best comfort for the welder

Item Code
CW0700025040

PSF 315, with Euro Connection, 3m

With an ergonomic and well-balanced handle with soft grip areas (excluded on PSF260), the new PSF torch models ensure best comfort for the welder

Item Code
CW0700025030

WeldSkill 400A MIG Torch, 3.6m, Euro

Euro connection. 400 Amp air cooled, 3.6m lead, 400A @ 40% duty cycle (CO2 Gas). Metal jacket conductor tube with front and rear spring strain relief. Fits up to 1.2mm wire

Item Code
CW-FAB400X12

WeldSkill 250A MIG Torch

250 Amp air cooled @ 60% duty cycle (CO2 Gas). 3.6m, 1.2mm wire. Metal jacket conductor tube with front and rear spring strain relief

Item Code
CW-FAB250T12

WeldSkill 250A MIG Torch, 3.6m, Euro

Euro connection. 250 Amp air cooled, 3.6m lead, 250 @ 60% duty cycle (CO2 Gas). Metal jacket conductor tube with front and rear spring strain relief. Fits up to 1.2mm wire

Item Code
CW-FAB250X12

WeldSkill 150A MIG Torch, 3m, Tweco 4

Tweco WeldSkill MIG guns provide excellent performance and ergonomics. Features Tweco 4 backend, 150 Amp air cooled, 3m lead. 150A @ 60% duty cycle (CO2 Gas). Metal jacket conductor tube with front and rear spring strain relief. Fits up to 1.2mm wire

Item Code
CW-FAB150T10

Tweco Professional Fusion 250 MIG Torch, 3.6m, Euro

Tweco professional MIG Torch with 3.6m lead, Euro connection, 250A

Item Code
CW-OTWF212X3035

Tweco No. 5 Professional MIG Torch

The Tweco No.5 is a trusted, heavy duty design, with high impact components and a high heat resistance. Oval handle reduces operator fatigue. Extended length conductor tube to reduce the impact of radiant heat on user

Item Code	Size
CW717211	3.4m
CW717212	4.5m

Tweco Professional Fusion 250 MIG Torch, 3m

Item Code
CW-W4013701

Tweco No.4 Professional MIG Torch

High quality Torch with 3.6m / 4.5m lead



Item Code	Size
CW717201	3.6m
CW717335	4.5m

Tweco No.4 Professional MIG Torch - Euro

High quality Torch with 3.6m / 4.5m lead



Item Code	Size
CW-OTWX412/3545	3.6m
CW-OTWX415/3545	4.5m

Tweco No.4 Professional MIG Torch, 4.5m - Lincoln

High quality Torch with 4.5m lead. This torch uses con
-tact tip OTW14/116 not 4



Item Code
CW-OTWL415-116

Tweco No.2 Professional MIG Torch, 3.6m - Tweco Connection



Tweco No.2 Professional MIG Torch is used for all MIG welding positions and processes. It has Tweco backend connection with 3.6m lead

Item code
CW717162

Tweco No.2 Professional MIG Torch, 3.6m - Euro



Tweco No.2 Professional MIG Torch, 3.6m- Euro is used for all welding positions and processes. It has Euro back end connection with 3.6m lead

Item code
CW-OTWX212/3035

Supra XT MIG Torch

Euro connection



Item code
CW-SE400X4M16

PulseMaster Smart Water Cooled 3.6M (Euro)

Heavy duty design for industrial applications. Advanced digital display (smart gun only). Supports Euro and Tweco style connections. Ergonomic style handle and premium cable hoze



Item Code	Size
CW-PMWS412X3545	400Amps
CW-PMWS512X3545	500Amps

PulseMaster Smart Air Cooled 3.6M (Euro)

Heavy duty design for industrial applications. Advanced digital display (smart gun only). Supports Euro and Tweco style connections. Ergonomic style handle and premium cable hoze



Item Code	Size
CW-PMAS312X3545	300Amps
CW-PMAS412X3545	400Amps

Eliminator Torch

Item Code
CW717578

Brumby 180

Item Code
CW717579

Tweco MIG Gun Consumables Organiser

Containing all of the MIG welding essentials, this value-add pack comes with a range of MIG Gun consumables compatible with, but not limited to, the Tweco Fusion 250 MIG Gun



Kit	Contains	
Item Code	Item Code	Description
CW-W4012300	WSPLIER	1xTweco WeldSkill MIG Pliers
	OTW32	2xTweco Insulator
	OTW22/50	2xTweco nozzle adjustable
	OTW52	2xTweco Gas Diffuser
	OTW14/30	10xTweco Contact Tip- 0.8mm
	OTW14/35	10xTweco Contact Tip-0.9mm

Cigweld WeldSkill MIG Pliers



A must have for every MIG welder. High quality MIG pliers are specifically designed for MIG welding applications. Manufactured from drop forged carbon steel. Strong and comfortable handle design. Spring loaded handle for easy operation

Item Code
CW-CWPLIER

Welding Equipment Trolley For Larger Machines



Welding equipment trolley suitable for Transmig 220i and 225i welding machines. G - size cylinder capacity. Wirefeeder top shelf/ Workbench. Heavy duty wheels, consumables organiser box (Accessories not included)

Item Code
CW-W4015000

Nozzle Dip 350g



Nozzle Dip is a non - toxic gel used to help prevent welding spatter adhering to sensitive torch components such as nozzles, contact tips etc. Simply dip the hot nozzle 1-cm into the nozzle dip as required. Avoid a build - up of nozzle dip in the diffuser when applying

Item Code
CW707958

Weldskill Harda

Basic type Manual Arc Welding Electrode. Resistant to hard particle abrasion and moderate impact loading. Air hardening, crack free, martensitic steel deposit - 650 Hv30

Item Code	Packaging	Size
CW-WEH0232	10 Rods	3.2mm
CW-WEH1032	1kg	

Weldskill WELDit ALL

Easy-to-use Rutile type, high alloy electrode. Welds all Steels. Easy Arc starting and excellent stability on low O.C.V. Welding machines. Ideal for repair & maintenance jobs. Not recommended for welding Cast Irons

Item Code	Packaging	Size
CW-WEW0225	10 Rods	2.5mm
CW-WEW1025	1kg	
CW-WEW0232	10 Rods	3.2mm
CW-WEW1032	1kg	

Weldskill Cast2steel - 2.5mm

Maintenance welding of S.G. Cast Irons. Joins Cast Iron to Steel. Lime Fluor spar/Graphite coating. Higher strength Nickel/Iron deposit. Easy starting and stable running on portable 240V Welding machines

Item Code	Packaging	Size
CW-WEC0225	10 Rods	2.5mm
CW-WEC1025	1kg	
CW-WEC0232	10 Rods	3.2mm
CW-WEC1032	1kg	

Weldskill 16HS

Fully basic Hydrogen controlled E7016 type Electrode. Excellent operator appeal in all positions. Ideal for fill and capping passes. Excellent impact toughness to -30°C

Item Code	Packaging	Size
CW-WEL0232	15 Rods	3. 2mm
CW-WEL1032	1kg	
CW-WEL0225	20 Rods	2. 5mm
CW-WEL1025	1kg	

OK Femax 33.80

Rutile type high Iron powder electrode. High productivity Fillet and Butt welding in all down-hand positions. Self-releasing slag, easy slag removal. Good bead appearance

Item Code	Size
CW3380324000	3. 2X450mm
CW3380424000	4. 0X450mm
CW3380524000	5. 0X450mm
CW3380624000	6. 0X450mm

OK Goldrox

OK Goldrox is a true all - round and all - position rutile electrode. Exceptional arc stability and reduced spatter, start and restart properties that allow for easy tack welds, and brilliant slag removal



Item Code	Packaging	Size
CW46592025Z0	1kg	2. 0mm
CW4659403510	2. 4kg	4. 0mm
CW4659253510	2. 5kg	2. 5mm
CW46592535Z0	1kg	
CW4659323510	2. 3kg	3. 2mm
CW46593235Z0	1kg	

Ferrocrafft 12XP

Ferrocrafft 12XP is an Xtra smooth Performance (XP) general purpose electrode. It offers smooth, stable running and superb fillet shapes in all welding positions including vertical-down/up and overhead



Item Code	Packaging	Size
CW322129	1kg	2.5mm
CW612232	2.5kg	
CW611232	5.0kg	
CW322213	Blisterpack	10 x 2.5mm/5 x 3.2mm
CW612233	2.5kg	3.2mm
CW611233	5kg	

Satincrafft 13

Satincrafft 13 is Australia's most popular GP electrode. It's an all positional (except vertical down) and produces smooth professional mitre fillet welds with very low splatter levels



Item Code	Packaging	Size
CW322135	1kg	2.5mm
CW612182	2.5kg	
CW611182	5kg	
CW322136	1 kg	3.2mm
CW612183	2.5kg	
CW611183	5kg	
CW611184	5kg	4.0mm
CW322203	Blisterpack	10 x 2.5mm/5 x 3.2mm

Satincrome 316L-17

Satincrome 316L-17 is a low carbon, Rutile type stainless steel electrode manufactured by CIGWELD for the all positional (except vertical-down) fillet and butt welding of 19Cr/10Ni type stainless steels



Item Code	Packaging	Size
CW611661	2.5kg	2.0mm
CW611662		2.5mm
CW611663		3.2mm
CW611664		4.0mm
CW322215	Blisterpack	10 x 2.5mm/5 x 3.2mm

Weldall

WELDALL is a highly alloyed stainless steel electrode which deposits a strong and ductile duplex austenite-ferrite weld metal extremely resistant to cracking



Item Code	Packaging	Size
CW611702	2.5kg	2.5mm
CW611703		3.2mm
CW611704		4.0mm
CW322216	Blisterpack	10 x 2.5mm/ 5x 3.2mm

Weldskill 309L

E309-16 type stainless steel electrode designed for fillet and butt welding



Item Code	Packaging	Size
CW-WES309125	12kg Carton - 1kg Packs	2.5mm
CW-WES309225	15kg Carton - 2.5kg Packs	
CW-WES309132	12kg Carton - 1kg Packs	3.2mm
CW-WES309232	15kg Carton - 2.5kg Packs	
CW-WES309240	15kg Carton - 2.5kg Packs	4.0mm

Weldskill 316L

E316L-16 type stainless steel electrode. Designed for fillet & butt welding in all positions except vertical -down. For the welding of matching 316 and 316L stainless steel grades



Item Code	Packaging	Size
CW-WES316120	1kg	2.0mm
CW-WES316220	2.5kg	
CW-WES316020	10 Rods	
CW-WES316125	1kg	2.5mm
CW-WES316225	2.5kg	
CW-WES316025	10 Rods	
CW-WES316132	1kg	3.2mm
CW-WES316232	2.5kg	
CW-WES316240	2.5kg	4.0mm

Weldskill GP

General purpose versatile electrode with high operator appeal. Ideal for THE vertical-down welding of thin steel sections



Item Code	Packaging	Size
CW-WEG1020	1kg	2.0mm
CW-WEG2520	2.5kg	
CW-WEG0220	20 Rods	
CW-WEG1025	1kg	2.5mm
CW-WEG2525	2.5kg	
CW-WEG5025	5.0kg	
CW-WEG0225	20 Rods	
CW-WEG1032	1kg	3.2mm
CW-WEG2532	2.5kg	
CW-WEG5032	5.0kg	4.0mm

Weldskill 312

E312-16 type stainless steel electrode designed for fillet & butt welding in all positions except vertical-down

Item Code	Packaging	Size
CW-WES312225	2.5kg	2.5mm
CW-WES312232		3.2mm
CW-WES312240		4.0mm

Ferrocrafft 61 H4

Ferrocrafft 61 H4 is a highly basic hydrogen controlled electrode offering excellent weld ability and weld deposit mechanical properties. Reliable impact properties to -30 Degrees

Item Code	Packaging	Size
CW612912	2.5kg	2.5mm
CW612913		3.2mm
CW612914		4.0mm

Alloycraft 70-A1

Alloycraft 70-A1 is a new low iron powder, moisture resistant, hydrogen controlled electrode offering excellent weld ability and weld deposit mechanical properties and very low diffusible hydrogen levels

Item Code	Packaging	Size
CW612843	2.5kg	3.2mm
CW612844		4.0mm

Bronzecraft AC/DC

Fully extruded phosphor bronze electrode containing approximately 7% tin. Special electrode for joining copper alloys to steel

Item Code	Packaging	Size
CW611783	2.5kg	3.2mm

Ferrocrafter 7016

Ferrocrafter 7016 is a basic, hydrogen controlled electrode that deposits weld metal in the 550MPa class. It gives excellent operator appeal in all welding positions, except vertical-down

Item Code	Packaging	Size
CW611743	5kg	3.2mm
CW611744		4.0mm

Castacrafter 55

Used for the maintenance of SG Cast Irons, joins Cast Iron to Steel. Lime Fluor spar/Graphite coating, higher strength Nickel/Iron deposit

Item Code	Packaging	Size
CW611723	15kg	3.2mm
CW611724		4.0mm

Castacrafter 100

Castacrafter 100 is a basic, graphite coated electrode manufactured by CIGWELD for the repair and maintenance of a wide range of Cast Iron components. Core wire is made up of 98%Ni

Item Code	Packaging	Size
CW611732	2.5kg	2.5mm
CW611733		3.2mm
CW322217	Blisterpack	10 x 2.5mm / 5 x 3.2mm

Satincrome 309Mo-17

Satincrome 309Mo-17 is a Rutile type, high alloy stainless steel electrode manufactured by CIGWELD for the all positional (except vertical-down) fillet and butt welding of 24Cr/13Ni type stainless steels



Item Code	Packaging	Size
CW611692	2.5kg	2.5mm
CW611693		3.2mm
CW611694		4.0mm

Satincrome 318L-17

Satincrome 318L-17 is a Niobium stabilised, Rutile type stainless steel electrode manufactured by CIGWELD for the all positional (except vertical-down) fillet and butt welding of stabilised and unstabilised



Item Code	Packaging	Size
CW611652	2.5kg	2.5mm
CW611653		3.2mm

Satincrome 308L-17

Satincrome 308L-17 is a smooth running, Rutile type stainless steel electrode manufactured by CIGWELD for the all positional (except vertical-down) fillet and butt welding of 19Cr/10Ni type stainless steels



Item Code	Packaging	Size
CW611602	2.5kg	2.5mm
CW611603		3.2mm
CW611604		4.0mm

Ferrocrafter 55U

Designed specifically for the all positional (except vertical down) root pass welding of steel pipes and plates, Ferrocrafter 55U has a thin flux coating for easier joint access



Item Code	Packaging	Size
CW611492	5kg	2.5mm
CW611493		3.2mm
CW611494		4.0mm

Ferrocrafter 61

Ferrocrafter 61 is a smooth running, use-friendly hydro-gen controlled electrode. Superb AC/DC operator appeal. Excellent out of position welding



Item Code	Packaging	Size
CW611342	5kg	2.5mm
CW611343		3.2mm
CW611344		4.0mm
CW611345		5.0mm

Weldcraft

Weldcraft is a popular, rutile basic type electrode which combines excellent all positional welding capabilities (except vertical-down) with improved radiographic weld deposit soundness and impact toughness



Item Code	Packaging	Size
CW611202	5kg	2.5mm
CW611203		3.2mm
CW611204		4.0mm

Ferrocrafter 22

Ferrocrafter 22 is a rutile type high Iron powder electrode for the higher productivity fillet and butt welding of mild steel. Suitable for all down hand (flat and horizontal-vertical) positions



Item Code	Packaging	Size
CW611252	5kg	2.5mm
CW611253		3.2mm
CW611254		4.0mm
CW611255		5.0mm

Ferrocrafter 21

Ferrocrafter 21 is a popular rutile type, medium Iron powder electrode. It offers many features including smooth stable AC / DC running on low O.C.V welding machines, excellent fillet shapes in all welding positions and higher electrode efficiency of 110%



Item Code	Packaging	Size
CW611242	5kg	2.5mm
CW611243		3.2mm
CW611244		4.0mm
CW611245	Blisterpack	10 x 2.5mm/ 5x 3.2mm

OK 53.16 Spezial

OK 53.16 is a double-coated electrode combining the running characteristics of a rutile electrode with the mechanical properties of a basic electrode. OK 53.16 welds on both AC and DC and the spatter loss is minimal



Item Code	Packaging	Size
CW53162534G1	1.8kg	2.5mm
CW53163234G0	1.6kg	3.2mm
CW53164044G0	2.2kg	4.0mm

GP6012

GP 6012 is a versatile, user - friendly, general purpose electrode, suitable for welding in all positions. Quiet, smooth Arc Action and excellent for welding joints with poor fit up



Item Code	Packaging	Size
CW611142	5kg	2.5mm
CW611143		3.2mm
CW611144		4.0mm

Dual Shield Prime 71 H4

A seamless, copper free, cored wire designed to weld thick steel components. Designed to weld medium strength steels and to be used with Ar/CO₂ (M21) shielding gas mixtures

Item Code	Packaging	Size
CW35MX12247V	15kg spool	1.2mm
CW35MX16247V		1.6mm

ESAB Shield-Bright 2209

Shield-Bright 2209 was developed for the welding of "2205" duplex stainless steels (UNS S31803, S32205 and J92205). Has been approved with 25° C critical pitting temperature and impact toughness at -40°C

Item Code
CW35HC12248V

Metal-Cor 80Ni1

Low alloy metal cored wire. High deposition efficiency & deposition rates. Slag free, low silica surface finish. For welding medium strength steels. Soft arc, deep penetration, good bead

Item Code	Packaging	Size
CW720556	15kg spool	1.2mm
CW720557		1.6mm

Verticor 71T

Verticor 71T is designed for the single and multi-pass welding of mild and medium strength steels in the down-load, vertical-up and overhead positions. Low spatter and fume levels. Excellent operator appeal



Item Code	Packaging	Size
CW720800	15kg spool	1.2mm
CW720802		1.6mm

Metal-Cor 5XP

Metal-Cor 5XP is an impressive Grade 4 impact, full iron powder cored wire recommended for a wide range of high speed fillet and butt welding applications in all downloaded positions



Item Code	Packaging	Size
CW721552	15kg spool	1.2mm
CW721553		1.6mm

Ceramic Backing- OK Backing Block


Block shape backing on self-adhesive on Aluminium foil



Item Code	Length	Width	Packaging
CW2150029000	600mm (24 x 25mm)	14.2mm	60pcs/box
			3360pcs/pallet

Ceramic Backing - OK Backing Pipe


The weld pool backings are suitable for MMA and MIG processes (solid wire and flux-cored wire). Welding on ceramic backing requires a certain amount of practice



Item Code	Length	Ø mm	Packaging
CW2124000P09	600mm (24 x 25mm)	9	140pcs/box
			7840pcs/pallet
CW2124000P12	600mm (24 x 25mm)	12	100pcs/box
			5600pcs/pallet

Ceramic Backing - OK Backing Rectangular

The trapezoidal shaped recess of the backing is particularly suitable for MMA welding with rod electrodes or MIG/MAG welding with slag-carrying rutile flux-cored wire



Item Code	Length	Width	Packaging
CW2124000T13	600mm (24 x 25mm)	26.5mm	60pcs/box
			3360pcs/pallet
CW2124000T16	600mm (24 x 25mm)	35mm	30pcs/box
			1680pcs/pallet

WeldSKILL gasless Wire (Handispool)


Self-shielded flux cored wire for single and multipass applications. Excellent tolerance to joint misalignment or poor joint fit-up. Smooth rippled fillets with good edge wetting. Ideal for welding thin section mild and galvanised steels



Item Code	Packaging	Size
CW-WG4508	4.5kg	0.8mm

Ceramic Backing - OK Backing Concave

The semi-circular shaped recess of the backing is particularly suitable for MIG/MAG welding with welding consumables that do not have any or have only a slight amount of slag, solid wire, metal cored wire or basic flux-cored wire



Item Code	Length	Width	Packaging
CW2124000C06	600mm (24 x 25mm)	28mm	60pcs/box
			3360pcs/pallet
CW2124000C09	600mm (24 x 25mm)	25mm	60pcs/box
			3360pcs/pallet
CW2124000C13	600mm (24 x 25mm)	26.5mm	60pcs/box
			3360pcs/pallet
CW2150080600	600mm (24 x 25mm)	30mm	60pcs/box
			3360pcs/pallet

Autocraft AL5356 0.8mm, 0.5Kg (Minispool)

Autocraft AL5356 is a premium quality, Aluminum-magnesium 15% Magnesium alloy suitable for the Gas Metal Arc Welding (GMAW) of a wide range of cast and wrought Aluminium alloys



Item Code	Packaging	Size
CW721221	0.5kg	0.8mm
CW722226	7kg	0.9mm
CW723224	2kg	1.0mm
CW722224	7kg	
CW722227	7kg	1.2mm

Nicore 55

ESAB Nicore 55 is a composite flux cored wire depositing an Iron / Nickel weld metal for the welding and joining of cast iron materials. The deposit is approximately 53% Iron and 45% Nickel



Item Code	Packaging	Size
CW0258070408	6.8kg	1.2mm

Autocraft LW1-6 (Minispool)

Autocraft Lw1-6 is a high quality copper coated welding wire suitable for the all positional Gas Metal Arc Welding (GMAW) of mild and low alloy steels, used in general fabrication and structural work



Item Code	Packaging	Size
CW721104	0.8kg	0.6mm
CW721108	5kg	
CW720103	15kg	
CW721105	0.8kg	0.8mm
CW720114	15kg	
CW720161	5kg	0.9mm
CW720090	15kg	
CW720094	15kg	1.0mm
CW720096	15kg	1.2mm
CW720095	15kg	1.6mm

WeldSkill Solid Wire

Copper coated steel wire for GMA Welding. Use with CO and Argon based shielding gases. Suitable for the positional GMAW of mild and low alloy steels, used in general fabrication and structural work



Item Code	Packaging	Size
CW-WS0906	0.9kg	0.6mm
CW-WS5006	5kg	
CW-WS0809	0.9kg	0.8mm
CW-WS5008	5kg	
CW-WS0909	0.9kg	0.9mm
CW-WS5009	5kg	

WeldSkill Gasless Wire

Self shielded flux cored wire. For single pass and multi pass applications versatile, all positional. Excellent tolerance to joint misalignment or poor fit-up. Ideal for welding thin section mild and galvanised steels



Item Code	Packaging	Size
CW-WG0908	0.9kg	0.8mm
CW-WG4508	4.5kg	
CW-WG0909	0.9kg	0.9mm
CW-WG4509	4.5kg	
CW-WG4509x3	4.5kg x 3	
CW-WG4512	4.5kg	1.2mm
CW-WG1512	15kg	

Verticor 3XP H4

It is a Grade 3 seamless, rutile type FC wire designed for downhand, vertical- and overhead fillet and butt welding applications



Item Code	Packaging	Size
CW722919	15kg	1.2mm
CW722921		1.6mm

Autocraft AL5356

Autocraft AL5356 is a premium quality, Aluminum - nominal 5% Magnesium alloy suitable for the Gas Metal Arc Welding (GMAW) of a wide range of cast and wrought Aluminium Alloys



Item Code	Packaging	Size
CW721221	0.5kg	0.8mm
CW722226	7kg	0.9mm
CW722224	7kg	1.0mm
CW723224	2kg	
CW722227	7kg	1.2mm

Verticor 308LT

All positional capabilities. Formulated for Co2 or Argon 20-25%Co2 shielding gases. High deposition rate welding of stainless steel



Item Code	Packaging	Size
CW722889	15kg	1.2mm

Verticor 316LT

It is a gas shielded stainless steel flux cored wire developed for positional welding applications on matching Molybdenum bearing 316 and 316L stainless steels



Item Code	Packaging	Size
CW722885	15kg	1.2mm

Verticor 81Ni2

Vert-Cor 81Ni2 is a higher strength rutile type flux cored wire suitable for all positional welding of medium to high strength steels using Argon 20-25% CO2 or equivalent



Item Code	Packaging	Size
CW722390	15kg	1.2mm
CW722391		1.6mm

Verticor 309LT

Vert - Cor 309 LT is a gas shielded stainless steel flux cored wire developed for a wide range of positional and downhand welding applications on matching 309 and 309L stainless steels



Item Code	Packaging	Size
CW722881	15kg	1.2mm
CW722882		1.6mm

Autocraft AL5183

Autocraft AL5183 is a premium quality aluminium welding wire that is typically used in the marine and structural industries, where higher strength and good fracture toughness is required



Item Code	Packaging	Size
CW722239	7kg	1.0mm
CW722240		1.2mm

Autocraft AL1100

Autocraft AL1100 is a premium quality, pure (99.88% min) Aluminium alloy recommended for the Gas Metal Arc Welding (GMAW) of selected 1XXX series wrought aluminium alloys



Item Code	Packaging	Size
CW722218	7kg	1.6mm

Autocraft AL4043

Autocraft AL4043 is a premium quality Aluminum-nominal 5% Silicon alloy suitable for the GMAW of a wide range of cast and wrought aluminium alloys



Item Code	Packaging	Size
CW722237	7kg	1.2mm
CW722238		1.6mm

Shieldcor 15

Shield-Cor 15 is an all positional self shielded flux cored wire recommended for single pass welding applications only. It is excellent for a single pass lap, fillet and butt welding of thin gauged galvanised and mild steels



Item Code	Packaging	Size
CW721923	4.5kg	0.8mm
CW721924		0.9mm
CW720302		1.2mm

Verticor 111 K3 H4

Verticor 111 K3 H4 is a rutile based, low alloy flux cored wire suitable for the all positional (except vertical down) welding of high strength steels

Item Code	Packaging	Size
CW721381	15kg	1.2mm
CW721382		1.6mm

Shieldcor 8XP

Shieldcor 8XP is a self shielding rutile type flux cored welding wire for the joining of mild and medium strength plate and pipes in all positions. Excellent slag lift, outstanding operator appeal

Item Code	Packaging	Size
CW721304	12kg	1.6mm
CW721305		2.0mm

Autocraft 309LSi

Autocraft 309LSi is a premium quality, low carbon stainless steel wire for the GMAW of matching 309L types stainless steel

Item Code	Packaging	Size
CW721276	15kg	0.9mm
CW721277		1.2mm

Autocraft 308LSi

Autocraft 308LSi is a premium quality, low carbon stainless steel wire for the GMAW of a wide range of austenitic 18/8 type stainless steel pipes, plates, forgings and castings

Item Code	Packaging	Size
CW721271	15kg	0.9mm
CW721272		1.2mm

Autocraft 316LSi

Autocraft 316LSi is a premium quality, low carbon stainless steel wire for Gas Metal Arc Welding (GMAW) of Molybdenum bearing stainless steels in particular 316,318 and 316L alloys



Item Code	Packaging	Size
CW721285	1.0kg	0.8mm
CW720283	5kg	0.9mm
CW721286	15kg	
CW722386	15kg	1.0mm
CW721287	15kg	1.2mm

Autocraft LW1-6

Autocraft LW1-6 is a high quality copper coated welding wire suitable for the all positional GMAW of mild and low alloy steels, used in general fabrication and structural work



Item Code	Packaging	Size
CW721104	0.8kg	0.6mm
CW721108	5kg	
CW720103	15kg	
CW721105	0.8kg	0.8mm
CW720114	15kg	
CW720161	5kg	0.9mm
CW720090	15kg	
CW720094	15kg	1.0mm
CW720096	15kg	1.2mm
CW720095	15kg	1.6mm

Suprecor 5

Supre-Cor 5 is a second generation, fully basic flux cored wire producing outstanding low - temperature impact properties using Co2 , Argon or equivalent shielding gases



Item Code	Packaging	Size
CW720982	15kg	1. 2mm
CW720983		1. 6mm

Metalcore XP

Metal - Cor XP is a full Iron powder cored wire recommended for a wide range of high speed fillet and butt welding applications in all download positions



Item Code	Packaging	Size
CW720912	15kg	1. 2mm
CW720913		1. 6mm

ShieldCor 11

Shield-Cor11 is an all positional self-shielded flux cored wire recommended for the general purpose single or multi pass lap, fillet and butt welding of mild galvanised steels



Item Code	Packaging	Size
CW720923	15kg	1. 2mm
CW720925		1. 6mm

Suprecor XPH4

Supre - Cor H4 is a tubular, copper coated basic flux cored wire recommended for use with Argon 20 -25 % Co2 and CO2 (equivalent) shielding gases



Item Code	Packaging	Size
CW720911	25kg	2. 4mm

Verticor 3XP

Verticor 3XP is a Grade 3 micro - alloyed rutile type flux cored wire designed for downhand, vertical-up and over-head fillet and butt welding applications



Item Code	Packaging	Size
CW720919	15kg	1.2mm
CW720921		1.6mm

Satincor XP

Satincor XP is a smooth running rutile type flux cored wire recommended for the high-speed fillet and butt welding of mild and medium strength using welding grade carbon dioxide shielding gas



Item Code	Packaging	Size
CW720904	15kg	1.6mm
CW720906	25kg	2.4mm

Metalcor 70H4

Metal-cor 70H4 is a highly deposition metal-cored welding wire by CIGWELD. This copper-coated seamless wire is ideal for the welding of mild and medium strength steels



Item Code	Packaging	Size
CW721912	15kg	1.2mm
CW721913		1.6mm

Verticor XP

Verticor XP is a Grade 3 versatile rutile type flux cored wire designed for all positional fillet and butt welding applications using Argon 20-25% CO₂ and CO₂ shielding gases



Item Code	Packaging	Size
CW720596	25kg	2.0mm
CW720915	15kg	1.2mm
CW720917	15kg	1.6mm
CW720917A	200kg	
CW720595	15kg	2.0mm

Verticor 81 A1 H4

Verti -Cor 81 A1 H4 is a seamless copper coated rutile type flux cored wire suitable for the all positional welding of medium to high strength steels using Argon 20-25% CO₂



Item Code	Packaging	Size
CW720557	15kg	1.2mm
CW720558		1.6mm

Metal-Cor 5 H4

High efficiency metal-cored wire with excellent operator appeal. Very low slag formation, outstanding low-temperature impact properties. High deposition efficiency and deposition rates



Item Code	Packaging	Size
CW720552	15kg	1.2mm
CW720553	15kg	1.6mm
CW720553A	230kg	

Verticor 91K2 H4

Verti - Cor 91 K2H4 is a higher strength rutile type flux cored wire suitable for the all positional welding of medium to high strength steels using Argon 20-25% CO2 shielding gas

Item Code	Packaging	Size
CW720554	15kg	1.2mm
CW720555		1.6mm

Verticor 81Ni1 H4

Verti-Cor 81 Ni1 H4 is a higher strength rutile type flux cored wire suitable for the all positional welding of medium to high strength steels using Argon 20-25% Co2 or CO2 shielding gases

Item Code	Packaging	Size
CW720550	15kg	1.2mm
CW720551	15kg	1.6mm
CW720591	15kg	2.0mm
CW720592	25kg	

Verticor 81Ni1

Verti-Cor 81 Ni1 is a microalloyed, rutile type flux cored wire suitable for the all positional welding (flat, horizontal-vertical, vertical-up and overhead etc) of medium to high strength steels

Item Code	Packaging	Size
CW720390	15kg	1.2mm
CW720391		1.6mm

Verticor Ultra

Verti - Cor Ultra is a smooth running all positional flux cored wire which offers improved operator appeal and lower fume and spatter levels under welding grade carbon dioxide shielding gas



Item Code	Packaging	Size
CW720900	15kg	1.2mm
CW720902		1.6mm

Autocraft Deoxidised Copper

Autocraft Deoxidised Copper is a versatile 98% pure Copper alloy for the GMAW welding of: Deoxidised and electrolytic tough pitch copper components, Copper castings, galvanised steels and deoxidised copper to mild steel joints



Item Code	Packaging	Size
CW720260	13kg	1.6mm

Autocraft Lw1

Autocraft LW1 is a high-quality copper coated welding wire manufactured using the latest wire drawing technology



Item Code	Packaging	Size
CW720115	15kg	0.9mm
CW720116		1.2mm

Autocraft Ni-Cr-Mo

Autocraft NiCr Mo., is a copper coated, low alloy steel wire suitable for the all positional Gas Metal Arc Welding of high strength steels



Item Code	Packaging	Size
CW720053	15kg	1.2mm

Tensicor 110TXPH4

Tensi-Cor 110XP H4 is a fully basic low alloy steel flux cored wire suitable for the flat, horizontal - vertical and vertical-up welding of high strength steels



Item Code	Packaging	Size
CW720387	15kg	1.6mm
CW720389	25kg	2.4mm

Autocraft Mn-Mo

Autocraft Mn - Mo is a copper coated, low alloy steel wire suitable for the all positional Gas Metal Arc Welding (GM AW) of medium to high strength steels



Item Code	Packaging	Size
CW720049	15kg	0.9mm
CW720052		1.2mm

Autocraft Silicon Bronze

Autocraft Silicon Bronze is a Copper based wire recommended for the Gas Metal Arc Welding (GMAW) of Copper-Silicon alloys used extensively in hot water systems, heat exchangers, calorifiers and marine components for their corrosion resistance



Item Code	Packaging	Size
CW720159	5kg	0.8mm
CW720015	13kg	0.9mm
CW720255		1.2mm

Autocraft Cr-Mo1

Autocraft CrMo1 is a copper coated steel Gas Metal Arc Welding (GMAW) wire alloyed with nominally 1.25% Chromium (Cr) and 0.5% Molybdenum (Mo)



Item Code	Packaging	Size
CW720029	15kg	1.2mm

WeldSkill 5356 TIG Rods

WeldSkill 5356 is a high-quality, Aluminium-nominal 5% Magnesium alloy rod suitable for the Gas or Gas Tungsten Arc (TIG) welding of a wide range of cast and wrought Aluminium alloys



Item Code	Rod Size (mm)	Weight	Approx Rods/kg
CW-WTA1016	1.6 x 900	1kg pack	210
CW-WTA1024	2.4 X 900	1kg pack	90

WeldSkill 316L TIG Rods

WeldSkill 316L stainless steel is a high quality low carbon rod for the Gas or Gas Tungsten Arc (TIG) welding of Molybdenum bearing stainless steels; in particular matching 316 and 316L alloys



Item Code	Rod Size (mm)	Weight	Approx Rods/kg
CW-WTS1016	1.6 x 900	1kg pack	69
CW-WTS1024	2.4 X 900	1kg pack	30

WeldSkill 70S-6 TIG Rods

WeldSkill 70S - 6 is a copper coated, low carbon steel filler rod suitable for the Oxy-Acetylene (fusion) welding and Gas Tungsten Arc (TIG) welding of a wide range of mild and medium strength steels



Item Code	Rod Size (mm)	Weight	Approx Rods/kg
CW-WTM1016	1.6 x 1000	1kg pack	69
CW-WTM2516		2.5kg pack	172
CW-WTM1024	2.4 x 1000	1kg pack	29
CW-WTM2524		2.5kg pack	72

Comweld Al1100

Comweld AL1100 is a premium quality, pure Aluminium alloy rod recommended for the Gas or Gas Tungsten Arc (TIG) welding of selected 1XXX series wrought Aluminium alloys

Item Code	Packaging	Size
CW322600	2. 5kg	1. 6mm
CW322601		2. 4mm

Comweld Al4047

Comweld AL4047 is a premium quality Aluminium - nominal 10% Silicon alloy rod used extensively for the brazing of many types of Aluminium alloy sheet and extruded shapes and castings

Item Code	Packaging	Size
CW322071	50 Rod Handipack	2. 4mm
CW321620	2. 5kg	1. 6mm
CW321621	2. 5kg	2. 4mm
CW321622	2. 5kg	3. 2mm

Comweld Al5356

Comweld AL5356 is a high quality, Aluminium - nominal 5% Magnesium alloy rod suitable for Gas or Gas Tungsten Arc (TIG) welding of a wide range of cast and wrought Aluminium alloys

Item Code	Packaging	Size
CW322078	40 Rod Handipack	2. 4mm
CW321640	2. 5kg	1. 6mm
CW321641	2. 5kg	2. 4mm
CW321642	2. 5kg	3. 2mm

Comweld Comcoat N

Comweld Comcoat N is a 'selffluxing' Nickel bronze filler rod recommended for the high strength braze welding of steel, cast and malleable Irons



Item Code	Packaging	Size
CW322208	3 Rod Handipack	2.4mm
CW322029	10 Rod Handipack	
CW321215	2.5kg	3.2mm
CW322030	8 Rod Handipack	

Comweld Galvanising Bar

COMWELD Galvanising Bar is an alloy which when applied on a heated base metal, will melt and produce a strong corrosion-resistant alloy coating. Can be used as a pre-treatment to produce base metals



Item Code	Packaging	Size
CW321695	2.5kg	6.3mm
CW322085	2 Rod Handipack	

Comweld Al4043

Comweld AL4043 is a premium quality Aluminium-nominal 5% Silicon alloy rod used extensively for the repair welding of selected Aluminium alloy castings



Item Code	Packaging	Size
CW321610	2.5kg	1.6mm
CW321611		2.4mm
CW321612		3.2mm

Comweld LW1-3

Comweld LW1 is a copper coated, low carbon steel filler rod suitable for the oxy - acetylene (fusion) welding of Gas Tungsten Arc (TIG) welding of a wide range of mild and medium strength steels



Item Code	Packaging	Size
CW321423	5kg	1.6mm
CW321424		2.4mm

Comweld LW1-6

Comweld LW1 - 6 is a copper coated, low carbon steel filler rod suitable for the oxy-acetylene (fusion) welding and Gas Tungsten Arc (TIG) welding of a wide range of mild and medium strength steels



Item Code	Packaging	Size
CW321417	5kg	1.6mm
CW321418		2.4mm

Comweld 308L

Comweld 308L stainless steel is a high - quality low carbon rod for the Gas or Gas Tungsten Arc (TIG) welding of a wide range of low carbon and stabilised 300 series stainless steel



Item Code	Packaging	Size
CW-321406	5kg	1.6mm
CW-321407		2.4mm

Comweld Lw1

Comweld LW1 is a copper coated, double deoxidised low carbon steel filler rod suitable for the oxy - acetylene (fusion) welding of Gas Tungsten Arc (TIG) welding of a wide range of mild and medium strength steels



Item Code	Packaging	Size
CW321411	5kg	1.6mm
CW321412		2.4mm

Comweld 316L

Comweld 316L stainless steel is a high - quality low carbon rod for the Gas or Gas Tungsten Arc (TIG) welding of Molybdenum bearing stainless steels; in particular, matching 316 and 316L alloys



Item Code	Packaging	Size
CW321400	5kg	1.6mm
CW321401		2.4mm
CW322054	25 Rod Handipack	1.6mm

Comweld 309L

Comweld 309L stainless steel is a high - quality low carbon rod for the Gas or Gas Tungsten Arc (TIG) welding of highly alloyed 309 or 309L type stainless steels and comes in resealable 5kg plastic tube



Item Code	Packaging	Size
CW321403	5kg	1.6mm
CW321404		2.4mm

Comweld CrMo 1

Nominal 1 1/4Cr 1/2Mo steel TIG rod. End stamped with AWS Class ER80S-B2 for easy identification. For the Gas Tungsten Arc (TIG) welding of matching Cr - Mo creep resistant steels for elevated temperature and corrosive service



Item Code	Packaging	Size
CW321379	5kg	2.4mm

Comweld CrMo 2

Nominal 2 1/2Cr 1 Mo steel TIG rod. End stamped with AWS class ER90S - B3' for easy identification. For the Gas Tungsten Arc (TIG) welding of Cr-Mo and Cr-Mo-V creep resistant steels for elevated temperature and corrosive service



Item Code	Packaging	Size
CW321383	5kg	2.4mm

Comweld High Test

Comweld High Test is a copper coated steel filler rod suitable for the oxy - acetylene (fusion) welding and Gas Tungsten Arc (TIG) welding of carbon steel



Item Code	Packaging	Size
CW321357	5kg	1.6mm
CW321360		2.4mm
CW321362		3.2mm

Comweld Super Steel

Comweld Super Steel is a copper coated triple deoxidised steel welding rod recommended for the high-quality Gas Tungsten Arc (TIG) welding of Carbon and Carbon-Manganese steels



Item Code	Packaging	Size
CW321370	5kg	1.6mm
CW321373		2.4mm

Comweld Silicon Bronze

Comweld Silicon Bronze is a premium quality, general purpose, Silicon Bronze filler rod producing excellent joints on copper, brass, copper - Silicon and copper-sink sheet, tube and extruded section base to themselves and also to steel



Item Code	Packaging	Size
CW321295	5kg	3.2mm

Comweld Comcoat T

Comweld Comcoat T Tobin Bronze is an ideal self-fluxing filler rod for welding selected brass and bronze alloys and also used for the braze welding of mild steel in low-stress applications such as the 'Filing' of car body panels



Item Code	Packaging	Size
CW321236	5kg	3.2mm
CW322207	5-Rod Blister	2.4mm

Comweld Mild Steel

Comweld Mild Steel is an uncoated mild steel filler rod suitable for the oxy - acetylene (fusion) fillet and butt welding of carbon steel and wrought Iron



Item Code	Packaging	Size
CW321334	5kg	1.6mm
CW322045	1kg	
CW321337	5kg	2.4mm
CW321339	5kg	3.2mm

Comweld Tobin Bronze

Comweld Tobin Bronze is a low fuming rod recommended for the fusion welding or braze welding of selected brass and bronze alloys



Item Code	Packaging	Size
CW321246	5kg	1.6mm
CW321247	5kg	2.4mm
CW321250	5kg	5.0mm
CW321249	5kg	3.2mm
CW322038	15 Rod Handipack	

Comweld Nickel Bronze

Comweld Nickel Bronze Rod is a premium quality bronze filler rod recommended for the high strength braze welding of steel, cast and malleable Irons



Item Code	Packaging	Size
CW321224	5kg	2.4mm
CW321225		3.2mm
CW321226		5.0mm

Comweld Manganese Bronze

Comweld Manganese Bronze is a low fuming, general purpose bronze filler rod. Because of its high bond strength, it is recommended for the braze welding of steel, cast iron and malleable iron



Item Code	Packaging	Size
CW321195	5kg	1.6mm
CW321199		2.4mm
CW321202		3.2mm
CW321203		5.0mm
CW321204		6.3mm

Comweld Comcoat C

Comweld Comcoat C is a self-fluxing, low fuming, Manganese Bronze filler rod, recommended for the braze welding of steel, cast iron and malleable iron



Item Code	Packaging	Size
CW321191	2.5kg	2.4mm
CW322206	5 Rod Blister	
CW322020	20 Rod Handipack	
CW321168	5kg	3.2mm
CW322021	15 Rod Handipack	

Stoody 965-0



Gas (-G) and self shielded (-0) , tubular hardfacing wires. Air hardening, crack free, martenistic steel deposit. Resistant to hard particle abrasion and moderate impact loading

Item Code	Packaging	Size
CW11946100	27kg	2. 4mm

Stoody 600



Self shielded (-0) , tubular hard facing wires. Crack free, martenistic alloy steel containing hard, titanium carbides. Excellent resistance to high stress abrasion and heavy impact

Item Code	Packaging	Size
CW11886600	15kg	1. 6mm

Stoody 850-0



Self shielded (-0), tubular hardfacing wire. Air hardening, crack prone high carbon, martenistic steel deposit. Resistant to severe abrasion and low impact loading. 1.2mm size can be used for vertical surfacing

Item Code	Packaging	Size
CW11945500	15kg	1. 2mm

Stoody Fineclad-0



Stoody FINECLAD-0 is a second generation Cobalarc tubular wire depositing a hard martenistic chromium carbide iron resistant to severe fine abrasion

Item Code	Packaging	Size
CW11945800	15kg	1. 6mm
CW11945900	27kg	2. 4mm

Stoody 625-T1



Item Code	Packaging	Size
CW11872500	15kg	1.2mm

Stoody 101 HC-G



High alloy, tubular hardfacing wire. High Chromium-Carbide Iron deposit. For ground engaging applications. Resistant to severe abrasion and low to moderate impact loading

Item Code	Packaging	Size
CW11436300	15kg	1.2mm

Stoody Dynamang-0



Stoody Dynamang - 0 is a high alloy tubular wire depositing a manganese steel weld metal for the repair and joining of matching manganese steel components used in quarrying and mining industries

Item Code	Packaging	Size
CW11446700	15kg	1.6mm
CW11249900	27kg	2.8mm

Stoody 965-G



Gas (-G) and self shielded (-0), tubular hardfacing wires. Air hardening, crack free, martensitic steel deposit. Resistant to hard particle abrasion and moderate impact loading

Item Code	Packaging	Size
CW11423100	15kg	1.2mm
CW11501500		1.6mm

Stoody 100 HC-0



Stoody 100 HC-0 is a high alloy tubular harfacing wire depositing a high Chromium Carbide Iron particularly resistant to coarse abrasion. For ground engaging applications

Item Code	Packaging	Size
CW11313400	27kg	2. 4mm
CW11001000		2. 8mm

Stoody Super Buildup-G



Stoody Super Buildup-G/0 is a tubular hard surfacing wire designed for the re - building or surfacing of steel components subjected to metal-to-metal wear and compressive loading

Item Code	Packaging	Size
CW11423600	15kg	1. 2mm
CW11946200		1. 6mm

Stoody SOS 309LT-0



Shieldcrome 309LT - 0 is a self shielded (or open arc) stainless steel flux cored wire developed for a wide range of 'in situ' downhand welding applications on matching 309 and 309L stainless steels

Item Code	Packaging	Size
CW11231200	22kg	2. 4mm

Stoody 101 HC-0



High alloy, tubular hardfacing wire. High Chromium-Carbide Iron deposit. For ground enagaging applications. Resistant to severe abrasion and low to moderate impact loading

Item Code	Packaging	Size
CW11304700	15kg	1. 6mm

Stoody SOS 308LT-0



Shieldcrome 308LT - 0 is a self shielded (or open arc) stainless steel flux cored wire developed for a wide range of 'in situ' downhand welding applications on 19Cr/10Ni type stainless steels

Item Code	Packaging	Size
CW11175400	22kg	2.4mm

Stoody Buildup - 0



Self shielded(-0), tubular build-up wire tough, machinable low carbon pearlitic steel deposit. Resistant to high compressive loading. Ideal as an under base prior to hard facing. For rebuilding worn steel components

Item Code	Packaging	Size
CW11183600	27kg	2.4mm

Stoody 107



Submerged arc tubular build-up wire tough, machinable, crack free steel deposit. Resistant to high compressive loading. Ideal as an under base prior to hardfacing. For re-building worn steel components

Item Code	Packaging	Size
CW11041200	90kg	3.2mm

Stoody RA45-0



Stoody RA45-0 is a seamless copper coated hard surfacing wire developed primarily for the semi or fully automatic open arc' surfacing of cast iron sugar mill rolls

Item Code	Packaging	Size
CW11122200	27kg	2.8mm

Stoody Tube Borium ACDC Vac Pak - Tubular Type

Highly alloyed tubular electrode, partially desolved tungsten carbides bonded in an Iron rich matrix. Resistant to extreme abrasion and low impact loading



Item Code	Packaging	Size
CW10229500	4.5kg	4.0mm

Cobalarc Austex

Cobalarc Austex is a metal enriched, rutile type extruded electrode for joining dissimilar steels or as a buffer layer prior to hard surfacing. Tough, machinable austenitic stainless steel deposit



Item Code	Packaging	Size
CW613973	5kg	3.2mm
CW613974		4.0mm
CW613975		5.0mm

Cobalarc Borochrome

Cobalarc Borochrome is a popular high alloy extruded hard surfacing electrode manufactured by CIGWELD. Ideal for fine particle (Wet or Dry). Resistant to abrasion and low impact loading



Item Code	Packaging	Size
CW613964	5kg	4.0mm
CW613965		5.0mm

Cobalarc Cr70

Cobalarc CR70 is a popular high alloy extruded hard surfacing electrode manufactured by CIGWELD. High Chromium Carbide Iron deposit. Ideal for coarse abrasion and low to moderate impact loading



Item Code	Packaging	Size
CW613493	5kg	3.2mm
CW613494		4.0mm
CW613495		5.0mm

Cobalarc 9e



Cobalarc 9e is the most versatile extruded hard surfacing electrode in the CIGWELD range. Resistant to both coarse and fine abrasion and moderate to heavy impact loading

Item Code	Packaging	Size
CW613350	5kg	3.2mm
CW613360		4.0mm
CW613370		5.0mm

Cobalarc Magnacraft



Cobalarc Magnacraft is a smooth running electrode depositing austenitic manganese steel weld metal. Tough and impact resistant, work hardens under impact

Item Code	Packaging	Size
CW611504	5kg	4.0mm
CW611505		5.0mm

Cobalarc 750



Cobalarc 750 is a smooth running, rutile type electrode specifically designed for AC hard surfacing applications. Resistant to hard particle abrasion. Easy arc start and stable running on portable AC welding sets

Item Code	Packaging	Size
CW611473	5kg	3.2mm
CW611474		4.0mm

Cobalarc 650

Cobalarc 650 is a basic electrode for the hard surfacing of steel components subjected to wet or dry hard particle abrasion and low to moderate loading



Item Code	Packaging	Size
CW611463	5kg	3.2mm
CW611464		4.0mm

Cobalarc 350

Cobalarc 350 is a metal enriched, rutile type electrode recommended for the multi-layer build-up and surfacing of steel components subjected to metal wear and compressive loading. Tough, machinable low carbon martensitic steel deposit



Item Code	Packaging	Size
CW611443	5kg	3.2mm
CW611444		4.0mm

CutSkill DC Pointed

Arcair gouging carbons as used for the efficient gouging, back gouging, plate edge preparation, touching up and removal of old or defective hardfacing and stainless steel weld deposits



Item Code	Packaging	Size
CW22063003C	50 Rods	9.5 x 305mm
CW22043003C		6.5 X 305mm
CW22053003C		8.0 X 305mm
CW22082003C		12.7 X 305mm

Arcair DC Pointed

Arcair gouging carbons as used for the efficient gouging, back gouging, plate edge preparation, touching up and removal of old or defective hardfacing and stainless steel weld deposits



Item Code	Packaging	Size
CW22063003	50 Rods	9.5 x 305mm
CW22043003		6.5 X 305mm
CW22053003		8 X 305mm

Arcair High Efficiency Pointed

Arcair gouging carbons as used for the efficient gouging, back gouging, plate edge preparation, touching up and removal of old or defective hardfacing and stainless steel weld deposits



Item Code	Packaging	Size
CW22155006	50 Rods	9.5 x 305mm

Arcair DC Jointed

Arcair gouging carbons as used for the efficient gouging, back gouging, plate edge preparation, touching up and removal of old or defective hardfacing and stainless steel weld deposits



Item Code	Packaging	Size
CW24124003	100 Rods	19 x 430mm
CW24104003		16 X 430mm

Arcair DC Flat

Arcair gouging carbons as used for the efficient gouging, back gouging, plate edge preparation, touching up and removal of old or defective hardfacing and stainless steel weld deposits



Item Code	Packaging	Size
CW35033003	50 Rods	15 x 5 x 305mm

Comweld GP Solder Kit (Handipack)

Comweld GP Solder is a low cost general purpose solder for general sheet metal work, plumbing such as gutters and flashings and automotive radiator repairs

Item Code	Packaging
CW322220	15g coil

Comweld 965 Solder Kit (Handipack)

Comweld 965 is a tin silver eutectic solder which has the highest strength of all soft solders making it the most universal of soft solders

Item Code	Packaging
CW322221	15g coil

Comweld 40/60 Solder - Stick

General purpose low cost solder for general sheet metal work and plumbing applications

Item Code	Packaging	Size
CW322305	250g Stick	400x12x6mm
CW322220	15g (Resin Core)	1.6mm
CW322318	500g (Acid Cored)	3.2mm

Comweld 50/50 Solder - Stick

Higher quality general purpose solder for electrical and electronic applications. Wide range of packaging options available



Item Code	Packaging	Size
CW322317	250g (Acid Cored)	1.6mm
CW322319	25g (Resin Cored)	
CW322310	250g	3.2mm
CW322306	250g Stick	400x12x6mm

Comweld 965 Solder

Comweld965 Solder is a tin silver eutectic solder which has the highest strength of all soft solders making it the most universal of soft solders



Item Code	Packaging	Size
CW322324	250g (Acid Cored)	1.6mm
CW322221	15g (Acid Cored)	

Comweld 965 Soldering Flux

Comweld 965 Soldering Flux, when used in conjunction with Comweld soft solders, enables excellent joints to be made on almost all metals and combinations of metals



Item Code	Packaging
CW321890	125ml Bottle

Comweld SBA 115

Low Silver, Cadmium free silver brazing alloy. Suitable for hot water tanks, copper tubing and plumbing, etc. Not suitable for Ferrous metals



Item Code	Packaging	Size
CW322004	5 Rod Pack	2.4mm
CW320505	1kg Pack	
CW320506	1kg Pack	3.0mm

Comweld Copper & Brass Flux

Comweld Copper & Brass Flux is specially developed for the braze welding of copper, brass and bronze and the welding of copper and steel. Usable in either powder or paste form



Item Code	Packaging
CW321822	250g Jar

Comweld SBA Flux No 2

Comweld Silver Brazing Flux No 2 and silver brazing alloys with a high silver content, produce excellent joints on carbon steel, stainless steel, nickel alloys and copper and brass

Item Code	Packaging
CW321840	200g Jar
CW321841	500g Jar

Comweld GP SBA Flux

Comweld General Purpose Silver Brazing Flux is recommended for use with Cadmium bearing and Cadmium free brazing alloys with a low to medium silver content. Used in paste form

Item Code	Packaging
CW321850	250g Jar
CW321851	500g Jar

Comweld Aluminium Flux

Comweld Aluminium Flux is an all purpose flux for fusion welding sheet and cast aluminium. Highest quality flux. Usable in either powder or paste form

Item Code	Packaging
CW321740	250g Jar



Arcmaster Payday Helmet

Item Code
CW-WHAM1649

ProLite Auto -Darkening Welding Helmet -Terra 100 Years of CIGWELDEdition



This helmet features all the good stuff we have managed to cram into the industry leading ProLite helmet with an awesome new skin

Item Code
CW454347

WeldSkill Essential Welding Helmet - Auto Darkening



The new WeldSkill Essential Welding Helmet for those DIY welders on a budget who don't want to sacrifice on safety. 2 Sensor Auto - variable shade 9-13 filter lens

Item Code
CW454337

ESAB PAPR Unit



The ESAB PAPR unit (Powered Air Purifying Respirator) system combined with the ESAB welding helmets, offers heavy duty protection from welding fume and dust when welding, gouging & grinding

Item Code
CW0700002301

ESAB Sentinel A50 Air

Crystal clear true colour visibility and a high impact revolutionary shell design. Hard coated Anti-scratch front cover lens (clear/amber), Halo™ Headgear: Ergonomic, infinitely-adjustable 5 point head gear

Item Code
CW0700000801

Sentinel A50 Air with ESAB PAPR Kit

The new and improved ESAB PAPR offers longer battery life (8-11 hours) with an optional HD battery also available. Weighing only 1Kg



Item Code	Contents Includes
CW-S700000827	Sentinel A50 Air Helmet
	ESAB PAPR Unit
	ESAB Carry Bag
	Air Hose
	Battery
	Intelligent Charger
	Comfort Pad
	P3 Filter

Savage A40 Helmet

Savage A40's lightweight shell comes with all - new adjustable headgear Savage A40 is equipped with a 100 x 50mm viewing area for a wider field of vision and greater awareness

Item Code
CW0700000490

**Sentinel A50 Helmet**

Sentinel A50 is equipped with ergonomic headgear, supreme comfort, large lens, intuitive controls, and crystal-clear visibility. It is designed with high impact revolutionary shell

Item Code
CW0700000800

**ProLite Auto-Darkening Welding Helmet - Space**

Australian standards compliance. Ultra view lens (True colour lens) with blue light filter. Equipped with four Arc sensors, reaction time of 0.2ms! Suitability for low amperage TIG application

Item Code
CW454332

**ProLite Auto-Darkening Welding Helmet - Redback**

Australian Standards Compliance. Welding helmet auto darkening shade 9-13. Ultra view lens (True colour lens) with blue light filter. TIG rating 5 Amps and above for DC and AC TIG welding

Item Code
CW454343

**ProLite Auto-Darkening Welding Helmet - Matrix 1.0**

Ultra view true colour lens with Blue Light Filter, High impact rating. Magnification lens compatible and replaceable batteries. 4 sensor Auto darkening filter lens

Item Code
CW454344



ProLite Adjustable Shade Auto-Darkening Welding

Australian standards compliance. Auto-darkening variable shade, 9-13 filter lens fitted. Equipped with four Arc sensors. Reaction time of 0.2ms! Replaceable 2 x CR 2450 Batteries (with solar assist)

Item Code
CW454342



ProLite Auto-Darkening Welding Helmet - Claw

Australian standards compliance. Auto-darkening variable shade, 9-13 filter lens fitted. Ultra view lens (True colour lens) with blue light filter. Equipped with four Arc sensors. Reaction time of 0.2ms!

Item Code
CW454333



ProLite Auto-Darkening Welding Helmet - Shadow

Australian standards compliance. Auto-darkening variable shade, 9-13 filter lens fitted. Equipped with four Arc sensors. Reaction time of 0.2ms! Replaceable 2xCR2450 Batteries (with solar assist)

Item Code
CW454334



WeldSkill Auto-Darkening Helmet - Flag

Australian standards compliance. Auto - darkening filter lense shade 9-13. Adjustable sensitivity and delay controls. Suitable for use with CIGWELD Magnification lenses.

Item Code
CW454324

**WeldSkill Auto-Darkening Helmet - Tribal**

Australian standards compliance. Auto-darkening filter lens shade 9 - 13. Adjustable sensitivity and delay controls. Medium impact. Suitable for use with CIGWELD Magnification lenses

Item Code
CW454322

**WeldSkill Auto-Darkening Helmet - Racer**

Australian standards compliance. Auto - darkening filter lens shade 9 - 13. Adjustable sensitivity and delay controls. Medium impact. Suitable for use with CIGWELD Magnification lenses

Item Code
CW454321

**WeldSkill Auto Darkening Helmet - Fixed Shade**

Australian standard compliance. Fixed shade, medium impact. 2 year warranty

Item Code
CW454304

**WeldSkill Auto Darkening Helmet - Flaming Skull**

Australian standards compliance. Auto - darkening filter lens shade 9-13. Adjustable sensitivity and delay controls. Variable shade, medium impact. Suitable for use with CIGWELD Magnification lenses

Item Code
CW454335

**WeldSkill Auto Darkening Helmet - Blue**

Australian standards compliance. Auto-darkening filter lens shade 9-13. Variable shade, medium impact with ultra view lens. Suitable for use with CIGWELD Magnification lenses

Item Code
CW454305

**Hiderok Ear Muff Helmet Lift Front**

Hiderok welding helmets are moulded to offer a lightweight construction, high strength, extreme flexibility and heat resistance. Designed to provide the wearer with comfort and balance needed for work

Item Code
CW454060

**Hiderok Arcmaster III Lift Front Active Helmet**

Hiderok welding helmets are moulded to offer a lightweight construction, high strength, extreme flexibility and heat resistance. Designed to provide the wearer with comfort and balance needed for work

Item Code
CW454143

Hiderok Lift Front Welding Helmet 108 x 51mm (bulk pack)

Hiderok welding helmets are moulded to offer a lightweight construction, high strength, extreme flexibility and heat resistance. Designed to provide the wearer with comfort and balance needed for work

Item Code
CW453833IND

Hiderok Lift Front Welding Helmet

Hiderok 108 x 51 mm welding helmets are moulded to offer a lightweight construction, high strength, extreme flexibility and heat resistance. Designed to provide the wearer with comfort and balance needed for work

Item Code
CW453833

**WeldSkill Auto-Darkening Helmet - Carbon Fire**

Australian standards compliance. Variable shade, medium impact. Adjustable sensitivity and delay controls. Auto-darkening filter lens shade 9 - 13. Suitable for use with CIGWELD Magnification lenses

Item Code
CW454314

Safety Spectacles

Designed to protect the eyes from flying particles and/or potentially harmful liquid splashes

Item Code
CW453522R

Goggle Gas Welding Lift Front Shade 5 (Bulk)

Soft pliable frame comfortable to wear. The lift front goggle comes standard with Shade 5 glass filter lenses and polycarbonate chipping lenses. Non reflective matt interior finish. Vented to prevent fogging

Item Code
CW454031IND

Gas Welding Filters Glass Shade 5, (Pair) 50mm round

Item Code
CW453810

Gas Welding Cover Lens (Pair) 50mm round

Item Code
CW453812

Welding Safety Goggle Wide Vision Antifog

Lightweight, soft PVC frame that fits comfortably to the contours of the face. Anti - fog polycarbonated lenses. Goggles provide maximum peripheral and frontal vision

Item Code
CW454554

Faceshield Complete Polycarbonate High Impact - Shade 5

Combines the CIGWELD Browguard with a fully moulded visor for superior impact protection compared to the standard visors. Polycarbonated visor is heat resistant to 150

Item Code	Parts
CW 454615	faceshield complete polycarbonate high impact CLEAR
CW454614	visor for Faceshield polycarbonate high impact CLEAR
CW454542	Browguard with Hheadgear - No Visor
CW453835	Sweatband
CW453838	Ratchet Harness

Gas Welding Goggles - Wide View - Shade 5

Soft pliable frame comfortable to wear. Goggles fit over prescription or safety spectacles. Vented to prevent fogging. Non reflective matt interior finish. Replaceable lenses are available for the Lift Front Goggle

Item Code
CW454040

Faceshield Complete Polycarbonate High Impact - CLEAR

Combines the CIGWELD Browguard with a fully moulded visor for superior impact protection compared to the standard visors



Item Code	Parts
CW454615	High velocity Faceshield complete
CW454542	Browguard with Headgear – No Visor
CW-453835	Sweatband
CW453838	Ratchet Harness
CW454614	Clear high velocity
CW454638	aceshield complete polycarbonate high impact- SHADE 5
CW454486	isor for Faceshield polycarbonate high impact wide flare, 250x410mm – SHADE 5

Gas Welding Goggles - Lift Front - Shade 5

Soft pliable frame comfortable to wear. The Lift front goggle comes standard with Shade 5 glass filter lenses and polycarbonate chipping lenses. Non reflective matt interior finish. Replaceable lenses are available for the Lift front goggle



Item Code	Packaging
CW454031	Single
CW454031IND	Bulk Pack

ESAB Welding Gloves

A product made of black, strong cow-grain leather, these ESAB welding gloves have been made to resist hard mechanical stress

Item Code
CW0467222007

MIG Welding Gloves

Thin, high quality hide front & back. Improved fit for higher dexterity. Strong ergonomic design (curved). High abrasion resistant. Welded seams with Kevlar stitching and extremely lightweight

Item Code	Size
CW0400005038	M
CW0700005043	L
CW0700005040	XL
CW0700005039	XXL

TIG Leather WeldSkill Welding Gloves

Form fitting welding gloves suitable for a broad range of welding applications. Kevlar stitching for increased durability

Item Code	Size
CW646768	M
CW646754	L
CW646769	XL

Heavy Duty WeldSkill Welding Gloves

Heavy duty welding gloves suitable for a wide range of welding applications. Kevlar stitching for increased durability. Full sock lining for maximum comfort

Item Code	Size
CW646766	M
CW646755	L
CW646767	XL

PYROMATE BLACK JACK - BLACK& GOLD GLOVE LARGE

High quality cow split leather for comfort and economy.

Lined and welted. 406mm (16 inches) long for forearm protection



Item Code	Packaging	Size
PC-BGW16	12 pairs per pack	One size fits all
	48 pairs per carton	

ProLite Front Cover Lens 123 x 98mm

This helmet cover lens is an optically correct lens with a surface that provides the highest resistance to welding spatter. Front cover lens to suit Cigweld Pro Lite Auto Darkening Welding Helmet

Item Code	Packaging
CW454329	Pack of 1

ProLite Rear Cover Lens 107 x 58mm

This helmet cover lens is an optically correct lens with a surface that provides the highest resistance to welding spatter. Rear cover lens to suit Cigweld Pro Lite Auto Darkening Welding Helmet

Item Code	Packaging
CW454328	Pack of 1

Welding Cover Lens - CR39 - 108 x 51mm

This helmet cover lens is an optically correct lens with a surface that provides the highest resistance to welding spatter

Item Code	Packaging
CW454141	Pack of 2
CW453861	Pack of 200

Welding Cover Lens - Glass - 51 x 108mm

This helmet cover lens is an optically correct lens with a surface that provides the highest resistance to welding spatter

Item Code	Packaging
CW453862	Pack of 10

WeldSkill Auto-Darkening Filter Lens Fixed Shade 11

Item Code
CW454306

Welding Cover Lens CR39 - 133 x 114mm

This helmet cover lens is an optically correct lens with a surface that provides the highest resistance to welding spatter

Item Code	Packaging
CW454171	Pack of 2
CW454077	Pack of 20

Welding Filter Omniview - 108 x 51mm

The gold coated Omni-View filter allows welders to see their work in true natural colours. It also offers protection from infra red and ultra violet radiation, flying particles and at the same time reflects practically all heat

Item Code	Colour
CW453924	Shade 9
CW453925	Shade 10
CW453925	Shade 11
CW453926	Shade 12

Chipping Lens Polycarbonate - 133 x 114mm (Clam of 2)

Manufactured from polycarbonate for impact resistance. Assemble in the welding helmet in the position closest to the operator

Item Code
CW454098



Chipping Lens Polycarbonate - 108 x 51mm

Manufactured from polycarbonate for impact resistance. Assemble in the welding helmet in the position closest to the operator

Item Code
CW453999



Front Cover Lens WeldSkill Auto-Darkening Welding Helmet

Item Code
CW454308




Rear Cover Lens WeldSkill Auto-Darkening Welding Helmet

Item Code
CW454309

Welding Filter Glass - 108 x 51mm

Welding filters are manufactured from the highest quality glass or polycarbonate. All CIGWELD Glass Filter Lenses are fully standards approved



Item Code	Colour
CW453852	Shade 8
CW453854	Shade 10
CW453855	Shade 11
CW453856	Shade 12
CW453857	Shade 13

Welding Filter Omniview - 133 x 114mm

The gold coated Omni - View filter allows welders to see their work in true natural colours. It offers protection from infrared and ultra violet radiation , flying particles that would scratch or break ordinary glass and at the same time reflects practically all heat



Item Code	Colour
CW454088	Shade 9
CW454089	Shade 10
CW454090	Shade 11
CW454901	Shade 12

Magnification Lenses - 108 x 51mm

The CIGWELD magnifying lens magnifies the work area to substantially assist the welder in maintaining the high standards required



Item Code	Magnification Size
CW454012	1.50 Diopter
CW454010	2.00 Diopter
CW454014	2.25 Diopter
CW454011	2.50 Diopter

Spark Plugs - 200 Ear Plugs

Spark Plugs, earplugs form a barrier against noise to a decibel rating of 26dB SLC80 and are available corded and uncorded. They are economical, light-weight and strong. A cooler and lighter alternative to earmuffs. Easily worn with hard hats and does not interfere with eye wear

Item Code
CW455317

**Earmuff Silencer Light Duty - 32.5 Db**

Item Code
CW455200

Welding Jacket Blue/Black

A lightweight flame - resistant cotton welding jacket offering the perfect protection for welding. Insulated and dielectric press studs. Fully washable material. Two convenient inside pockets

Item Code	Size
CW646771	Medium
CW646772	Large

Reduced Shank Drill Bit - Gold Series



118 Deg split point - better for drilling into pilot holes.
3 flats on shank - prevents slippage in chuck. Black/
Bright finish aids chip flow and heat dissipation. Full
length ground from a single piece of HSS - eliminates
breakage

Item Code	Size	Packaging
AT-9LM105R	10.5mm	Single Pack
AT-9LM110R	11mm	
AT-9LM115R	11.5mm	
AT-9LM120R	12mm	
AT-9LM130R	13mm	

Reduced Shank Drill Bit



118 Deg split point - better for drilling into pilot holes.
3 flats on shank - prevents slippage in chuck. Black/
Bright finish aids chip flow and heat dissipation. Full
length ground from a single piece of HSS - eliminates
breakage

Item Code	Size	Packaging
AT-9LM125R	12.5mm	Single Pack

Reduced Shank Drill Bit



118° split point, ideal for drilling into pilot holes. 12.7
mm nonslip shank. 3 flats on shank prevents slippage in
chuck. Black oxide coating maximises lubricant hold,
therefore assisting chip flow & heat dissipation. Heavy
duty - eliminating breakage

Item Code	Shank Size	Size	Packaging
AT-9LM140R12	1/2"	14mm	Single Pack
AT-9LM140R38	3/8"		

Reduced Shank Drill Bit

118° split point, ideal for drilling into pilot holes. 12.7 mm nonslip shank. 3 flats on shank prevents slippage in chuck. Black oxide coating maximises lubricant hold, therefore assisting chip flow & heat dissipation. Heavy duty - eliminating breakage



Item Code	Size	Packaging
AT-9LM145R	14. 5mm	Single Pack
AT-9LM150R	15mm	
AT-9LM155R	15. 5mm	
AT-9LM160R	16mm	
AT-9LM165R	16. 5mm	
AT-9LM170R	17mm	
AT-9LM175R	17. 5mm	
AT-9LM180R	18mm	
AT-9LM185R	18. 5mm	
AT-9LM190R	19mm	
AT-9LM195R	19. 5mm	
AT-9LM200R	20mm	
AT-9LM205R	20. 5mm	
AT-9LM210R	21mm	
AT-9LM215R	21. 5mm	
AT-9LM220R	22mm	
AT-9LM225R	22. 5mm	
AT-9LM230R	23mm	
AT-9LM235R	23. 5mm	
AT-9LM240R	24mm	
AT-9LM245R	24. 5mm	
AT-9LM250R	25mm	
AT-9LM260R	26mm	
AT-9LM270R	27mm	
AT-9LM280R	28mm	
AT-9LM290R	29mm	
AT-9LM300R	30mm	
AT-9LM320R	32mm	

ONSITE Plus Impact Step Tip Drill Bit

6x speed. Unique step tip , " quick change. 135 degree split point



Item Code	Size	Packaging
AT-C9STQRM030	3. 0mm	Single Pack
AT-C9STQRM035	3. 5mm	
AT-C9STQRM040	4. 0mm	
AT-C9STQRM045	4. 5mm	
AT-C9STQRM050	5. 0mm	
AT-C9STQRM055	5. 5mm	
AT-C9STQRM060	6. 0mm	
AT-C9STQRM065	6. 5mm	
AT-C9STQRM070	7. 0mm	
AT-C9STQRM075	7. 5mm	
AT-C9STQRM080	8. 0mm	
AT-C9STQRM085	8. 5mm	
AT-C9STQRM090	9. 0mm	
AT-C9STQRM095	9. 5mm	
AT-C9STQRM100	10. 0mm	
AT-C9STQRM105	10. 5mm	
AT-C9STQRM110	11. 0mm	
AT-C9STQRM115	11. 5mm	
AT-C9STQRM120	12. 0mm	
AT-C9STQRM125	12. 5mm	
AT-C9STQRM130	13. 0mm	

ONSITE Plus Impact Step Tip Drill Set - 16 Piece

6x speed. Unique step tip, 1/4" quickchange. 135 degree split point. Fullygrounded M2 HSS raw material for extended life. Round, precise holes without burring

Item Code	Set Includes	Packaging
AT-SM16ST	4. 0, 4. 5, 5. 0, 5. 5, 6. 0, 6. 5, 7. 0, 7. 5, 8. 0, 8. 5, 9. 0, 9. 5, 10. 0 , 10. 5	Single Pack



Double Ended Panel Drill Bit Carded 2pk - Gold Series

Fully grounded M2 HSS material increases drill life. Titanium Nitride coating reduces heat and increases lubricity for extended life. 135 deg split point cuts faster and reduces wandering

Item Code	Diameter (gauge)	Packaging
AT-C9D11	11 (4.85mm)	2/pack
AT-C9D20	20 (4.09mm)	
AT-C9D30	30 (3.26mm)	



Double Ended Panel Drill Bit Carded 2pk - Gold Series

Fully grounded M2 HSS material increases drill life. Titanium Nitride coating reduces heat and increases lubricity for extended life. 135 deg split point cuts faster and reduces wandering

Item Code	Diameter	Packaging
AT-C9DI18	1/8" (3.18mm)	2/pack



Jobber Drill Bit Carded 2pk - Gold Series

Fully ground M2HSS material increases drill life. Titanium Nitride coating reduces heat and increases lubricity for extended life. 135 deg split point cuts faster and reduces wandering

Item Code	Diameter	Packaging
AT-C9LI18	1/8" (3.18mm)	2/pack

Jobber Drill Bit Carded - Gold Series

Fully grounded M2HSS material increases drill life. Titanium Nitride coating reduces heat and increases lubricity for extended life. 135 deg split point cuts faster and reduces wandering



Item Code	Size	Packaging
AT-C9LM010	1mm	2/pack
AT-C9LM015	1.5mm	
AT-C9LM020	2mm	
AT-C9LM025	2.5mm	
AT-C9LM030	3mm	
AT-C9LM035	3.5mm	
AT-C9LM040	4mm	Single Pack
AT-C9LM045	4.5mm	
AT-C9LM050	5mm	
AT-C9LM055	5.5mm	
AT-C9LM060	6mm	
AT-C9LM065	6.5mm	
AT-C9LM070	7mm	
AT-C9LM075	7.5mm	
AT-C9LM080	8mm	
AT-C9LM085	8.5mm	
AT-C9LM090	9mm	
AT-C9LM095	9.5mm	
AT-C9LM100	10mm	
AT-C9LM105	10.5mm	
AT-C9LM110	11mm	
AT-C9LM115	11.5mm	
AT-C9LM120	12mm	
AT-C9LM125	12.5mm	
AT-C9LM130	13mm	



DRILL BITS METRIC HSSG STEEL

Full ground drill bits with cross grinding. High speed steel twist drill bits. Suitable for general use on steel, cast steel, grey cast iron, annealed cast iron, bronze, brass, aluminium. Easy centering, long tool life & good chip removal



Item Code	Diameter (mm)
PD25203510	1
PD25203511	1.5
PD25203512	1.6
PD25203513	2
PD25203514	2.5
PD25203515	3
PD25203516	3.1
PD25203517	3.3
PD25203518	3.4
PD25203519	3.5
PD25203520	3.6
PD25203521	4
PD25203522	4.1
PD25203523	4.2
PD25203524	4.4
PD25203525	4.5
PD25203526	5
PD25203527	5.1
PD25203528	5.2
PD25203529	5.3
PD25203530	5.5
PD25203531	6
PD25203532	6.5
PD25203533	6.8
PD25203534	7
PD25203535	7.5
PD25203536	8
PD25203537	8.5
PD25203538	9
PD25203539	9.5
PD25203540	10
PD25203541	10.2
PD25203542	10.5
PD25203543	11
PD25203544	11.5
PD25203545	12
PD25203546	12.5
PD25203547	13

Stainless Plus Metric Drill Bit - Carded 2 Pack

The ultimate drill for drilling stainless steel. 5x the life of Cobalt drills in stainless steel. 130 deg special point angle for quick penetration and reduced work hardening. TiAIN coating. Suitable for Stainless steel, Steel & Aluminium



Item Code	Size	Packaging
AT-C9LMP010	1.0mm	2/pack
AT-C9LMP015	1.5mm	
AT-C9LMP020	2.0mm	
AT-C9LMP025	2.5mm	
AT-C9LMP030	3.0mm	

Stainless Plus Metric Drill Bit - Carded

The ultimate drill for drilling stainless steel. 5x the life of Cobalt drills in stainless steel. 130 degree special point angle for quick penetration and reduced work hardening. TiAIN coating. Suitable for Stainless steel, Steel & Aluminium



Item Code	Size	Packaging
AT-C9LMP035	3.5mm	Single Pack
AT-C9LMP040	4.0mm	
AT-C9LMP045	4.5mm	
AT-C9LMP050	5.0mm	
AT-C9LMP055	5.5mm	
AT-C9LMP060	6.0mm	
AT-C9LMP065	6.5mm	
AT-C9LMP070	7.0mm	
AT-C9LMP075	7.5mm	
AT-C9LMP080	8.0mm	
AT-C9LMP085	8.5mm	
AT-C9LMP090	9.0mm	
AT-C9LMP095	9.5mm	
AT-C9LMP100	10.0mm	
AT-C9LMP105	10.5mm	
AT-C9LMP110	11.0mm	
AT-C9LMP115	11.5mm	
AT-C9LMP120	12.0mm	
AT-C9LMP125	12.5mm	
AT-C9LMP085	13.0mm	



25PC DRILL BIT HSSG STEEL SIZES 1.0MM - 13.0MM

Fully ground drill bits with cross grinding. Includes a sturdy plastic box that protects the drills. Easy drill selection & storage. Suitable for general use on steel, cast steel, grey cast iron, annealed cast iron, bronze, brass, aluminium. Easy centering, long tool life & good chip removal



Item Code	Set Contents
PD25203702	Diameter in mm: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5,
	5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0,
	10.5, 11.0, 11.5, 12.0, 12.5, 13.0 drill bits

Alpha Combination Drill Tap Set with Hex Shank Drills - Gold Series - 25 piece



13 x combination drill and taps. Drill, tap & deburr ferrous & non-ferrous metals & plastics in one operation up to 3.5mm. Quickly & easily produce clean accurate threaded holes

Item Code	Set Includes
AT-CDT25PB	13 x combination drill and taps Metric coarse: M3 – M10; UNC: 6G – 12G, 1/4" – 3/8"
	12 x gold series hex shank drills Metric: 2.0 – 6.5mm



Double Ended Drill Bit - Cobalt Series

Fully ground M2HSS material increases drill life. 135° split point cuts faster and reduces wandering

Item Code	Diameter (gauge)	Packaging
AT-9D11CO	11 (4.85mm)	Single pack
AT-9D20CO	20 (4.09mm)	
AT-9D30CO	30 (3.26mm)	

Screw Extractor Carded



Reverse tapered cutting screw thread. Square head for use with tapping handles. 6 common sizes

Item Code	Size	Packaging
AT-9SE01	#1 – 3.47mm	Single Pack
AT-9SE02	#2 – 4.8mm	
AT-9SE03	#3 – 6.35mm	
AT-9SE04	#4 – 6.33mm	
AT-9SE05	#5 – 11.31mm	
AT-9SE06	#6 – 17.05mm	

10 Piece Screw Extractor & L/H Cobalt Drill Set

Heavy duty. Left hand drills. Ideal for stainless steel and Hitensile steel. Fully ground HSS Cobalt increases strength and drill life. Improves heat resistance for increased strength and drill life



Item Code	Set Includes
AT-9SECOL-SET10	Left hand drills
	Sizes: 5/64" , 7/64" , 5/32" , 1/4" & 19/64"
	Screw extractors
	Sizes: #1, #2, #3, #4 & #5

5 Piece Screw Extractor Set No.1 - 5

Heavy duty. Reverse tapered flute for extra gripping power. Spiral tapered flute for deep embedment which increases grip as the resistance increases. Square end for use with tap wrench or spanner



Item Code	Set Includes
AT-9SE-SET5	Sizes: #1, #2, #3, #4, #5

5 Piece Left Hand Cobalt Drill Set

Heavy duty. 135° split point for extra gripping power. Fully ground HSS Cobalt increases strength & drill life



Item Code	Set Includes
AT-9COL-SET5	Sizes: 5/64" , 7/64" , 5/32" , 1/4" & 19/64"

13 Piece - Alpha Cobalt Metric Drill Set



Item Code
AT-SM13CO

19 Piece - Alpha Tuffbox Metric Drill Set



The premium - ideal for the widest range of materials. Drills faster and longer. Tough plastic case. Rugged rubber grips. Genuine alpha gold series jobber drill bits

Item Code	Set Includes
AT-SM19PB	Sizes: 1.0 - 10.0 in 0.5mm increments

25 Piece - Alpha Gold Series Metric Tuffbox Drill Set



The premium - ideal for the widest range of materials. Drills faster and longer. Tough plastic case. Rugged rubber grips. Genuine alpha gold series jobber drill bits

Item Code	Set Includes
AT-SM25PB	Sizes: 1.0 - 13.0 in 0.5 increments



Alpha Stainless Plus Metric Tuffbox Drill Set -25 Piece

The ultimate drill for drilling stainless steel. 5x the life of Cobalt drills in Stainless Steel. 130 degree special point angle for quick penetration and reduced work hardening. TiAIN coating. Suitable for Stainless Steel, Steel & Aluminium

Item Code	Set Includes
AT-SM25PBP	Sizes: 1.0 - 13.0 in 0.5mm increments



DRILL BIT SET - HSS METRIC - 25PC

Made from high quality high speed steel (HSS). Precision engineered parallel shank for accurate hole size. Industrial grade extremely sharp, strong and durable. Drills perfectly round holes in steel, brass, plastic, wood etc

Item Code	Size
SP31391	1-13mm (0.5 increments)



DRILL BIT SET - HSS METRIC - 19PC

Made from high quality high speed steel (HSS) offering the best combination of strength, heat&wear resistance. Precision engineered parallel shank for accurate hole size. Drills perfectly round holes in steel, brass, plastic, wood etc

Item Code	Size
SP31390	1-10mm (0.5 increments)



ThunderMax Step Drill Straight Flute Imperial

Self-starting split point removes the need for a pilot hole. 2 flute design for smooth cutting. 3 flats on shank, prevents slippage in chuck. Laser etched hole ϕ . Corrosion resistant finish

Item Code	ϕ	Shank ϕ	Packaging
AT-9STI14-34TM	1/4"-3/4"	9.5mm	Single Pack



ThunderMax Step Drill Straight Flute Metric

Self-starting split point removes the need for a pilot hole. 2 flute design for smooth cutting. 3 flats on shank, prevents slippage in chuck. Laser etched hole ϕ . Corrosion resistant finish

Item Code	ϕ	Shank ϕ	Packaging
AT-9STM4-12TM	4 - 12mm	6mm	Single Pack
AT-9STM4-20TM	4 - 20mm	8mm	
AT-9STM6-30TM	6 - 30mm	10mm	
AT-9STM6-36TM	6 - 36mm	10mm	

ThunderMax Step Drill Spiral Flute Metric 1/4in Impact Shank



Self-starting split point removes the need for a pilot hole. Tempered black finish. 2 flute design for smooth cutting. Non-slip 1/4" quick change. Laser etched hole ϕ . Corrosion resistant finish

Item Code	ϕ	Shank ϕ	Packaging
AT-9STSIM4-12TM	4 - 12mm	1/4"	Single Pack
AT-9STSIM4-20TM	4 - 20mm	1/4"	
AT-9STSIM6-30TM	6 - 30mm	1/4"	



ThunderMax Step Drill Spiral Flute Metric

Self - starting split point removes the need for a pilot hole. Tempered black finish. 2 flute design for smooth cutting. 3 flats on shank, prevents slippage in chuck. Corrosion resistant finish. Laser etched hole

Item Code	Ø	Shank Ø	Packaging
AT-9STSM4-12TM	4 - 12mm	6mm	Single Pack
AT-9STSM4-20TM	4 - 20mm	8mm	
AT-9STSM6-30TM	6 - 30mm	10mm	
AT-9STSM6-36TM	6 - 36mm	10mm	



ThunderMax Step Drill Spiral Flute Metric Impact Shank Carded



Self - starting split point removes the need for a pilot hole. Tempered black finish. 2 flute design for smooth cutting. Non - slip 1/4" quick change. Corrosion resistant finish. Laser etched holeø

Item Code	ø	Shank ø	Packaging
AT-C9STSIM4-12TM	4 - 12mm	1/4"	Single Pack
AT-C9STSIM4-20TM	4 - 20mm	1/4"	
AT-C9STSIM6-30TM	6 - 30mm	1/4"	

ThunderMax Step Drill Spiral Flute Metric Carded



Self - starting split point removes the need for a pilot hole. Tempered black finish. 2 flute design for smooth cutting. 3 flats on shank, prevents slippage in chuck. Corrosion resistant finish. Laser etched holeø

Item Code	ø	Shank ø	Packaging
AT-C9STSM4-12TM	4 - 12mm	6mm	Single Pack
AT-C9STSM4-20TM	4 - 20mm	8mm	
AT-C9STSM6-30TM	6 - 30mm	10mm	
AT-C9STSM6-36TM	6 - 36mm	10mm	

ThunderMax Step Drill Set Straight Flute Metric Plastic Box



Item Code	Set Includes
AT-STPSET3TM	4 - 12mm
	4 - 20mm
	6 - 30mm

STEP DRILL BIT SET - HSS METRIC - 3PC

Made from high quality high speed steel (HSS) offering the best combination of strength, heat & wear resistance. Industrial grade extremely sharp, strong and durable



Item Code	Size
SP31398	6 to 30mm (13-step bit)
	4 to 20mm (9-step bit)
	4 to 12mm (9-step bit)

STEP DRILL BIT SET - HSS SAE - 3PC

Made from high quality high speed steel (HSS). Two flute design provides faster, smoother and cleaner cuts. Automatically deburrs hole as you drill. Each step is clearly labelled with depth diameters



Item Code	Size
SP31399	3/16" to 3/4" (10-step bit)
	1/8" to 1/2" (13-step bit)
	1/4" to 1-1/4" (17-step bit)

Wax Filled: Diamond Core Bit

Wax filled core aids cooling and lubricates, eliminating the need for water. 5x life: Diamond coated design reduces cutting temperature for 5x longer working life. Vacuum brazed diamond tip



Item Code	Diameter	Shank Type	Packaging
AT-9DCD050	5mm	Hex	Single Pack
AT-9DCD060	6mm		
AT-9DCD065	6.5mm		
AT-9DCD080	8mm		
AT-9DCD100	10mm		
AT-9DCD120	12mm		

Diamond Core Bit

Slotted design for increased visibility while cutting and fast plug removal. 5x life: Diamond coated design reduces cutting temperature for 5x longer working life. Vacuum brazed diamond tip



Item Code	Diameter	Shank Type	Packaging
AT-9DCD150	15mm	Hex	Single Pack
AT-9DCD200	20mm		
AT-9DCD250	25mm		
AT-9DCD300	30mm		
AT-9DCD350	35mm		

Diamond Core Bit

Slotted design for increased visibility while cutting and fast plug removal. 5x life: Diamond coated design reduces cutting temperature for 5x longer working life. Vacuum brazed diamond tip

Item Code	Diameter	Shank Type	Packaging
AT-9GT030	3mm	Straight	Single Pack
AT-9GT040	4mm		
AT-9GT050	5mm		
AT-9GT060	6mm		
AT-9GT065	6.5mm		
AT-9GT080	8mm		
AT-9GT100	10mm		
AT-9GT120	12mm		

Spade Bit - TurboBORE

Double outside spurs provide a cleaner hole and reduce vibration. Unique twist design cuts faster than standard spade bits



Item Code	Diameter	Shank Type	Packaging
AT-TS08-08	8mm	Quick Change	Single Pack
AT-TS08-10	10mm		
AT-TS08-12	12mm		
AT-TS08-13	13mm		
AT-TS08-14	14mm		
AT-TS08-15	15mm		
AT-TS08-16	16mm		
AT-TS08-18	18mm		
AT-TS08-19	19mm		
AT-TS08-20	20mm		
AT-TS08-22	22mm		
AT-TS08-24	24mm		
AT-TS08-25	25mm		
AT-TS08-28	28mm		
AT-TS08-30	30mm		
AT-TS08-32	32mm		
AT-TS08-35	35mm		
AT-TS08-38	38mm		
AT-TS08-40	40mm		



300mm 1/4in Extension Bar - Quick Release with Locking Collar

Item Code	Shank Type	Packaging
AT-TS08-EXT300L	Quick Change	Single Pack

8 Pc Spade Bit Set with Extension Bar - TurboBORE

7 Turbo-Bore timber spade bits and 1 quick release extension. Double outside spurs provide a cleaner hole and reduce vibration. Unique twist design cuts faster than standard spade bits. 1/4 Hex Shank



Item Code	Set Includes	Packaging
AT-TS08-SET8	1 x 10mm	Single Pack
	1 x 12mm	
	1 x 16mm	
	1 x 20mm	
	1 x 22mm	
	1 x 25mm	
	1 x 32mm	
	1 x 150mm QR Extension	

4 Cutter Auger Bit - 4MAX

4 cutter auger bit with screw tip for effortless feed and spurs for cleaner faster cutting. Cutting spur for smoother clean holes. Design for faster chip ejection. 4x faster than standard spade bits



Item Code	Diameter	Packaging
AT-TS4C-10	10mm	Single Pack
AT-TS4C-13	13mm	
AT-TS4C-16	16mm	
AT-TS4C-19	19mm	
AT-TS4C-20	20mm	
AT-TS4C-22	22mm	
AT-TS4C-25	25mm	
AT-TS4C-32	32mm	

5 Pc - 4 Cutter Auger Bit Set, 32mm 4MAX

4 cutter auger bit with screw tip for effortless feed and spurs for cleaner faster cutting. Design for faster chip ejection. Screw tip for effortless feed. Cutting spur for smoother clean holes



Item Code	Set Includes	Packaging
AT-TS4C-SET5	4 Cutter Auger Bit 16, 20, 22, 32mm 4MAX	Single Pack

SDS MAX Zentro 4 Cutter Masonry Drill Bit

Max performance, German quality and design. Secondary cutters protect the drill bit in the event of reinforcement collision. Maximum energy transfer, excellent performance, long life SDS MAX



Item Code	Size	Packaging
AT-SXZ12340	12 x 340mm	Single Pack
AT-SXZ12540	12 x 540mm	
AT-SXZ14340	14 x 340mm	
AT-SXZ14540	14 x 540mm	
AT-SXZ15340	15 x 340mm	
AT-SXZ15540	15 x 540mm	
AT-SXZ161320	16 x 1320mm	
AT-SXZ161620	16 x 1620mm	
AT-SXZ162000	16 x 2000mm	
AT-SXZ162500	16 x 2500mm	
AT-SXZ16340	16 x 340mm	
AT-SXZ16540	16 x 540mm	
AT-SXZ16920	16 x 920mm	
AT-SXZ181320	18 x 1320mm	
AT-SXZ18340	18 x 340mm	
AT-SXZ18540	18 x 540mm	
AT-SXZ18920	18 x 940mm	
AT-SXZ20320	20 x 320mm	
AT-SXZ20520	20 x 520mm	
AT-SXZ20920	20 x 920mm	
AT-SXZ221320	22 x 1320mm	



Item Code	Size	Packaging
AT-SXZ22320	22 x 320mm	Single Pack
AT-SXZ22520	22 x 520mm	
AT-SXZ22920	30 x 370mm	
AT-SXZ24320	30 x 570mm	
AT-SXZ24520	32 x 1320mm	
AT-SXZ251320	32 x 370mm	
AT-SXZ25320	32 x 570mm	
AT-SXZ25520	32 x 920mm	
AT-SXZ25920	35 x 1320mm	
AT-SXZ26520	35 x 370mm	
AT-SXZ281320	35 x 570mm	
AT-SXZ28370	35 x 920mm	
AT-SXZ28570	37 x 570mm	
AT-SXZ38370	38 x 370mm	
AT-SXZ38570	38 x 570mm	
AT-SXZ401320	40 x 1320mm	
AT-SXZ40370	40 x 370mm	
AT-SXZ40570	40 x 570mm	
AT-SXZ40920	40 x 920mm	
AT-SXZ45570	45 x 570mm	
AT-SXZ50570	50 x 570mm	
AT-SXZ52570	52 x 570mm	

SDS Plus German Zentro 4Cutter Masonry Drill

Dynamic drilling ability with secondary cutters protecting the drill bit in the event of reinforcement collision. 4 x 90 deg symmetry, all four carbide cutting edges function evenly and do not seize up on hitting reinforcing steel. Centering tip for straight forward spot drilling with pinpoint accuracy



Item Code	Size	Packaging
AT-SPZ050110	5 x 110mm	Single Pack
AT-SPZ050160	5 x 160mm	
AT-SPZ055110	5.5 x 110mm	
AT-SPZ055160	5.5 x 160mm	
AT-SPZ060110	6 x 110mm	
AT-SPZ060160	6 x 160mm	
AT-SPZ060210	6 x 210mm	
AT-SPZ065110	6.5 x 110mm	
AT-SPZ065160	6.5 x 160mm	
AT-SPZ065210	6.5 x 210mm	
AT-SPZ080110	8 x 110mm	
AT-SPZ080160	8 x 160mm	
AT-SPZ080210	8 x 210mm	
AT-SPZ100110	10 x 110mm	
AT-SPZ100160	10 x 160mm	
AT-SPZ100210	10 x 210mm	
AT-SPZ100260	10 x 260mm	
AT-SPZ120160	12 x 160mm	
AT-SPZ120210	12 x 210mm	
AT-SPZ120260	12 x 260mm	
AT-SPZ120310	12 x 310mm	
AT-SPZ120450	13 x 310mm	
AT-SPZ130310	14 x 1000mm	
AT-SPZ140260	14 x 260mm	
AT-SPZ140450	14 x 450mm	



Item Code	Size	Packaging
AT-SPZ150210	15 x 210mm	Single Pack
AT-SPZ160160	16 x 160mm	
AT-SPZ160260	16 x 260mm	
AT-SPZ160450	16 x 450mm	
AT-SPZ180250	18 x 250mm	
AT-SPZ180450	18 x 450mm	
AT-SPZ200250	20 x 250mm	
AT-SPZ200450	20 x 450mm	
AT-SPZ220250	22 x 250mm	
AT-SPZ220450	22 x 450mm	
AT-SPZ240250	24 x 250mm	
AT-SPZ240450	24 x 450mm	
AT-SPZ250250	25 x 250mm	
AT-SPZ250450	25 x 450mm	
AT-SPZ280250	28 x 250mm	
AT-SPZ280450	28 x 450mm	
AT-SPZ300250	30 x 250mm	
AT-SPZ300450	30 x 450mm	
AT-SPZ320450	32 x 450mm	

Masonry Drill Bit

Professional quality, suitable for rotary and impact drilling. Tungsten carbide tipped for longevity. Straight round shank



Item Code	Size	Packaging
AT-MA030070G	3 x 70mm	Single Pack
AT-MA040085G	4 x 85mm	
AT-MA050085G	5 x 85mm	
AT-MA050150G	5 x 150mm	
AT-MA055085G	5.5 x 85mm	
AT-MA055150G	5.5 x 150mm	
AT-MA060100G	6 x 100mm	
AT-MA060150G	6 x 150mm	
AT-MA065100G	6.5 x 100mm	
AT-MA065150G	6.5 x 150mm	
AT-MA070150G	7 x 150mm	
AT-MA080120G	8 x 120mm	
AT-MA080200G	8 x 200mm	
AT-MA090120G	9 x 120mm	
AT-MA100120G	10 x 120mm	
AT-MA100200G	10 x 200mm	
AT-MA120150G	12 x 150mm	
AT-MA120400G	12 x 400mm	
AT-MA130150G	13 x 150mm	
AT-MA140150G	14 x 150mm	
AT-MA140400G	14 x 400mm	
AT-MA160160G	16 x 160mm	
AT-MA160400G	16 x 400mm	
AT-MA180160G	18 x 160mm	
AT-MA200160G	20 x 160mm	



5mm TCT Countersink 9mm Depth Gauge Drill - 8G

Ideal for : 9mm cement sheet and blue board. Tungsten carbide tipped countersink for extended life. Drills and deburrs in one process. Cuts up to 9 mm thick material. Shank: 1/4in quick change

Item Code	Diameter	Flute Length	Packaging
AT-MADG0509	5mm	9mm	Single Pack



5mm TCT Countersink 18mm Depth Gauge Drill - 8G

Ideal for:18mm cement sheet and blue board. Tungsten carbide tipped countersink for extended life. Drills and deburrs in one process. Cuts up to 18mm thick material. Shank: 1/4in quick change

Item Code	Diameter	Flute Length	Packaging
AT-MADG0518	5mm	18mm	Single Pack



6mm TCT Countersink 9mm Depth Gauge Drill - 10G

Ideal for: 9mm cement sheet and blue board. Tungsten carbide tipped countersink for extended life. Drills and deburrs in one process. Cuts up to 9 mm thick material. Shank: 1/4in quick change

Item Code	Diameter	Flute Length	Packaging
AT-MADG0609	6mm	9mm	Single Pack



6mm TCT Countersink 18mm Depth Gauge Drill - 10G

Ideal for:18mm cement sheet and blue board. Tungsten carbide tipped countersink for extended life. Drills and deburrs in one process. Cuts up to 18mm thick material. Shank: 1/4in quick change

Item Code	Diameter	Flute Length	Packaging
AT-MADG0618	6mm	18mm	Single Pack

Tungsten Carbide Countersink with Drill Bit

Ideal for Timber decking and Cement sheet. Tungsten Carbide tipped pilot drill with improved chip extraction, allowing increased feed rates and shorter cycle times. Packaged with a hex key for replacing the drill and adjusting the depth stop



Item Code	Diameter	Packaging
AT-AS02004	2mm (5/64")	Single Pack
AT-AS02404	2.4mm (3/32")	
AT-AS02804	2.8mm (7/64")	
AT-AS03004	3mm	
AT-AS03204	3.2mm (1/8")	
AT-AS03504	3.5mm (9/64")	
AT-AS04004	4mm (5/32")	
AT-AS04804	4.8mm (3/16")	
AT-AS05004	5mm	
AT-AS06004	6mm	

Countersink Single Flute

90 deg angle. Suitable for countersinking non-ferrous metals. Fully ground M42 HSS Co8 increases strength and countersink life



Item Code	Diameter	Packaging
AT-CS1-10	10mm (5/16")	Single Pack
AT-CS1-16	16mm (5/8")	
AT-CS1-20	20mm (3/4")	
AT-CS1-25	25mm (1")	
AT-CS1-30	30mm (1-3/16")	

Countersink 3 Flute

90 deg angle. Suitable for countersinking all metals, plastics and wood. Fully ground M42 HSS Co8 increases strength and countersink life



Item Code	Diameter	Packaging
AT-CS3-10.4	10.4mm (13/32")	Single Pack
AT-CS3-12.4	12.4mm (1/2")	
AT-CS3-14.4	14.4mm (9/16")	
AT-CS3-16.5	16.5mm (21/32")	
AT-CS3-20.5	20.5mm (13/16")	
AT-CS3-25	25mm (1")	
AT-CS3-30	30mm (1-3/8")	
AT-CS3-40	40mm (1-9/16")	
AT-CS3-6.3	6.3mm (1/4")	
AT-CS3-8.3	8.3mm (21/64")	



Countersink 3 Flute Set

90 deg angle. Suitable for countersinking all metals, plastics and wood. Fully ground M42 HSS Co8 increases strength and countersink life

Item Code	Packaging
AT-CS3-SET6	Single Pack

Countersink 5 Flute

90 deg angle. Suitable for countersinking ferrous metals, hard plastic and wood. Fully ground HSS-AL increases strength and countersink life



Item Code	Diameter	Packaging
AT-CS5-12	12mm (1/2")	Single Pack
AT-CS5-16	16mm (5/8")	
AT-CS5-20	20mm (3/4")	
AT-CS5-8	8mm (5/16")	



5 Flute Countersink Set 4pcs

Fully ground HSS-AL increases strength and countersink life

Item Code	Set Includes
AT-CS5-SET4	Sizes: 8, 12, 16 & 20mm

Countersink Cross Hole

90 deg angle. Suitable for deburring all metals and plastics. Fully ground M42 HSS Co8 increases strength and countersink life



Item Code	Diameter	Packaging
AT-CSCH-10	10mm	Single Pack
AT-CSCH-14	14mm	
AT-CSCH-21	21mm	
AT-CSCH-28	28mm	
AT-CSCH-35	35mm	
AT-CSCH-44	44mm	

Cross Hole Countersink Set

90 deg angle. Suitable for deburring all metals and plastics. Fully ground M42 HSS Co8 increases strength and countersink life. Set of 3



Item Code	Set Includes
AT-CSCH-SET3	Sizes: 10, 14 & 21.5mm



CYLINDRICAL BURR ZYA 1/4" SHANK SA ZYA MX NCC



MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials

Item Code	Head Size Dia X Length In.
PD26007209	1/4 x 5/8
PD26007210	5/16 x 3/4
PD26007211	3/8 x 3/4
PD26006773	1/2 x 1

TREE RADIUS BURR RBF 1/4" SHANK SF RBF MX NCC



MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials. A low-cost option in the range of burrs from PFERD

Item Code	Head Size Dia X Length In.
PD26007217	1/4 x 5/8
PD26007218	3/8 x 3/4
PD26006769	1/2 x 1

CYLINDRICAL RADIUS BURR WRC 1/4" SHANK SC WRC MX



MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials. A low-cost option in the range of burrs from PFERD

Item Code	Head Size Dia X Length In.
PD26007212	1/4 x 5/8
PD26006766	5/16 x 3/4
PD26006772	3/8 x 3/4
PD26006770	1/2 x 1
PD26007213	5/8 x 1



OVAL SHAPE BURR TRE 1/4" SHANK SE TRE MX NCC



MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials. A low-cost option in the range of burrs from PFERD

Item Code	Head Size Dia X Length In.
PD26007215	3/8 x 5/8
PD26007216	1/2 x 7/8

BALL SHAPE BURR KUD 1/4" SHANK SD KUD MX NCC



MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials. A low-cost option in the range of burrs from PFERD

Item Code	Head Size Dia X Length In.
PD26007214	3/8 x 5/16

POINTED TREE BURR SPG 1/4" SHANK SG SPG MX NCC



MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials. A low-cost option in the range of burrs from PFERD

Item Code	Head Size Dia X Length In.
PD26007219	3/8 x 3/4
PD26006768	1/2 x 1

FLAME SHAPE BURR B 1/4" SHANK SH B MX NCC



MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials. A low-cost option in the range of burrs from PFERD

Item Code	Head Size Dia X Length In.
PD26007220	5/16 x 3/4
PD26006771	1/2 x 1 1/4



CONE RADIUS END BURR KEL 1/4" SHANK SL KEL MX NCC

MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials. A low-cost option in the range of burrs from PFERD

Item Code	Head Size Dia X Length In.
PD26006774	3/8 x 1 1/8
PD26006767	1/2 x 1



POINTED CONE BURR SKM 1/4" SHANK SM SKM MX NCC

MX-NCC tungsten carbide burrs are designed for universal, general purpose use. These burrs are characterised by good stock removal performance on a wide variety of materials. A low-cost option in the range of burrs from PFERD

Item Code	Head Size Dia X Length In.
PD26007221	1/4 x 3/4
PD26007222	1/2 x 1



CYLINDRICAL RADIUS BURR WRC 1/4" SHANK SC WRC ALU

High stock removal performance on aluminium and aluminium alloys, light metals, non-ferrous metals and plastics. Smooth milling

Item Code	Head Size Dia X Length In.
PD21724425	3/8 x 3/4
PD21724465	1/2 x 1
PD21724395	1/4 x 5/8



TREE RADIUS BURR RBF 1/4" SHANK SF RBF ALU

High stock removal performance on aluminium and aluminium alloys, light metals, non-ferrous metals and plastics. Smooth miling

Item Code	Head Size Dia X Length In.
PD21724725	1/2 x 1



CONE RADIUS END BURR KEL 1/4" SHANK SL KEL ALU

High stock removal performance on aluminium and aluminium alloys, light metals, non-ferrous metals and plastics. Smooth miling

Item Code	Head Size Dia X Length In.
PD21725165	1/2 x 1 1/6

TUNGSTEN CARBIDE BURRSET - STEEL - 5PC



Set of 5 tungsten carbide burrs. Extremely durable. Heavy duty, superior cutting power. Ideal for deburring, carving, grooving, shaping and filing. Suits steel applications

Kit	Contains		Size
Item Code	Item Code	Description	
SP31380	SP31350	Cylinder	10 x 20mm
	SP31351	Cylinder with radius top	10 x 20mm
	SP31360	Diameter ball	8mm
	SP31365	Tree with radius	10 x 25mm
	SP31370	Oval egg	12 x 20mm

TUNGSTEN CARBIDE BURRSET - ALUMINIUM - 5PC



Set of 5 tungsten carbide burrs. Extremely durable. Heavy duty, superior cutting power. Ideal for deburring, carving, grooving, shaping, finishing and filing. Suits aluminium applications

Kit	Contains		Size
Item Code	Item Code	Description	
SP31385	SP31350A	Cylinder	10 x 20mm
	SP31351A	Cylinder with radius top	10 x 20mm
	SP31360A	Diameter ball	8mm
	SP31365A	Tree with radius	10 x 25mm
	SP31370A	Oval egg	12 x 20mm



BI-METAL HOLE SAW

HSS hole saws are suitable for work on stainless steel (INOX)



Item Code	Size
PD25100116	LS 16
PD25100117	LS 17
PD25100119	LS 19
PD25100220	LS 20
PD25100322	LS 22
PD25100425	LS 25
PD25100527	LS 27
PD25100730	LS 30
PD25100832	LS 32
PD25101035	LS 35
PD25101138	LS 38
PD25101240	LS 40
PD25101241	LS 41
PD25101344	LS 44
PD25101448	LS 48
PD25101551	LS 51
PD25101654	LS 54
PD25101757	LS 57
PD25101860	LS 60
PD25101963	LS 64
PD25101965	LS 65
PD25102067	LS 67
PD25102170	LS 70
PD25102376	LS 76
PD25102583	LS 83
PD25102689	LS 89
PD25102792	LS 92
PD25102912	LS 102



BI-METAL HOLE SAW ARBOR LSS 1-9.53MM-3/8" HEX

Hole saw arbors are designed for mounting the hole saw and pilot drill. Hole saw arbors LSS1 and LSS2 are supplied with the HSS pilot drill LSB6/60 and an ejection spring

Item Code
PD25200111



BI-METAL HOLE SAW ARBOR LSS 2-9.53MM-3/8" HEX

SHANK 5/8" - 18UNF SUITS LS32 - 152MM

Hole saw arbors are designed for mounting the hole saw and pilot drill. Hole saw arbors LSS1 and LSS2 are supplied with the HSS pilot drill LSB6/60 and an ejection spring

Item Code
PD25200211



BI-METAL HOLE SAW ARBOR LSS 4-6.35MM-1/4" ROUND

SHANK 1/2" - 20UNF SUITS LS14 - 30MM

Hole saw arbors are designed for mounting the hole saw and pilot drill. Hole saw arbors LSS4 are supplied with the HSS pilot drill LSB 6/90 and an ejection spring

Item Code
PD25200407

**SMALL ARBOR TO SUIT 14 - 30MM HOLESAWS**

Small Arbor, hex shank

Item Code
AT-ARB-1

**LARGE ARBOR TO SUIT 320-250MM HOLESAWS**

Large hex shank 7/16in. Heavy duty screw up design

Item Code
AT-ARB-2

**LARGE QUICK RELEASE ARBOR SUITS 32 - 250MM HOLESAWS**

Large quick release arbor. 11/32in hex shank suits 10mm (3/8in) chucks. Compatible pilot drill is PLD-1

Item Code
AT-ARB-3

TRADIES 21 PIECE: ULTIMATE WHITE POINTER HOLESAW KIT

Ideal for: stainless steel, cast iron, non-ferrous metal, wood & plastic. Unique multiple grinding technology for faster cutting & longer life. Multiple ejection slots for rapid removal of thick & thin plugs (25mm & over). Complete with holesaws, arbors, pilot drills and extra products



Item Code	Kit Contents
AT-HSKTRW21	Holesaws (16, 20, 25, 29, 32, 38, 40, 51, 54, 60, 70, 76, 92 & 114mm)
	Hex drill set (15 Pce): 1.5 - 6.5mm
	Large arbor with pilot drill: suits 14 - 30mm holesaws
	Large arbor with pilot drills: suits 32 - 250mm holesaws
	Pilot drill: 31/4
	Adaptor

**HOLESAW BULK WRAPPED**

Variable tooth unique variable tooth geometry for consistent cutting ability in a wide range of materials. Manufactured to strict Alpha specifications to suit demanding Australian conditions



Item Code	Diameter (mm)	Packaging	
		Per Box	Per Carton
AT-HSV140B	140	1	6
AT-HSV108B	108	1	9
AT-HSV111B9	111		
AT-HSV114B	114		
AT-HSV121B	121		
AT-HSV127B	127		
AT-HSV146B	146		
AT-HSV152B	152		
AT-HSV100B	100	1	12
AT-HSV102B	102		
AT-HSV105B	105		
AT-HSV89B	89		
AT-HSV92B	92		
AT-HSV95B	95		
AT-HSV98B	98		
AT-HSV70B	70	1	21
AT-HSV73B	73		
AT-HSV75B	75		
AT-HSV76B	76		
AT-HSV79B	79		
AT-HSV83B	83		
AT-HSV86B	86		
AT-HSV54B	54	1	30
AT-HSV55B	55		
AT-HSV60B	60		
AT-HSV64B	64		
AT-HSV65B	65		
AT-HSV67B	67		



Item Code	Diameter (mm)	Packaging	
		Per Box	Per Carton
AT-HSV68B	68	1	30
AT-HSV40B	40	1	36
AT-HSV41B	41		
AT-HSV43B	43		
AT-HSV44B	44		
AT-HSV45B	45		
AT-HSV46B	46		
AT-HSV48B	48		
AT-HSV50B	50		
AT-HSV51B	51		
AT-HSV52B	52		
AT-HSV29B	29	1	60
AT-HSV30B	30		
AT-HSV32B	32		
AT-HSV33B	33		
AT-HSV35B	35		
AT-HSV37B	37		
AT-HSV38B	38		
AT-HSV14B	14	1	90
AT-HSV16B	16		
AT-HSV17B	17		
AT-HSV19B	19		
AT-HSV20B	20		
AT-HSV21B	21		
AT-HSV22B	22		
AT-HSV25B	25		
AT-HSV27B	27		
AT-HSV57B	57	10	30
AT-HSV59B	59		

**HSS PILOT DRILL 3 - 1/2in**

Item Code
AT-PLD-1

**HSS PILOT DRILL 4 - 1/2in**

Item Code
AT-PLD-2

**MULTI-PURPOSE PILOT DRILL 89MM SUITS ARB-1 / ARB-4**

Item Code
AT-PLD-3

**MULTI-PURPOSE PILOT DRILL 114MM SUITS ARB -2 / ARB - 5**

Item Code
AT-PLD-4

**6/60 - PILOT DRILL (SUITS LSS1 & LSS2) SHORT**

HSS pilot drill suits LSS1 & LSS2 short

Item Code
PD-25202005

6/90 - PILOT DRILL (SUITS LSS4) LONG

HSS pilot drill suits LSS4 long

Item Code
PD-25202007



BI-METAL HOLE SAW SETS

HSS hole saws made of shatter - proof and tough HSS bi-metal are used on drilling machines and hand-held drills



Item Code	Set Contents
PD25900020	Saw Sizes: 20, 22, 25, 32, 40, 44, 51, 57 and
	Hex shank arbor: 1/4" and 3/8"
	Pilot drill: 6/90 (long)
	Adaptor

9PC BI-METAL PLUMBERS HOLE SAW SET LS-SO 10

HSS hole saws made of shatter - proof and tough HSS bi-metal are used on drilling machines and hand-held drills



Item Code	Set Contents
PD25999902	Hole Saw Sizes: 41, 51, 57, 73, 86 and 111mm
	Hex shank arbor: 3/8"
	Pilot drill: 6/60 (short)
	Adaptor

13PC BI-METAL ELECTRICIANS HOLE SAW SET LS-SO 9 E-1

HSS hole saws made of shatter - proof and tough HSS bi-metal are used on drilling machines and hand-held drills



Item Code	Set Contents
PD25900910	Hole Saw Sizes: 16, 20, 25, 32, 40, 51, 70 and 9mm
	Hex shank arbor: 1/4" and 3/8"
	Pilot drill: 6/60 (short) and 6/90 (long)
	Adaptor



5 PACK PAPER VELCRO DISCS - ALUMINIUM OXIDE - 125MM NO HOLE

Materials to be worked: metal, varnishes & lacquers, car body repair, plastic
 Abrasive: Aluminium Oxide
 Backing: Stearated paper - Velcro Back



Item Code	Grit
PD45017902	60
PD45017903	80
PD45017905	120
PD45017909	240
PD45017910	320



CLEAN & STRIP DISC 125MM XTRA BULK

Made from non-woven fibre impregnated with mineral grain. No edge fraying or grain shredding for a consistent finish. For aggressive cleaning, or removing rust, paint, epoxy or weld spatter



Item Code	Colour
AT-GSPD125BC	Black Coarse
AT-GSPD125PU	Purple Ultra



LINISHING BELTS - ALUMINIUM OXIDE - GENERAL PURPOSE VARIOUS SIZES & GRITS

Materials to be worked: unalloyed steel, alloyed steel, nonferrous
Abrasive: Aluminium Oxide



Item Code	Grit
PD75435934	40
PD75435935	60
PD75435936	80
PD75435938	120

LINISHING BELT - SURFACE CONDITIONING - 50 X 914 SMC

Suitable for producing matt and satin finished surfaces on steel, stainless steel and non-ferrous metals



Item Code	Grit	Colour	Belt Size (mm)
PD75483797	100	COARSE (Brown)	50 x 914
PD75483090	180	MEDIUM (Maroon)	
PD75481210	240	FINE (Blue)	

FILE SANDER BELT - ZIRCONIA 30 X 533 ZT

Materials to be worked: unalloyed steel, alloyed steel
Abrasive: Zirconia Alumina



Item Code	Grit	Belt Size (mm)
PD75435616	40	30 x 533
PD75435617	60	
PD75435618	80	
PD75431788	120	



FILE SANDER BELTS - SURFACE CONDITIONING - E07

KV707T 30 x 533

Suitable for producing matt and satin-finished surfaces on steel, stainless steels and non-ferrous metals



Item Code	Grit	Colour	Belt Size (mm)
PD75452267	100	COARSE (Brown)	30 x 533
PD75447763	180	MEDIUM (Maroon)	
PD75447764	240	FINE (Blue)	



BACKING PADS - VELSTICK HOOK TYPE FOR ORBITAL SANDER 8 HOLE



Velstic "hook" Velcro type backing pad. 8hole backing pad. Made to suit hook and loop self-fastening system

Item Code	Thread	Size
PD47600055	5/16" & 3/8"	125mm

BACKING PAD GT125MM 5" M14 GENERAL PURPOSE



Flexible backing pads for use with fibre discs on commercially available angle grinders. The matching clamping nut is included. The maximum permitted peripheral speed is 80 m/s

Item Code	Disc Size mm/In	Thread
PD44890040	125 (5")	M14

BACKING PAD H-GT 125MM 5" M14 HIGH PERFORMANCE



High performance backing pad for use with fibre discs on commercially available angle grinders. The abrasion-resistant, glass fibre-reinforced plastic guarantees a long tool life. Particularly suitable for cool grinding due to the radial cooling fins. The matching clamp nut is included

Item Code	Disc Size mm/In	Thread
PD44890090	125 (5")	M14



CUT-OFF WHEEL ULTRA-THIN PREMIUM-INOX STAINLESS STEEL



More cuts, longer lasting, less wheel changes and less downtime. Reduced burr & less material wastage. Saves you time & money. Manufactured without the addition of ferrous (Fe), chlorinated (Cl) or sulphurous (S) fillers that cause metal corrosion

Item Code	Wheel Size mm/In	Thickness mm
PD61341122	125 (5")	1.6mm
PD61343122	180 (7")	1.6mm

CUT-OFF WHEEL ULTRA-THIN PREMIUM SGP INOX STAINLESS STEEL



SGP High-performance special-for even more cuts. Longer lasting, less wheel changes and less downtime. Reduced burr & less material wastage. Saves you time & money. Manufactured without the addition of ferrous (Fe), chlorinated (Cl) or sulphurous (S) fillers that cause metal corrosion

Item Code	Wheel Size mm/In	Thickness mm
PD61328702	230 (9")	1.9mm

ULTRA-THIN CUT-OFF WHEEL PREMIUM-ALUMINIUM EHT 125-1.0 A 60 N SG ALU



Designed specifically for cutting aluminium. Cut without having to use any oil or waxes. Cut and weld with ease. Abrasive: Aluminium oxide A-soft, high - performance tool of hardness N with high cutting performance and very long to -ol life

Item Code	Wheel Size mm/In	Thickness mm
PD61341115	125 (5")	1.0mm



ULTRA-THIN CUT-OFF WHEEL PREMIUM-ALUMINIUM EHT 125-1.6 A 46 N SG ALU



Designed specifically for cutting aluminium. Cut without having to use any oil or waxes. Cut and weld with ease. Abrasive: Aluminium oxide A-soft, high-performance tool of hardness N with high cutting performance and very long tool life

Item Code	Wheel Size mm/In	Thickness mm
PD61341225	125 (5")	1.6mm

DIAMOND CUT-OFF WHEEL GP - SEGMENTED TYPE DS



Multipurpose edged tool for aggressive and fast cutting of an assortment of different types of construction materials. High diamond quality and long tool life. Fewer wheel changes, less downtime. Quick cuts and saves your time & money

Item Code	Wheel Size mm/In	Thickness mm	Bore Size
PD68300045	125 (5")	1.6mm	22.23mm
PD68300038	178 (7")	2.0mm	
PD68300039	230 (9")	2.3mm	
PD68300047	350 (14")	3.2mm	25.4mm

DIAMOND CUT-OFF WHEEL GP - TURBO TYPE DG



PFERD turbo type DG diamond cutting discs are a continuous rimmed diamond blade with a serrated edge, the serrated edge is designed to give the blades faster cutting speeds while still maintaining a smooth cut

Item Code	Wheel Size mm/In	Thickness mm	Bore Size
PD68300043	125 (5")	1.9mm	22.23mm
PD68300048	178 (7")	2.2mm	
PD68300050	230 (9")	2.6mm	



DIAMOND CUT-OFF WHEEL GP-CONTINUOUS TYPE DG-FL

PFERD continuous FL type diamond cutting discs are a continuous rimmed diamond blade

Item Code	Wheel Size mm/In	Thickness mm	Bore Size
PD68300041	125 (5")	1.6mm	22.23mm



LOW SPEED STATIONARY CUT-OFF WHEEL-GP-STEEL & STAINLESS STEEL 350MM

A tool of hardness K, which cuts very easily, with a middle fabric. For aggressive cutting with minimized burr formation



Item Code	Bore	Thickness
PD66323575	25.4mm	2.8mm



ALPHA STAINLESS STEEL PLUS 125 X 1.0MM CUTTING DISC



Cool cutting, no burrs and high durability

Item Code	Packaging
AT-GCDGP12510-10	10/pack

CUTTING DISC 125 X 1MM XTRA

High quality, stainless steel grade cutting discs. Well balanced, neither too hard or too soft to deliver the ultimate cutting performance and edge finish. Lower heat generation. Lower machine load extends tool life. Lower material loss



Item Code	Packaging
AT-GCDGX12510	Single
AT-GCDGX12510-100BP	Tub (Pk 100)



GRINDING WHEEL GP DEPRESSED CENTRE - STEEL

Outstanding stock removal, handling convenience, and high cost efficiency. A very soft general-purpose tool of hardness K, with aggressive grinding performance and long tool life



Item Code	Wheel Size mm/In
PD62012634	125 (5")
PD62023634	230 (9")

POLIFAN FLAP DISC SGP ZIRCONIA - STEEL / INOX PFR 125 Z 40 SGP CURVE

POLIFAN - CURVE is a PFERD innovation for work on fillet welds. High stock removal rates through unparalleled fast, aggressive grinding and thus significant savings in labour costs



Item Code	Thickness	Disc Size mm/In
PD67689052	M - 11mm	125 (5")
PD67689062	L - 14mm	

POLIFAN FLAP DISC SGP CERAMIC - STEEL / INOX PFR 125 CO 60 SGP CURVE

POLIFAN - CURVE is a PFERD innovation for work on fillet welds. High stock removal rates through unparalleled fast, aggressive grinding and thus significant savings in labour costs



Item Code	Thickness	Disc Size mm/In
PD67689056	M - 11mm	125 (5")
PD67689066	L - 14mm	



150MM BENCH GRINDING WHEEL ALUMINIUM OXIDE BW 15020-32 AN UNIVERSAL

Bench grinding discs of the UNIVERSAL type are manufactured out of tough regular aluminium oxide (AN) in a vitrified bond and are ideal for general use in the workshop



Item Code	Grit	Size mm
PD39008422	24	150 x 20
PD39009708	36	
PD39008423	60	
PD39008440	24	200 x 25
PD39009711	36	
PD39008441	60	



GRINDING DISC 125 X 6.5MM METAL EXTRA BULK

High quality, metal grade grinding discs. MPA tested in Hannover Germany. Manufactured to EN12413 standards. Depressed centre, suitable for all general purpose grinding. Well balanced and long lasting



Item Code	Packaging
AT-GGDGM12560	10 / box
	100 / carton

GRINDING DISC 180X 6.5MM METAL XTRA BULK

High quality Inox grinding disc. OSA certified. Manufactured to En12413 standards. Superior material removal, long lasting disc



Item Code	Packaging
AT-GGDGM18060	10 / box



RESIN FIBRE DISC - ALUMINIUM OXIDE FS 125-22A

For general -purpose grinding work from coarse to fine grinding in industry and crafts. Abrasive: Aluminium oxide A



Item Code	Type	Disc Size mm / In	Grit
PD64103125	Slotted	125 (5")	36
PD64106125			60
PD64108125			80
PD64112125			120

POLIFAN FLAP DISC GP ZIRCONIA - PFC 125 Z

A tool with aggressive stock removal performance and long tool life for demanding multipurpose grinding work



Item Code	Grit	Disc Size mm / In
PD67770124	40	125 (5")
PD67770126	60	
PD67770128	80	
PD67769125	120	

FURY CERAMIC FLAP DISC 125MM

Xtreme material removal. Outlasts outperforms. Self-sharpening technology. Low heat generation



Item Code	Grit
AT-GFDC12540	C40
AT-GFDC12560	C60
AT-GFDC12580	C80

FLAP DISC 125MM ZIRCONIA ALPHA BULK

Alpha flap discs are premium quality discs made in Germany using quality Zirconia abrasive material, to produce the ultimate performer in mild steel and stainless steel grinding and finishing applications



Item Code	Grit
AT-GFDSS12540	Z40
AT-GFDSS12560	Z60
AT-GFDSS12580	Z80
AT-GFDSS125120	Z120



DIAMOND CUP WHEEL GENERAL PURPOSE- SINGLE ROW 125 X6 X22.23 PSF



PFERD diamond cup wheels are designed to smooth out uneven surfaces on flooring before tiling or chamfering stones and are compatible with both angle grinders and concrete grinders

Item Code	Thickness mm
PD68300065	6

DIAMOND CUP WHEELS GENERAL PURPOSE-DOUBLE ROW



PFERD diamond cup wheels are designed to smooth out uneven surfaces on flooring before tiling or chamfering stones and are compatible with both angle grinders and concrete grinders

Item Code	Thickness mm
PD68300068	6



AUSTSAW-125MM(5in)DIAMOND CUP WHEEL DOUBLE ROW-M14 THREAD-DOUBLE ROW



Heavy duty, high performance grinding cups provide a superior cutting action for fast levelling and removal of concrete, paint, glues and epoxy. Made from solid steel with the highest diamond count

Item Code	Diameter
AT-AUCUP125DR	125mm (5 ")

AUSTSAW - 125MM (5in) DIAMOND CUP WHEEL TURBO ROW - M14 THREAD - TURBO ROW



Heavy duty, high performance grinding cups provide a superior cutting for fast levelling and removal of concrete, paint, glues and epoxy. Made from solid steel with the highest diamond count. Threaded arbor for faster attachment

Item Code	Diameter
AT-AUCUP125TR	125mm (5")



AUSTSAW-125MM (5") DIAMOND BLADE CONTINUOUS RIM-22.2MM BORE-CONTINUOUS



Excellent blade life. Extremely high diamond count. Fast, smooth, clean cutting. Suitable for wet & dry use

Item Code	Diameter	Bore
AT-AUDIA125C	125mm (5")	22.2mm

AUSTSAW-115MM (4.5in) DIAMOND BLADE ULTRA THIN-22.2MM BORE-ULTRA THIN




The Austsaw Ultra Thin cutting blade has a higher diamond count than most leading brands. Only 1.2mm thin, this diamond cutting blade produces a smooth clean wet or dry cut

Item Code	Diameter
AT-AUDIA115U	115mm (4.5")



COMBIDISC SURFACE CONDITIONING DISCS - MINI PACKS
CDR VRH 50 A (5 DISCS PER PACK)



Suitable for general work on metal surfaces e.g. removal of rough grinding traces, removal of oxidation and for light deburring work. The flexibility of the disc during surface grinding is determined by the hardness grade of the holder

Item Code	Type
PD47200081	COARSE (Brown)
PD47200082	MEDIUM (Maroon)
PD47200083	VERY FINE (Blue)



ECONOMY ROLL - GENERAL PURPOSE - ALUMINIUM OXIDE ER 50 A



Suitable for manual grinding of all types of materials.
High flexibility, high tensile strength, very good grain adhesion

Item Code	Grit	Size mm x M
PD47300049	40	50 X 50M
PD47300050	60	
PD47300051	80	
PD47300053	120	
PD47300055	180	
PD47300056	240	



POLIVLIES SURFACE CONDITIONING FLAP DISC PVL 125MM



POLIVLIES flap discs achieve their best performance at a recommended cutting speed of 30D35 m/s

Item Code	Type	Wheel Size mm
PD44694111	Coarse Brown	125
PD44694112	Medium Maroon	
PD44694113	Fine Blue	

POLIVLIES HAND PAD 150 X 230 PVHP 150

Suitable for light grinding, deburring and cleaning work on metal, plastics (GRP), stainless steel (INOX), aluminium, paint and fillers. Due to high flexibility, contours and hard-to-reach places can be worked on with ease



Item Code	Type
PD47200036	Green General Purpose
PD47200037	Maroon Medium
PD47200032	Tan Coarse
PD47200033	Grey Fine

POLIVLIES ROLL 115 X 10M PVLR 115 X 10M

Suitable for light grinding, deburring and cleaning work on metal, plastics (GRP), stainless steel (INOX), aluminium, paint and fillers. Due to high flexibility, contours and hard-to-reach places can be worked on with ease. Can be used with wet or dry grinding



Item Code	Type
PD47200040	Black Coarse Medium
PD47200041	Maroon Medium
PD47200042	Green General Purpose



COMBIDISC ABRASIVE DISC MINI PACK - ALUMINIUM OXIDE CDR (5 DISCS PER PACK)

Easy to use, rapid tool change. No adhesion, no slipping. No loosening under the influence of heat. Vibration-free operation. Tool is always fixed centrally



Item Code	Grit	Size mm
PD47200072	36	50
PD47200073	60	
PD47200074	80	
PD47200084	36	75
PD47200085	60	
PD47200086	80	



COMBIDISC SURFACE CONDITIONING DISCS - MINI PACKS CDR VRH 75 A (3 DISCS PER PACK)

Suitable for general work on metal surfaces e. g. removal of rough grinding traces, removal of oxidation and for light deburring work. The flexibility of the disc during surface grinding is determined by the hardness grade of the holder



Item Code	Type	Size mm
PD47200093	COARSE Brown	75
PD47200094	MEDIUM Maroon	
PD47200095	VERY FINE Blue	



WHEEL BRUSH PREMIUM 6MM SHAFT MOUNTED - CRIMPED WIRE RBU 30 x 06/6 STEEL 0.20

Suitable for universal cleaning, rust removal, smoothing, descaling, cleaning of cast seams, light deburring and removal of corrosion or paint



Item Code	Brush Dia x Face Width mm	Shank Size	Filament Material
PD43701005	30 x 6	6mm	Steel Wire
PD43701013	50 x 15		

BENCH WHEEL BRUSH WITH ARBOR HOLE GENERAL PURPOSE-CRIMPED RBU T/51 STEEL 0.30 (INC. BUSHES)

For medium-duty hand-held or automated brushing of work pieces with large surfaces. Developed especially for industrial use



Item Code	Brush Dia x Face Width mm	Filament Material
PD43740015	150 x 25	Steel Wire
PD43740017	200 x 25	

WHEEL BRUSH PREMIUM 6MM SHAFT MOUNTED - CRIMPED WIRE RBU INOX 0.20

Single packed wire brush. Suitable for universal cleaning, rust removal, smoothing, descaling, cleaning of cast seams, light deburring and removal of corrosion or point. Recommended drive output minimum 300watts



Item Code	Brush Dia x Face Width mm	Shank Size	Filament Material
PD43701006	30 x 6	6mm	Stainless Steel (INOX) Wire
PD43701014	50 x 15		



CUP BRUSH PREMIUM 6MM SHAFT MOUNTED-CRIMPED WIRE TBU 50 x 10/6 0.30



Universally suitable for cleaning, rust removal, smoothing, descaling and removal of corrosion or paint. Particularly suitable for use on large, flat and easily accessible surfaces due to facedown use with entire brush face applied to the workpiece

Item Code	Type	Shank Size	Brush Dia x Cup Dia mm
PD43703001	Steel	6mm	50 x 10
PD43703002	INOX Stainles		

CUP BRUSH GENERAL PURPOSE - TWIST KNOT TBG 100 /M14 STEEL 0.35



Aggressively working brush. Excellent for heavy - duty brushing on large surfaces, and for deburring, cleaning and rust removal. Optimum results with high-performance angle grinders

Item Code	Type	Filament Material	Brush Dia mm
PD43740101	M14 Thread	Steel Wire	100

CUP BRUSH GENERAL PURPOSE - CRIMPED WIRE TBU 65/M14 M10 STEEL 0.30 #133910



Excellent for medium-duty brushing on large surfaces, and for deburring, cleaning and rust removal. Optimum results on speed adjustable tool drives

Item Code	Type	Brush Dia mm
PD47701011	M10 x 1.5 Thread	60



**FLARED CUP BRUSH GENERAL PURPOSE- TWIST KNOT
WIRE KBG 100 X 13/M14 M10 0.35**

Aggresively working brush. Excellent for heavy - duty brushing such as deburring, cleaning and rust removal. Ideal for use in hard-to-reach areas such as inner edges, grooves and keyways due to the bevelled shape of the brush



Item Code	Filament Material	Type
PD47701012	Steel Wire	M10 x 1.5 Thread
PD47701013	Stainless Steel (INOX) Wire	

**CUP BRUSH GENERAL PURPOSE - TWIST KNOT TBG 65/
M14 M10 0.35**

Aggresively working brush. Excellent for heavy - duty brushing such as deburring, cleaning and rust removal. Optimum results with high-performance angle grinders. m10 X 1.5 thread adaptor included



Item Code	Filament Material	Type
PD47701009	Steel Wire	M10 x 1.5 Thread
PD47701010	Stainless Steel (INOX) Wire	



HAND SCRATCH BRUSH - STEEL WIRE - WOODEN BODY 290 MM HBU 40 ST 0.35

HBU-Scratch brushes for universal application. Can be used universally for all light cleaning work and rust removal

Item Code	No. of Wire Rows
PD43673001	4



HAND SCRATCH BRUSH - INOX FREE-WOODEN BODY 290 MM HBU 40 INOX 0.30

HBU INOX Stainless Steel-Scratch brushes for universal application. Can be used universally for all light cleaning work and rust removal

Item Code	No. of Wire Rows
PD43673003	4



HALF ROUND FILE - WITH HANDLE - PF 1152 250MM



Half -round file, cut on two sides. Version with tang. Shape E according to DIN 7261. Suitable for work on radii and for filing of half -round shapes Choose cut 1 for roughing or coarse stock removal Choose cut 2 for universal use Choose cut 3 for fine processing and finishing

Item Code	Cut	Length
PD18800328	C1 (BASTARD CUT)	250mm
PD18800779	C2 (2ND CUT)	
PD18800781	C3 (SMOOTH)	



ROUND FILE - WITH HANDLE - PF 1162 250 MM

Round file with circumferential cut. Version with tang. Shape F according to DIN 7261. Suitable for work on radii and for filing profiles with inner radii

Item Code	Cut	Length
PD18800312	C1 (BASTARD CUT)	250mm
PD18800886	C2 (2ND CUT)	
PD18800313	C3 (SMOOTH)	



FLAT FILE - WITH HANDLE - PF 1122 250 MM C1

Rectangular file, tapered and cut on four sides. Version with tang. Shape B according to DIN 7261. Suitable for filing rectangular geometries

Item Code	Cut	Length
PD18800304	C1 (BASTARD CUT)	250mm
PD18800726	C2 (2ND CUT)	
PD18800305	C3 (SMOOTH)	



5PC FILE SET ROLL CASE 542 WRU C2

Quality files for industry and craftwork in protective and climate - resistant PVC roll pouch for storage in a toolbox or on a toolbench

Item Code	Cut	Length
PD11801542	C2 (2ND CUT)	250mm

FILE SET - 254MM (10") - 5PC

Premium grade steel for long lasting durability. Designed for optimum performance, control and comfort. Heat treated hardened steel ensures that teeth stay sharp for longer. Includes a rugged, compact storage case



Item Code	Set Includes
SP36035	Flat File Bastard Cut
	Millsaw File Bastard Cut
	Half Round Second Cut
	Square File Second Cut
	Round File Bastard Cut



AUSTSAW EXTREME: WOOD WITH NAILS BLADE 165MM X 20/16 BORE X 24/40 T THIN KERF



Engineered for extreme performance, giving up to 6x the life of a standard saw blade. Impact resistant brazing for high performance tooth bonding. Laser cut vents provide superior noise and vibration absorption

Item Code	Teeth
AT-TBPP1652024	24
AT-TBPP1652040	40

AUSTSAW EXTREME: WOOD WITH NAILS BLADE 185 MM X 20/16 BORE X 24 T



Engineered for extreme performance, giving up to 6x the life of a standard saw blade. Heavy duty laser cut plate built from the finest quality steel. Laser cut vents provide superior noise and vibration absorption

Item Code	Teeth
AT-TBPP1852024	24

AUSTSAW EXTREME: WOOD WITH NAILS BLADE 185 MM X 20/16 BORE X 40 T THIN KERF



Engineered for extreme performance, giving up to 6x the life of a standard saw blade. Heavy duty laser cut plate built from the finest quality steel. Laser cut vents provide superior noise and vibration absorption

Item Code	Teeth
AT-TBPP1852040	40



AUSTSAW EXTREME: WOOD WITH NAILS BLADE 235 MM X 25 BORE X 20 T THIN KERF



Engineered for extreme performance, giving up to 6x the life of a standard saw blade. Heavy duty laser cut plate built from the finest quality steel. Laser cut vents provide noise and vibration absorption

Item Code
AT-TBPP2352520

AUSTSAW EXTREME: WOOD WITH NAILS BLADE 255 MM X 30 BORE X 60 T THIN KERF



Engineered for extreme performance, giving up to 6x the life of a standard saw blade. Premium European hi-density carbide blade gives extreme durability and cutting life. Laser cut vents provide superior noise and vibration absorption

Item Code
AT-TBPP2553060

AUSTSAW EXTREME: WOOD WITH NAILS BLADE 305 MM X 30 BORE X 60 T THIN KERF



Engineered for extreme performance, giving up to 6x the life of a standard saw blade. Premium European hi-density carbide blade gives extreme durability and cutting life. Heavy duty laser cut plate built from the finest quality steel

Item Code
AT-TBPP3053060



AUSTSAW RAIDERX ALUMINIUM MULTI MATERIAL BLADE

Controlled triple chip tooth design eliminates over feeding or grabbing. Antivibration slot absorbs vibration in all cutting applications. Anti-friction coating increases blade life



Item Code	Diameter	Bore	Teeth
AT-ABRX1652060	165mm	20mm	60
AT-ABRX1852064	185mm		64
AT-ABRX2352580	235mm	25mm	80
AT-ABRX25530100	255mm	30mm	100
AT-ABRX30530120	305mm		120

AUSTSAW-POLYCRYSTALLINE DIAMOND BLADE-20 /16MM BORE-4PCD 4TCT TEETH

Extreme Polycrystalline Diamond blade, 10X life. Alternating PCD and TCT tips gives a smoother, cleaner cut and allows the blade to be used effectively in other wood based materials. Heavy duty laser cut plate built from the finest quality steel



Item Code	Diameter	Bore
AT-PCD160	160mm (6 1/4in)	20mm
AT-PCD185	185mm (7 1/4in)	

AUSTSAW- 235MM (9 1/4in)POLYCRYSTALLINE DIAMOND BLADE-25/20MM- 6PCD 6TCT TEETH

Extreme Polycrystalline Diamond blade, 10X life. Alternating PCD and TCT tips gives a smoother, cleaner cut and allows the blade to be used effectively in other wood based materials



Item Code	Diameter	Bore
AT-PCD235	235mm (9 1/4in)	20mm

AUSTSAW RAIDERX METAL BLADE 165MM X 20 X 32T

RAIDERX metal blades exhibit maximum performance in metal cutting applications. Featuring cermet tips this blade has 3x the life of its competitors. Blade designed with laser cut slits for noise reduction.

Item Code	Diameter	Teeth
AT-MBR1652032	165mm	32

AUSTSAW RAIDERX METAL BLADE 185MM X 20 X 36T

RAIDERX metal blades exhibit maximum performance in metal cutting applications. Featuring cermet tips this blade has 3x the life of its competitors. Blade designed with laser cut slits for noise reduction.

Item Code	Diameter	Teeth
AT-MBR1852036	185mm	36

AUSTSAW EXTREME HEAVY METAL BLADE 185MM X 20 X 36T

Item Code	Diameter	Teeth
AT-MBR1852036H	185mm	36

AUSTSAW RAIDERX SHEET METAL BLADE 165MM X 20 X 56T TCT

RAIDERX sheet metal blades exhibit maximum performance in sheet metal cutting applications. Featuring C6 Carbide tips this blade has 6x the life of its competitors.

Item Code	Diameter	Teeth
AT-MBR1652056S	165mm	56

AUSTSAW RAIDERX SHEET METAL BLADE 185MM X 20 X 60T TCT



Suitable for thin sheet metal cutting to 1.2 mm (18Ga-uge) including: roofing, cladding, corrugated sheet, flat sheet & steel studs etc. Advanced tooth geometry improves balance and stability for a straight running cut

Item Code	Diameter	Teeth
AT-MBR1852060S	185mm	60

AUSTSAW - ROTARY HACKSAW BLADE - 20 TEETH

Extreme rotary hacksaw blade, 10X life. Clean, high quality cut. Premium industrial grade hi - density carbide teeth for extreme durability and cutting life. Impact resistant brazing for high performance tooth bonding



Item Code	Diameter	Bore
AT-RHS1031620	103mm (4")	16mm
AT-RHS11522220	115mm (4.5")	22.2mm
AT-RHS12522220	125mm (5")	22.2mm

AUSTSAW EXTREME STAINLESS STEEL BLADE

Premium cemented carbide tips give exceptional life and clean, cool cutting in stainless steel. Blade designed with laser cut slits for noise reduction. Non - stick Pro-shield coating reduces frictional resistance on blade surface Japanese blade technology



Item Code	Diameter	Bore	Teeth
AT-SSBE1352050	135mm	20mm	50
AT-SSBE1502052	150mm		52
AT-SSBE1652056	165mm		56
AT-SSBE1852064	185mm		64
AT-SSBE30525496	305mm	25.4mm	96
AT-SSBE355254110	355mm		110



DESTRUCTOR DEMOLITION - METAL - RECIP BLADE, 150MM - 5 PACK

Destructor blades are engineered for the most demanding heavy duty demolition jobs. Ideal for: metal, stainless steel, wood with nails and plastic

Item Code	TPI	OAL (mm)	Packaging
AT-RDDM15010-5	10	150	5/ pack
AT-RDDM15014-5	14		
AT-RDDM15018-5	18		



DESTRUCTOR DEMOLITION - METAL & TIMBER - RECIP BLADE, 8 TPI - 5 PACK

Destructor blades are engineered for the most demanding heavy duty demolition jobs. Ideal for: wood with nails, non-ferrous metal, aluminium, cast iron and pipes

Item Code	TPI	OAL (mm)	Thickness (mm)	Packaging
AT-RDDM1508-5	8	150	1.6	5/ pack
AT-RDDM2308-5		230		
AT-RDDM3008-5		300		



DESTRUCTOR DEMOLITION - METAL - RECIP BLADE - 5PACK

Destructor blades are engineered for the most demanding heavy duty demolition jobs. Ideal for: metal, stainless steel, wood with nails and plastic

Item Code	TPI	OAL (mm)	Thickness (mm)	Packaging
AT-RDDM23010-5	10	230	1.1	5/ pack
AT-RDDM23014-5	14			
AT-RDDM23018-5	18			
AT-RDDM30018-5	18	300		



DEMOLITION 8 PIECE RECIP BLADE SET INCL POUCH

8 Pce, Demolition destructor with BONUS POUCH



Kit Item Code	Kit Contains	
AT-RDD-SET8	Item Code	Items
	AT-RDDW2305	2 x Wood & Nails OAL 230
	AT-RDDW1505	2 x Wood & Nails OAL 150
	AT-RDDM1508	2 x Metal & Timber OAL 150
	AT-RDDM15014	2 x Medium Metal OAL 150

DESTRUCTOR DEMOLITION - WOOD & NAILS - RECIP BLADE, 5 TPI - 5 PACK

Destructor blades are engineered for the most demanding heavy duty demolition jobs. Ideal for: softwood, hardwood, wood with nails and plastic



Item Code	TPI	OAL (mm)	Thickness (mm)	Packaging
AT-RDDW1505-5	5	150	1.6	5/ pack
AT-RDDW2305-5		230		
AT-RDDW3005-5		300		

RIPPA - TIMBER - RECIP BLADE, 5 TPI - 5 PACK

Rippa-aggressive tooth design for timber cutting. Ideal for: fast and curved cuts in hardwoods, softwoods, plywood, chipboard and synthetic materials



Item Code	TPI	OAL (mm)	Thickness (mm)	Packaging
AT-RDRW1505-5	5	150	1.3	5/ pack
AT-RDRW2305-5		230		
AT-RDRW3005-5		300		



GENERAL PURPOSE 8 PIECE RECIP BLADE SET INCL POUCH

8 Pce, General purpose set with BONUS POUCH



Kit Item Code	Kit Contains	
AT-RD-SET8	Item Code	Items
	AT-RDRW2305	2 x Timber OAL 230
	AT-RDRW1505	2 x Timber OAL 150
	AT-RDSM15018	2 x Med-thin OAL 150
	AT-RDSM15010	2 x Thick Metal OAL 150

SLICER - METAL - RECIP BLADE, 10 TPI - 5 PACK

Slicer-thin kerf for fast and flexible cuts. Ideal for: steel, stainless steel and non-ferrous metals



Item Code	TPI	OAL (mm)	Thickness (mm)	Packaging
AT-RDSM10010-5	10	100	0.9	5/ pack
AT-RDSM15010-5	10	150	0.9	
AT-RDSM23010-5	10	230	0.9	
AT-RDSM30010-5	10	300	0.9	
AT-RDSM15014-5	14	150	0.9	
AT-RDSM23014-5	14	230	0.9	
AT-RDSM15018-5	18	150	0.9	
AT-RDSM23018-5	18	230	0.9	
AT-RDSM30018-5	18	300	0.9	
AT-RDSM15024-5	24	150	0.9	



Austsaw -Cylinder -Aluminium Lubricant Aly - Lube

Aluminium lubricant Aly - Lube. Available in a 225gram cylinder. Aly-Lube is non - toxic. For use on all aluminium saw blades and cutting of non-ferrous metals

Item Code
AT-ALYLUBE



Alpha Liquid Gold Cutting Fluid

Improves overall tool performance. Non - flammable. Environmentally safe

Item Code	Size
AT-ATL001	120ml Squeeze Bottle

V6 HARDHAT VENTED PUSHLOCK HARNESS

Lightweight, durable ABS shell. 6 air vents for increased air circulation & comfort. 6 point pushlock harness. Edge gutter to deflect rain



Item Code	Packaging	Colour
PC-HHV6	20 per carton	Blue
		Black
		Fluro Yellow
		Green
		Orange
		Red
		White
		Yellow

PROBELL DISPOSABLE UNCORDERD EARPLUGS UNCORDERD



Class 5, SLC80, 27dB. Hearing protection for noise levels to 110dB(A). Brightly coloured offering high visibility for worker compliance

Item Code	Packaging
PC-EPYU	200 uncorderd pairs per box
	10 boxes per carton


PROBULLET DISPOSABLE UNCORDERD EARPLUGS UNCORDERD



Class 5, slc80, 27dB. Disposable, PU foam. Hearing protection for noise levels to 110 Db(A)

Item Code	Packaging
PC-EPOU	200 uncorderd pairs per box
	10 boxes per carton

PROBULLET DISPOSABLE UNCORDERD EARPLUGS



Class 5, SLC80, 27dB. Disposable, PU foam. Hearing protection for noise levels to 110 dB(A)

Item Code	Packaging
PC-EPOU-10	10 uncorderd pairs per box
	200 boxes per carton

PROBULLET DISPOSABLE UNCORDERD EARPLUGS



Class 5, SLC80, 27dB. Disposable, PU foam. Hearing protection for noise levels to 110dB(A)

Item code	Packaging
PC-EPOU-50	50 uncorderd pairs per box
	10 tubs per carton

CLASSIC EARMUFFS

Class 5 SLC80 27dB. Hearing protection for noise levels to 110 dB(A). Adjustable headband for easy fit and greater comfort. Minimal pressure on the top of the head with its comfort headband

Item Code	Packaging
PC-EMCLA	25 per carton

VIPER EARMUFFS CLASS 5 - 26DB

Class 5, SLC80, 26dB, general purpose use. Solid, lightweight ear cup construction. Inner foam and headband cushions provides comfort during extended wear. High quality ear cushions

Item Code	Packaging
PC-EMVIP	25 per carton

VIPER HARD HAT EARMUFFS CLASS 5 - 26DB

Hearing protection for noise levels to 110dB(A). Hi-vis orange for visual identification. 25mm Cap attachment slot to suit all Pro Choice Safety Gear cap style hard hats. Compatible with Hard Hat Browguard - HHBGE

Item Code	Packaging
PC-HHEM	25 per carton

COBRA EARMUFFS CLASS 5 - 28DB

Class 5, SLC80, 28dB. General purpose use. Convenient fold away construction. Low clamping force applies minimum pressure while maintaining a tight, snug seal. High quality ear cushion

Item Code	Packaging
PC-EMCOB	25 per carton

PYTHON EARMUFFS CLASS 5 - 31DB

High performance and strong durability for maximum protection. Steel wire provides a robust construction to withstand demanding use. Increased wearer comfort due to low clamping force

Item Code	Packaging
PC-EMPYT	25 per carton

PYTHON SLIMLINE EARMUFFS CLASS 5, -31DB

Hi-vis for visual identification. Hearing protection for noise levels to 116dB. High quality ear cushions, padded foam headband & robust wire construction. Low clamping force for comfort

Item Code	Packaging
PC-EMPYTS	25 per carton

PYTHON SLIMLINE NECKBAND EARMUFFS CLASS 4, -23DB

Class 4, SLC80, 23dB. Hi-vis for visual identification. Comfortable neck band configuration for extended wear. Robust steel wire construction for on site demands. Solid, lightweight ear cup construction

Item Code	Packaging
PC-EMPYTNB	20 per carton

Safety Glasses

TSUNAMI SAFETY GLASSES CLEAR LENS



Certified to AS/NZS1337. 1:2010. Medium impact, one-piece polycarbonate wraparound lens. 99.9% UV protection. Close fitting & lightweight for all day comfort

Item Code	Packaging
PC1600	12 per box
	288 per carton

TSUNAMI SAFETY GLASSES SMOKE LENS



Certified to AS/NZS1337.1:2010 . Medium impact, one-piece polycarbonate wraparound lens. 99.9% UV protection. Close fitting & lightweight for all day comfort

Item Code	Packaging
PC1602	12 per box
	288 per carton

VISITORS SAFETY GLASSES SMOKE LENS



Certified to AS / NZS 337.1:2010. Medium impact, one-piece polycarbonate wraparound lens with side arm protection. 99.9% UV protection. Deep design allows for use over prescription spectacles

Item Code	Packaging
PC3002	12 per box
	288 per carton

STRIKER BROWGUARD VISOR WITH CHIN -GUARD

Certified to AS/NZS1337.1.2010 Personal eye protection.

260mm long visor with chinguard. Anti-fog and anti-scratch 2mm extra high impact visor offering advanced impact protection



Item Code	Packaging
PC-BGVCG	10 per carton

ASSEMBLED HALF MASK WITH ABEK1 CARTRIDGES

Durable thermoplastic rubber mask for superior fit. Retro reflective tape for improved wearer visibility. Low resistance exhalation valve to reduce heat & moisture build up



Item Code	Kit Contents	Packaging
PC-HMABEK1	1x Mask	24 per carton
	2x ABEK1 Filters	
	1x Resealable bag	

MAXI MASK 2000 HALF FACE RESPIRATOR PARTICULATE HANDY PACK

Certified to AS/NZS 1716:2012 Respiratory Protective Devices. Durable thermoplastic rubber mask for superior fit. Twin filter design provides a more balanced fit, lower breathing resistance & improves field of vision



Item Code	Kit Contents	Packaging
PC-HMP2-HP	1x Mask	2 packs per carton
	2x P2 Filters	
	5x Pairs of P2 Pre Filters	
	1x Resealable Plastic Box	
	1x Reusable Plastic Bag	

MAXI MASK 2000 HALF FACE RESPIRATOR CHEMICAL KIT HANDY PACK

Certified to AS/NZS 1716:2012 Respiratory Protective Devices. Durable thermoplastic rubber mask for superior fit. Able to be worn under most welding helmets. Retro reflective tape for improved wearer visibility



Item Code	Kit Contents	Packaging
PC-HMABEK1P2-HP	1x Mask	2 packs per carton
	2x ABEK1P2 Filters	
	5x Pairs of P2 Pre Filters	
	1x Resealable Plastic Box	
	1x Reusable Plastic Bag	

DUST MASKS P2

Suitable for use with dust, smoke, mist & fume. Dual latex free elastic straps for ease of donning & doffing. Easily worn with glasses & goggles



Item Code	Packaging
PC-PC305	20 per box
	20 boxes per carton

DUST MASKS P2+VALVE

Suitable for use with dust and mist. Lightweight moulded design for comfort and superior fit. Easily worn with glasses and goggles. P2 certified to AS/NZS 1716: 2012 Respiratory Protective Devices



Item Code	Packaging
PC-PC321	12 per box
	20 boxes per carton
PC-PC321-3	3 per pack
	30 packs per carton

PROSENSE BLACK PANTHER GLOVES

100% nylon machine knit 13 gauge. Nylon liner makes this glove lightweight and breathable. Latex dipped palm for extra grip. Excellent abrasion resistance



Item Code	Packaging	Size
PC-LN	12 pairs per pack	7
		8
	120 pairs per carton	9
		10
		11

PROSENSE LFN LATEX FOAM GLOVES

Excellent grip in wet and dry environments. Antimicrobial and dust mite resistant. Inherently hypoallergenic. Hi-Vis Yellow for great visibility in the workplace



Item Code	Packaging	Size
PC-LFN	12 pairs per pack	7
		8
	120 pairs per carton	9
		10
		11

THINK GREEN NITRILE DIP RECYCLED GLOVE

100% Recycled polyester liner. Nitrile foam dipped palm provides superior grip in wet/oily or dry situations . Touchscreen/smart device activated



Item Code	Packaging	Size
PC-TGBN	12 pairs per pack	7
		8
	120 pairs per carton	9
		10
		11

THINK GREEN LATEX GRIP RECYCLED GLOVE

100% Recycled polyester liner. Touchscreen/smart device activated. Latex foam dipped palm for extra grip & abrasion resistance



Item Code	Packaging	Size
PC-TGGL	12 pairs per pack	7
		8
	120 pairs per carton	9
		10
		11

DISPOSABLE NITRILE POWDER POWDER FREE, HEAVY DUTY GLOVES

Certified to En420: 2003 AS/NZS 2161. 2:2005 General Requirements. 6 mil heavy duty glove available in Hi-Vis Orange and Black. Latex free, vinyl free and powder free



Item Code	Packaging	Size	Colour
PC-MDNPFHD	100 pieces per box	S	Black
		M	
	10 boxes per carton	L	
		XL	
		2XL	
PC-MDNOPFHD	100 pieces per box	S	Orange
		M	
	10 boxes per carton	L	
		XL	
		2XL	

KNITTED POLY/COTTON WITH PVC DOTSGLOVES**MEN'S SIZE**

7 gauge knit for strength & ventilation. Bleached for clean appearance. PVC dots on one side for extra grip

Item Code	Packaging
PC342KPDB	12 pairs per pack
	300 pairs per carton

KNITTED POLY/COTTON WITH PVC DOTSGLOVES**LADIES SIZE**

7 gauge knit for strength & ventilation. Bleached for clean appearance. PVC dots on one side for extra grip

Item Code	Packaging
PC342KPDBL	12 pairs per pack
	300 pairs per carton

PROBLOC SPF 50+ LIP BALM

Complies to AS / NZS 2604:2012 sunscreen products.
 SPF 50 + provides ultra - broad - spectrum protection
 from the sun's harsh UVA and UVB rays. 4 hours water
 resistant Contains vitamin E and Aloe Vera



Item Code	Packaging
PC-LB4-50	24 pcs per pack
	96 pcs per carton
PC-LB12-50	24 pcs per pack
	240 pcs per carton

SUNSCREEN WALL BRACKET 500ML

Secures your sunscreen bottle in one location



Item Code	Packaging
PC-SSB500	12 pcs per carton

SUNSCREEN WALL BRACKET 1 LITRE

Secures your sunscreen bottle in one location



Item Code	Packaging
PC-SSB1	12 pcs per carton

SUNSCREEN WALL BRACKET 2.5 LITRE

Secures your sunscreen bottle in one location



Item Code	Packaging
PC-SSB25	12 pcs per carton



PROBLOC SPF 50+ SUNSCREEN 60ML SQUEEZE BOTTLE WITH CARABINER

Complies to AS / NZS 2604: 2012 Sunscreen Products - Evaluation and Classification. 4 hours water resistant. Contain Vitamin E and Aloe Vera to moisturise and condition the skin

Item Code	Packaging
PC-SS60C-50	6 pcs per pack
	108 pcs per carton



PROBLOC SPF 50+ ZINC STICK

Complies to AS/NZS 2604: 2012 Sunscreen Products - Evaluation and Classification. 4 hours water resistant. Contain Vitamin E and Aloe Vera to moisturise and condition the skin

Item Code	Packaging
PC-ZS12-50	12 pcs per pack
	120 pcs per carton



PROBLOC SPF 50+ SUNSCREEN 125ML SQUEEZE BOTTLE

Complies to AS/NZS 2604:2012 Sunscreen Products - Evaluation and Classification. 4 hours water resistant. Contain Vitamin E and Aloe Vera to moisturise and condition the skin

Item Code	Packaging
PC-SS125-50	12 pcs per pack
	60 pcs per carton



PROBLOC SPF 50+ SUNSCREEN 250ML SQUEEZE BOTTLE

Complies to AS/NZS 2604:2012 Sunscreen Products - Evaluation and Classification. 4 hours water resistant. Contain Vitamin E and Aloe Vera to moisturise and condition the skin

Item Code	Packaging
PC-SS250-50	6 pcs per pack
	24 pcs per carton



PROBLOC SPF 50+ SUNSCREEN 500ML PUMP BOTTLE

Complies to AS/NZS 2604:2012 Sunscreen Products - Evaluation and Classification. 4 hours water resistant. Contain Vitamin E and Aloe Vera to moisturise and condition the skin

Item Code	Packaging
PC-SS500-50	6 pcs per pack
	24 pcs per carton



PROBLOC SPF 50+ SUNSCREEN 1L PUMP BOTTLE

Complies to AS/NZS 2604: 2012 Sunscreen Products - Evaluation and Classification. 4 hours water resistant. Contain Vitamin E and Aloe Vera to moisturise and condition the skin

Item Code	Packaging
PC-SS1-50	6 pcs per carton



PROBLOC SPF 50+ SUNSCREEN 2.5L PUMP BOTTLE

Complies to AS/NZS 2604: 2012 Sunscreen Products - Evaluation and Classification. 4 hours water resistant. Contain Vitamin E and Aloe Vera to moisturise and condition the skin

Item Code	Packaging
PC-SS25-50	4 pcs per carton

STEEL STORAGE UNIT - 18 DRAWER

Ideal for storing and organising small parts and components in workshops or on mobile service vehicles. 8 heavy duty plastic drawers with stops. Includes 2-dividers per drawer. Heavy gauge steel frame



Item Code	Dimensions
SP40568	826w x 300d x 305h (Unit)
	118w x 286d x 60h (18 removable drawers)

OFF ROAD SERIES TRUCK BOX - 30 LITRE

Heavy duty 1.2mm steel construction. Large base compartment for larger tools. Steel tote tray with handles. Sturdy metal carry handle. Security latch for padlocking

Item Code	Dimensions
SP40301	559w x 236d x 229h
	30 litre storage capacity

CANTILEVER TOOL BOX - 5 TRAY - 15 LITRE

Twin lids for easy access to tools. Large trays for easy access. Heavy duty steel construction. Trays open automatically when handle is depressed and close when lifted. Heavy duty hinges

Item Code	Dimesnsions
SP40323	4 x cantilever trays 445w x 95d x 50h (mm)
	445w x 200d x 95h (Main storage compartment)

CANTILEVER TOOL BOX - 5 TRAY - 22 LITRE

Twin lids for easy access to tools. Large trays for easy access. Heavy duty steel construction. Trays open automatically when handle is depressed and close when lifted. Heavy duty hinges

Item Code	Dimesnsions
SP40325	4 x cantilever trays 445w x 95d x 50h (mm)
	445w x 200d x 95h (Main storage compartment)

OPEN MOUTH TOOL BAG

Semi-rigid construction allows wide open mouth to maintain shape. Heavy duty fabric & moulded waterproof base for long lasting durability. Padded shoulder strap is removable & adjustable

Item Code	Dimensions
SP40360	580w x 540d x 380h (mm)



HEAVY DUTY STORAGE CASE - MEDIUM

Cantilever design for easy access to all contents. Removable top organiser trays and parts bins. Transparent lid allows seeing the contents of the box at a glance. Rugged, heavy duty steel latches

Item Code	Dimensions
SP40378	565w x 315d x 123h (mm)



HEAVY DUTY STORAGE CASE - LARGE

Cantilever design for easy access to all contents. Removable top organiser trays and parts bins. Transparent lid allows seeing the contents of the box at a glance. Rugged, heavy duty steel latches

Item Code	Dimensions
SP40379	565w x 315d x 246h (mm)



OFF ROAD SERIES TRUCK BOX - 81 LITRE

Heavy duty 1.2mm steel construction. Steel tote tray with handles. Large base compartment for larger tools. Heavy duty full length piano hinge. Sturdy metal carry handle. Security latch for padlocking

Item Code	Dimensions
SP40302	667w x 242d x 287h (mm)

**AUTOMATIC WIRE STRIPPERS**

200mm (8") automatic wire stripper with crimper features. Strips and cuts cable or wire 24-10 AWG (0.2to6.0-mm). Provides effortless cable stripping, wire cutting & crimping. Spring-loaded return for quick repetitive use. Insulated: AWG: 10-22 (0.5-6mm²), Non-insulated: AWG: 12-10, 16-14, 22-18 (4-6, 1.5-2.5, 0.5-1mm²)

Item Code
SP32278

PLASTIC AND RUBBER HOSE CUTTERS - 42MM

2mm pipe cutter. Compound ratchet action. Cut PVC pipe, vacuum hoses, heater hoses etc

Item Code
SP63043

**PLASTIC AND RUBBER HOSE CUTTERS - 75MM**

75mm pipe cutter. Compound ratchet action. Cut PVC pipe, vacuum hoses, heater hoses etc

Item Code
SP63046

TAPE MEASURE - 8M

Easy lock and release. 20% thicker blade. 25mm blade width. Long stand-out. 3 times longer life span. 3 rivet end hook extends tape life. Self locking, slip-resistant rubber grip. Steel belt clip

Item Code
SP35200

VERNIER CALIPERS - INDIVIDUAL

Graduation 0.02mm/0.0001". 4-way measurement - inside, outside, step & depth. Slider provides smooth, stable and comfortable operation. Metric & SAE measurement. Upper locking screw

Item Code	Size
SP35607	150mm/6"
SP35608	200mm/8"

VERNIER CALIPERS - DIGITAL - INDIVIDUAL

Graduation 0.01mm / 0.0005". 4-way measurement - inside, outside, step & depth. Slider provides smooth, stable and comfortable operation. Zero calibration switch with automatic on/off. Easy to read LCD screen

Item Code	Size
SP35631	150mm/6"
SP35632	200mm/8"

STAINLESS STEEL RULERS - METRIC/SAE INDIVIDUAL

Available in 4 individual sizes. High quality hardened stainless steel rulers. Double sided with hang hole. Permanently etched graduations in both mm and inches. Satin finish



Item Code	Size
SP35211	150mm/6"
SP35213	300mm/12"
SP35215	600mm/24"
SP35217	1000mm/40"

WIRE BRUSHSET - MINI 180MM - 3PC

Ideal for heavy duty cleaning. 3 rows of bristles on each brush. Ergonomic polypropylene handles. 5 hole tips

Item Code	Set Includes	Size
SP30890	Nylon bristled brush	180mm
	Stainless steel bristled brush	180mm
	Brass bristled brush	180mm

WIRE BRUSHSET - 230MM - 3PC

Ideal for heavy duty cleaning. 2 rows of bristles on each brush. Ergonomic polypropylene handles

Item Code	Set Includes	Size
SP30890	Carbon steel bristled brush	230mm
	Stainless steel bristled brush	230mm
	Brass bristled brush	230mm

WIRE BRUSHSET - 254MM - 3PC

Ideal for heavy duty cleaning. 4 rows of bristles on each brush. Ergonomic polypropylene handles

Item Code	Set Includes	Size
SP30892	Carbon steel bristled brush	254mm
	Stainless steel bristled brush	254mm
	Brass bristled brush	254mm

WIRE BRUSHSET - 355MM - 3PC


Ideal for heavy duty cleaning. 3 rows of bristles on each brush. Ergonomic polypropylene handles



Item Code	Set Includes	Size
SP30893	Carbon steel bristled brush	355mm
	Stainless steel bristled brush	355mm
	Brass bristled brush	355mm

PRY BAR SET - GO - THROUGH - 4PC

High quality heat treated Chrome Molybdenum steel blades. Go Thru blade with striking cap allows hitting the bar with a hammer without damage to the handle



Item Code	Size
SP30839	6 x 200mm (1/4" x 8")
	9 x 300mm (3/8" x 12")
	11 x 460mm (7/16" x 18")
	11 x 610mm (7/16" x 24")

CUSTOM SERIES TOOL KIT - 134PC - METRIC/SAE

Internal locking system for extra security. Heavy duty 28 ball bearing drawer slides. Robust wall construction. Double powder coating resists scratching. Drawer load weight: 40kg. Tool kit dimension: 668wx316dx461h(mm)



Item Code	Kit Contents	Reference Picture
SP50097	1/4"Dr Sockets & Accessories	
	3/8"Dr Sockets & Accessories	
	1/2"Dr Sockets & Accessories	
	Spanners	
	Tools	

TOOL KIT IN X-CASE - 1/2"DR - 60PC METRIC/SAE

Stored in an impact resistant polyethylene X-case. Heavy duty hinges and latches



Item Code	Kit Contents
SP51205	1/2"Dr 12pt Sockets & Accessories
	Tools

PLIER/CUTTER SET - VDE INSULATED - 3PC

VDE certified and tested to 1000 volts AC & 1500 volts DC for safety and peace of mind in energised applications. Forged Chrome Vanadium (Cr-V) steel blades for increased strength and durability



Item Code	Set Includes
SP32909	Combination pliers – 200mm (8")
	Long nose pliers – 200mm (8")
	Diagonal cutters – 180mm (7")

PLIER/CUTTER SET - HIGH LEVERAGE - 3PC

Forged chrome molybdenum (Cr-Mo) steel blades for increased strength and durability. High leverage allows effortless extended use. Precision induction hardened cutting edges. Non-slip cushion comfort grips



Item Code	Set Includes
SP32903	High leverage combination pliers – 200mm (8")
	High leverage long nose pliers – 200mm (8")
	High leverage diagonal cutters – 200mm (8")

COMBINATION PLIERS-HIGH LEVERAGE-INDIVIDUAL

Available in 2 sizes. Forged Chrome molybdenum (Cr-Mo) steel blades for increased strength and durability. High leverage allows effortless extended use. Precision induction hardened cutting edges



Item Code	Size
SP32007	175mm (7")
SP32008	200mm (8")

LONG NOSE PLIERS - HIGH LEVERAGE - INDIVIDUAL

Available in 2 sizes. Forged Chrome Molybdenum (Cr-Mo) steel blades increased strength and durability. High leverage allows effortless extended use. Precision induction hardened cutting edges



Item Code	Size
SP32106	150mm (6")
SP32108	200mm (8")

BENT NOSE PLIERS - HIGH LEVERAGE - 200MM

Forged Chrome Molybdenum (Cr-Mo) steel blades for increased strength and durability. High leverage allows effortless extended use. Precision induction hardened cutting edges. Non-slip cushion comfort grips



Item Code	Size
SP32158	200mm

LOCKING PLIER SET - 10PC

888 series, Non-slip jaws C-clamps-standard jaws provide versatility for a widerange of applications. Curved jaw - maximises pressure points for any bolt, nut or locking tool applications. Sheet metal-ideal for upholstery work. Bending, forming and crimping sheet metal



Item Code	Set Includes
SPT832929	2x C-type locking pliers - 275mm
	2x C-type locking pliers - 160mm
	1x Long nose locking pliers - 225mm (9")
	1x Long nose locking pliers - 150mm (6")
	1x Curved jaw locking pliers - 220mm (9")
	1x Curved jaw locking pliers - 175mm (7")
	2x Sheet metal locking pliers - 200mm (8")

LOCKING PLIERS - CURVED JAW - 125MM (5")

Non-slip curved jaw maximises pressure points for any bolt, nut or locking tool application. Heavy duty hardened jaws for increased gripping power. Easy quick-release lever



Item Code	Size
SP32601	125mm (5")

LOCKING PLIERS - STRAIGHT JAW - 175MM (7")

Non-slip straight jaws, ideal for clamping, holding flat stock, sheet metal etc in position for cutting, assembling, drilling or welding. Heavy duty hardened jaws for increased gripping power. Easy quick release lever



Item Code	Size
SP32612	175mm (7")



LOCKING PLIERS - STRAIGHT JAW - 250MM (10")

Non-slip straight jaws, ideal for clamping, holding flat stock, sheet metal etc in position for cutting, assembling, drilling or welding. Heavy duty hardened jaws for increased gripping power

Item Code	Size
SP32613	250mm (10")



LOCKING PLIERS - LONG NOSE - 150MM (6")

Heavy duty hardened jaws for increased gripping power. Long nose, non-slip jaw for easy access in extended reach applications. Chrome - Molybdenum Steel (Cr - Mo) for strength and durability

Item Code	Size
SP32621	150mm (6")



LOCKING PLIERS - LONG NOSE - 230MM (9")

Heavy duty hardened jaws for increased gripping power. Long nose, non-slip jaw for easy access in extended reach applications. Heavy duty knurled adjuster nut. Easy quick-release lever

Item Code	Size
SP32623	230mm (9")



SHEET METAL LOCKING PLIERS-WIDE JAW-200MM (8")

Wide jaws for extra grip. Chrome Molybdenum Steel for extra strength and durability. Heavy duty knurled adjuster nut. Easy quick-release lever

Item Code	Size
SP32640	200mm (8")

WELDING LOCKING PLIERS - GRIP JAW - 230MM (9")



Heavy duty non-slip jaws. Chrome Molybdenum Steel for strength and durability. Heavy duty knurled adjuster nut. Easy quickrelease lever

Item Code	Size
SP32645	230mm (9")

C-CLAMP LOCKING PLIERS - STANDARD - 150MM (6")



Standard jaws for versatility. Chrome Molybdenum Steel for strength and durability. Heavy duty knurled adjuster nut. Easy quick-release lever

Item Code	Size
SP32650	150mm (6")

C-CLAMP LOCKING PLIERS-SWIVEL PAD-275MM (11")



Swivel pads for uneven surfaces. Chrome Molybdenum Steel for strength and durability. Heavy duty knurled adjuster nut. Easy quick - release lever

Item Code	Size
SP32656	275mm (11")



C-CLAMP LOCKING PLIERS-SWIVEL PAD-380MM (15")

Swivel pads for uneven surfaces. Chrome Molybdenum steel for strength and durability. Heavy duty knurled adjuster nut. Easy quick - release lever

Item Code	Size
SP32657	380mm (15")



LOCKING PLIER SET - 3PC

Non - slip jaws. Heavy duty hardened jaws for increased gripping power. Chrome Molybdenum (Cr-Mo) for strength and durability. Heavy duty knurled adjuster nut. Easy quick-release lever

Item Code	Set Includes
SP32926	Curved Jaw - 250mm (10")
	Straight jaw - 250mm (10")
	Long Nose - 230mm (9")



LOCKING PLIERS - CURVED JAW - 175MM (7")

Non-slip curved jaw maximises pressure points for any bolt, nut or locking tool application. Heavy duty hardened jaws for increased gripping power. Chrome-Molybdenum Steel (Cr-Mo) for strength and durability

Item Code	Size
SP32602	175mm (7")



LOCKING PLIERS - CURVED JAW - 250MM (10")

Non-slip curved jaw maximises pressure points for any bolt, nut or locking tool application. Heavy duty hardened jaws for increased gripping power. Heavy duty knurled adjuster nut. Easy quick-release lever

Item Code	Size
SP32603	250mm (10")

MULTIGRIPS PLIERSET - ADJUSTABLE - 3PC

Forged Chrome Molybdenum Steel. High leverage allows for effortless extended use. Multiple jaw position for heavier and varied gripping applications

Item Code	Set Includes
SP32910	Multigrip Pliers - 300mm
	Multigrip Pliers - 250mm
	Multigrip Pliers - 200mm

PLIERS ADJUSTABLE JOINT

Multi functional. Positive grip on nuts and pipes, designed for comfortable long-term use. Drop forged. Hardened jaws, nonslip tongue & groove

Item Code	Size
SP32402	250mm
SP32403	300mm

STERLING ADJUSTABLE PLIERS

Ratchet automatically adjusts to required size One hand operation. Jaw design reduces slipping an effort. Anti-pinch guard. Chrome Vnadium with black phosphate finish. Attractive hang card

Item Code	Size
AT-ADJP-175	175mm (7")
AT-ADJP-250	250mm (10")
AT-ADJP-300	300mm (12")

**AVIATION SNIPS - HEAVY DUTY - RIGHT CUT**

Heavy duty forged Chrome Molybdenum (Cr-Mo) blades. High average allows effortless extended use. Non-slip serrated blades. Spring-loaded ergonomic non-slip grip handles. Cuts up to 16 gauge steel (1.2mm)

Item Code	Size
SP32261	250mm (10")

**AVIATION SNIPS - HEAVY DUTY - CENTRE CUT**

Heavy duty forged Chrome Molybdenum (Cr-Mo) blades. High average allows effortless extended use. Non-slip serrated blades. Spring-loaded ergonomic non-slip grip handles. Cuts up to 16 gauge steel (1.2mm)

Item Code	Size
SP32262	250mm (10")

**AVIATION SNIPS - HEAVY DUTY - LEFT CUT**

Heavy duty forged Chrome Molybdenum (Cr-Mo) blades. High leverage allows effortless extended use. Non-slip serrated blades. Spring-loaded ergonomic non-slip grip handles. Cuts up to 16 gauge steel (1.2mm)

Item Code	Size
SP32263	250mm (10")

**AVIATION SNIPS - OFFSET - HEAVY DUTY- RIGHT CUT**

Heavy duty forged Chrome Molybdenum (Cr-Mo) blades. Offset head design for easier cuts along longer work pieces. Non-slip serrated blades. Cuts up to 16 gauge steel (1.2mm)

Item Code	Size
SP32264	250mm (10")

**AVIATION SNIPS - OFFSET - HEAVY DUTY -LEFT CUT**

Heavy duty forged Chrome Molybdenum (Cr-Mo) blades. Offset head design for easier cuts along longer work pieces. Non-slip serrated blades. Spring-loaded ergonomic non-slip grip handles

Item Code	Size
SP32265	250mm (10")

**LONG SNIPS - HEAVY DUTY - STRAIGHT CUT**

Heavy duty forged Chrome Molybdenum (Cr-Mo) blades. High leverage allows effortless extended use. Non-slip serrated blades. Spring-loaded ergonomic non-slip grip handles. Cuts up to 16 gauge steel (1.2mm)

Item Code	Size
SP32260	300mm (12")

**INDUSTRIAL SHEARS/SCISSORS - HEAVY DUTY**

Heavy duty, industrial quality stainless steel serrated edge blades for increased cutting capacity. Ideal for multiple applications, from thin wire to Kevlar. Rounded points for extra safety

Item Code	Size
SP32267	180mm (7")



ULTIMAX PRO BLACK PANTHER GEN II: INDUSTRIAL SNIPS



Stainless steel serrated edge blades for increased cutting capacity. Comfort grip handles made from impact and solvent resistant TPR material. HRC53 - Rockwell Hardness

Item Code	OAL (mm)	Packaging
AT29-720	200	12/box
		72/carton
AT29-721	185	12/box
		72/carton

185MM UTMALX PRO BLACK PANTHER GEN II: HIGH T-ENSILE INDUSTRIAL SNIPS



Stainless steel serrated edge blades for increased cutting capacity. Comfort grip handles made from impact and solvent resistant TPR material. HRC58 - Rockwell Hardness

Item Code	OAL (mm)	Packaging
AT29-722	185	12/box
		72/carton

RED LEFT CUT AVIATION SNIPS



Drop and forged molybdenum alloy blades induction hardened for long life. Cuts up to 1.5mm cold rolled steel or 1.0mm stainless steel. Hi-tensile pivot bolt for maximum durability. TPR rubber grip handles for extra comfort

Item Code	Packaging
AT29-751	6/box
	36/carton

**GREEN RIGHT CUT AVIATION SNIPS**

Drop forged molybdenum alloy blades induction hardened for long life. Cuts up to 1.5mm cold rolled steel or 1.0 mm stainless steel. Hi-tensile pivot bolt for maximum durability. TPR rubber grip handles for extra comfort

Item Code	Packaging
AT29-752	6/box
	36/carton

**YELLOW STRAIGHT CUT AVIATION SNIPS**

Drop forged molybdenum alloy blades induction hardened for long life. Cuts up to 1.5mm cold rolled steel or 1.0mm stainless steel. Hi-tensile pivot bolt for maximum durability. TPR rubber grip handles for extra comfort

Item Code	Packaging
AT29-753	6/box
	36/carton

**YELLOW LONG CUT AVIATION SNIPS**

Drop forged molybdenum alloy blades induction hardened for long life. Cuts up to 1.0mm cold rolled steel or 0.96mm stainless steel. Hi - tensile pivot bolt for extra durability. Full 75mm (3") cutting length, 290mm overall length

Item Code	Packaging
AT29-756	6/box
	36/carton

**RED LEFT CUT OFFSET SNIPS**

Drop forged molybdenum alloy blades induction hardened for long life. Cuts up to 1.5mm cold rolled steel or 1.0mm stainless steel. Squeeze quick-release handle catch. TPR rubber grip handles for comfort

Item Code	Packaging
AT29-765	6/box
	36/carton

**GREEN RIGHT CUT OFFSET SNIPS**

Drop forged molybdenum alloy blades induction hardened for long life. Cuts up to 1.5mm cold rolled steel or 1.0mm stainless steel. Squeeze quick-release handle catch. TPR rubbergrip handles for comfort

Item Code	Packaging
AT29-766	6/box
	36/carton

**UNIVERSAL SHEARS WITH ORANGE HANDLE**

For cutting carpet gripper and small PVC and timber mouldings. Replaceable blade and anvil. Extra tough construction for durability. Max cutting length - 35mm. Jaw height - 35mm

Item Code	Packaging
AT1105	6/box
	36/carton



STERLING BAR CLAMP (85 SERIES)

Cushion grips, ergonomic handles. Converts to spreader with ease. Clamp pads grip firmly and distribute clamping force evenly. Premium induction hardened, solid carbon steel bar for maximum rigidity. Quick release trigger positioned for simple one handed operation



Item Code	Size
AT-BC90-150	150mm
AT-BC90-300	300mm
AT-BC90-450	450mm
AT-BC90-600	600mm

**STERLING CHALK LINE SET: ALUMINIUM CASE**

Rewinds 5x faster than standard chalk lines. Durable die-cast aluminium housing for strength & stability. Spool release button for rapid release of chalkline. Steel handle for easy and rapid rewinding

Item Code	Packaging
AT-CLS-A	6/box
	24/carton

STERLING CHALKLINE SET: ABS CASE

Durable ABS housing with ergonomic rubber grip. Rewinds 3x faster than standard chalk lines. Easy fill and lock top slide feature allows quick chalk refill. Spool release button for rapid release of chalk line

Item Code	Packaging
AT-CLS-P	6/box
	24/carton



STERLING CHALK REFILL BLUE

Interior/long lasting. Perfect for use in all chalk line reels. Made to lay down a hard clean line that won't blow away



Item Code	Size	Packaging
AT-CR-BLUE	226g	6/box
		48/carton
AT-CR-BLUE-5	2. 26kg	4/box
		4/carton

STERLING CHALK REFILL: GREEN 226g

High visibility. Perfect for use in all chalk line reels. Made for low light conditions. *Perfect for use with Sterling Ultimax ABS and aluminium chalk lines



Item Code	Packaging
AT-CR-GREEN	6/box
	48/carton

STERLING CHALK REFILL: ORANGE 226g

High visibility. Perfect for use in all chalk line reels. Made to lay down a hard clean line that won't blow away. *Perfect for use with Sterling Ultimax ABS and aluminium chalk lines



Item Code	Packaging
AT-CR-ORANGE	6/box
	48/carton

STERLING CHALK REFILL: RED

Exterior / Semi -Permanent. Perfect for use in all chalk line reels. Made to lay down a hard clean line that won't blown away



Item Code	Size	Packaging
AT-CR-RED	226g	6/box
		48/carton
AT-CR-RED-5	2. 26kg	4/box
		4/carton

**STERLING CHALK REFILL: VIOLET 170g**

Interior/Temporary. Perfect for use in all chalk line reels. Made to lay down a hard clean line that won't blow away.

*Perfect for use with Sterling Ultimax ABS and aluminium chalk lines

Item Code	Packaging
AT-CR-VIOLET	6/box
	48/carton

**STERLING CHALK REFILL: WHITE 226g**

Interior/Long lasting. Perfect for use in all chalk line reels. Made to lay down a hard clean line that won't blow away.

*Perfect for use with Sterling Ultimax ABS and aluminium chalk lines

Item Code	Packaging
AT-CR-WHITE	6/box
	48/carton

**STERLING CHALK REFILL: YELLOW 226g**

Hi-Visibility. Perfect for use in all chalk line reels. Made to lay down a hard clean line that won't blow away

Item Code	Packaging
AT-CR-YELLOW	6/box
	48/carton

**STERLING CHALK REFILL: BLACK 226g**

Exterior / Permanent. Perfect for use in all chalk line reels. Made to lay down a hard clean line that won't blow away

Item Code	Packaging
AT-CR-BLACK	6/box
	48/carton



RED STERLING CARPENTERS PENCIL

It is a high-quality marking tool designed specifically for carpentry and woodworking. This pencil is lightweight and comfortable to use, making it ideal for extended periods of marking and drawing. Has break-resistant lead



Item Code	Packaging
AT-SCP01	12/box
	144/carton



STERLING TORPEDO LEVEL: 230MM

Two rare earth magnets provide ultimate grip on metal surfaces. Die-cast aluminium body. 3 unbreakable acrylic shock - proof vials. 180 degree rotating vial to duplicate angles, slopes & pitch

Item Code	Packaging
AT-TL230	10/box
	100/carton



STERLING INDUSTRIAL HACKSAW FRAME

Metal core. Quick release handle. Tensioning screw. Rubber grip. Supplied with premium Sterling Ultra 8% Cobalt blade. Holds blade at 90 or 45 degrees
Holds blade at 90 or 45 degrees

Item Code	Packaging
AT-HF-40T	6/box
	24/carton



HACKSAW - 12" PROFESSIONAL

Quick release mechanism for easy blade change. Heavy duty, rugged design with non-slipper rubber grip. 12"/305mm blade, 95mm throat, 90°/45°blade settings

Item Code
SP35100



T-REX 150MM (6") HARDPOINT DRYWALL SAW

Hardened teeth keyhole saw. Triple edge grinding cuts forwards & backwards. Ergonomic rubber grip handle. Sharpened and hardened triple point tip for easy jab starting

Item Code	Packaging
AT50-660	10/box
	60/carton



T-REX 22in/550MM HARDPOINT HAND SAW

550mm (22") 8TPI handsaw with triple ground shark point teeth for fast cuts even in hardwood. Hardened teeth are durable and will cut a wide range of materials including timber, laminated boards, plastic pipe, plasterboard, comices, etc

Item Code	Packaging
AT50-770	24/box
	24/carton



HACKSAW BLADES - STERLING - CARD OF 2

High quality, flexible blade. Ground tooth design, provides an improved cutting performance. 2 per pack

Item Code	TPI
AT-300-18S-1	18
AT-300-24S-1	24
AT-300-32S-1	32



STERLING STEALTH AUTOLOADING SLIDING POCKET KNIFE

Automatic blade loading. Highest quality blades. Slide-lock retractable blade. Quick-flip blade change function. Comfortable shaped grip. 5 blade storage compartment

Item Code	Packaging
AT3038	12/box
	48/carton



STERLING NIGHTHAWK FOLDING POCKET KNIFE

Used for: General trades, camping, fishing, sport and more. Tough 5CR13 Stainless steel blade. Premium black oxide finish. 80mm drop point smooth and serrated multi-purpose blade. Heat sealed packaging

Item Code	Packaging
AT3041	10/box
	40/carton



STERLING METAL ZEBRA 18MM AUTO-LOCK CUTTER

Extra heavy duty 25mm cutter with strong auto-lock system for fast safe blade adjustments. All metal construction is durable and strong. Ribbing on body for secure grip. Metal clip and blade snapper on back of cutter. Wider and thicker 0.7mm blade reduces flex in heavy cutting

Item Code	Packaging
AT680-1	10/box
	60/carton



UTILITY KNIFE - RETRACTABLE

Standard utility knife. Heavy duty design. Lightweight & durable. Multi stop blade positioning. Thumb adjustment. Ergonomic handle with rubber grip

Item Code
SP30851

**UTILITY KNIFE - FOLDING LOCK - BACK**

Lightweight folding lock-back design with easy push-button opening and closing for safe use and storage. Integrated string and wire cutting notch. Rapid tool free push-button blade change. Pocket size tool

Item Code
SP30852

**UTILITY KNIFE PROFESSIONAL - FOLDING LOCK - BACK**

Fold back utility knife. Quick change blades. 420 stainless steel. Liner lock for safety. Belt clip and 5 spare blades

Item Code
SP30854

**DEBURRING TOOL SET - 4PC**

4 various extra fine deburring tools for a smooth finish. Remove burrs from plastic, copper, aluminium & ferrous metal pipes. Pocket clip

Item Code
SP31340

HEAVY DUTY BLADES DISP. 10 STERLING E

Made in UK. Suits most trimming knives. Ideal for drywall in dustry



Item Code	Packaging
AT26010	10/box
	300/carton

HEAVY DUTY TRADE BLADES STERLING E DISP. 100

Made in UK. Suits most trimming knives. Ideal for drywall industry



Item Code	Packaging
AT-26100	10/box
	30/carton

STERLING 18MMLARGE SNAP BLADE (x10) - CARDED

Most popular and widely used snap - off blade. 8 point 18mm wide. 3-stage grinding process produces a sharper blade that lasts longer. Made in Sheffield - England. Suits all large 18mm snap cutters



Item Code	Width (mm)	Packaging
AT201-1	18	10/box
		240/carton



STERLING MEASURING WHEEL

Records up to 9999M. 318mm diameter rubber grip wheel. Zero point indicator for accurate measuring. Trigger brake prevents 'free wheeling'. Net weight 2.05 kg. Supplied with carry bag

Item Code
AT-MW12



OPEN CASE FIBREGLASS TAPE MEASURE

Open reel fibreglass lay flat tape. 13mm reinforced tape. Sturdy plastic case with reinforced winding mechanism. Metric one side imperial the other side

Item Code	OAL (mm)
AT-NP1513	15000
AT-NP3013	30000



STERLING ULTIMAX PRO TAPE MEASURE EASYREAD: 10M METRIC

Double - sided blade printing. High impact resistant ABS casing with non-slip grip. Reinforced 4 rivet dual - hook with magnet. Wide blade extended stand- out. Layered Superblade for maximum durability

Item Code	OAL (mm)
AT-TMFXE1027	10000



STERLING ULTIMAX PRO TAPE MEASURE EASYREAD: 8M METRIC MAGNETIC HOOK

Double sided blade printing with nylon coating. Clear metric millimetre markings. High impact resistant ABS casing with non-slip grip. Reinforced 4 rivet dual-hook with magnet. Wide blade

Item Code	OAL (mm)
AT-TMFXE8027	8000



THUNDERMAX HEX5 IMPACT POWER BIT CARDED

New generation Impact driver bits. Extreme Torsion. Perfect for metal to metal fastening when extreme tightening down is required. Superior magnetism helps the bit grip the screw and prevent cam-out



Item Code	Size
AT-CHEX5150SM	150mm
AT-CHEX550SM	50mm
AT-CHEX575SM	75mm

THUNDERMAX 1/4in IMPACT MAGNETIC BIT HOLDER CARDED

New generation Impact driver bits. Extreme torsion. Perfect for metal fastening when extreme lightning down is required. Superior magnetism helps the bit grip the screw and prevent cam-out



Item Code	Size
AT-CMBHC150SM	150mm
AT-CMBHC75SM	75mm

MAGNETIC BIT HOLDER QUICK RELEASE X 150MM CARDED

1/4 professional magnetic bit holder with spring loaded quick release



Item Code	Size
AT-CMBHQR150	150mm



THUNDERMAX IMPACT MAGNETIC NUTSETTER CARDED

New generation Impact driver bits. Extreme torsion: 50x life-maximum strength for high impact & extreme torque loads. Perfect for metal to metal fastening when extreme tightening down is required

Item Code	Size
AT-CNS1465SM	1/4" x 65mm
AT-CNS3865SM	3/8" x 65mm
AT-CNS516150SM	5/16" x 150mm
AT-CNS51665SM	5/16" x 65mm



THUNDERMAX PH2 IMPACT POWER BIT CARDED

New generation Impact driver bits. Extreme torsion: 50x life-maximum strength for high impact & extreme torque loads. Perfect for metal to metal fastening when extreme tightening down is required

Item Code	Size
AT-CPH2100SM	100mm
AT-CPH2150SM	150mm
AT-CPH275SM	75mm
AT-CPH225SM	25mm



THUNDERMAX PH3 x 25MM IMPACT INSERT BIT CARDED

New generation Impact driver bits. Extreme torsion. Perfect for metal to metal fastening when extreme tightening down is required. The torsion zone provides maximum strength for high impact & extreme torque loads

Item Code	Size
AT-CPH325SM	25mm



THUNDERMAX PH3 x 50MM IMPACT POWER BIT CARDED

New generation Impact driver bits. Extreme torsion. Perfect for metal to metal fastening when extreme tightening down is required. The torsion zone provides maximum strength for high impact & extreme torque loads

Item Code	Size
AT-CPH350SM	50mm



THUNDERMAX SQ2 IMPACT POWER BIT CARDED

New generation Impact driver bits. Extreme torsion: 50 x life-maximum strength for high impact & extreme torque loads. Perfect for metal to metal fastening when extreme tightening down is required. The torsion zone provides maximum strength for high impact and extreme torque loads

Item Code	Size
AT-CSQ250SM	50mm
AT-CSQ275SM	75mm
AT-CSQ2100SM	100mm
AT-CSQ2150SM	150mm



THUNDERMAX SQ2x25MM IMPACT INSERT BIT CARDED

New generation Impact driver bits. The torsion zone provides maximum strength for high impact & extreme torque loads. Precision machined tip to avoid slipping for longer life. Premium quality S2 raw material for superior performance. Optimum full body hardness for longer service life and less wear

Item Code	Size	Packaging
AT-CSQ225SM	25mm	2 pcs/pack



THUNDERMAX SQ3 x 50MM IMPACT POWER BIT CARDED

New generation Impact driver bits. The torsion zone provides maximum strength for high impact & extreme torque loads. Superior magnetism helps the bit grip the screw and prevent cam-out. Perfect for metal fastening when extreme tightening down is required

Item Code	Size
AT-CSQ350SM	50mm



THUNDERMAX HEX5 x 150MM IMPACT POWER BIT HANDI PACK (x10)



New generation Impact driver bits. The torsion zone provides maximum strength for high impact & extreme torque loads. Black oxide finish for extreme corrosion resistance. Superior magnetism helps the bit grip the screw and prevent cam-out

Item Code	Size	Packaging
AT-HEX5150SMH	150mm	10/pack
AT-HEX550SMH	50mm	
AT-HEX575SMH	75mm	

THUNDERMAX 65MM IMPACT MAGNETIC NUTSETTER HANDIPACK (x5)



New generation Impact driver bits. The torsion zone provides maximum strength for high impact & extreme torque loads. Superior magnetism helps the bit grip the screw and prevent cam-out. Black oxide finish for extreme corrosion resistance

Item Code	Size	Packaging
AT-NS1465SMH	1/4"	5/pack
AT-NS3865SMH	3/8"	
AT-NS51665SMH	5/16"	

THUNDERMAX CLEANABLE NUTSETTER KIT-6 PIECES



Extreme torsion. Easy removal of swarf-remove socket to clean. Perfect for metal to metal fastening when extreme tightening down is required. Precision machined tip to avoid slipping for longer life. Interchangeable for more tooling combinations

Item code	Set Contains
AT-NSSMC-SET6	3 x Nutsetter sockets : 1/4", 5/16" & 3/8"
	3 x Lengths: 65, 100 & 150mm



THUNDERMAX PH2 IMPACT POWER BIT-HANDIPACK (x10)



New generation Impact driver bits. Extreme torsion. Perfect for metal to metal fastening when extreme tightening down is required. The torsion zone provides maximum strength for high impact & extreme torque loads

Item Code	Size	Packaging
AT-PH2100SMH	100mm	10/pack
AT-PH2150SMH	150mm	
AT-PH250SMH	50mm	
AT-PH275SMH	75mm	

THUNDERMAX PH3 x 50MM IMPACT POWER BIT -HANDIPACK (x10)



New generation Impact driver bits. Extreme torsion. Perfect for metal to metal fastening when extreme tightening down is required. Superior magnetism helps the bit grip the screw and prevent cam-out

Item Code	Size	Packaging
AT-PH350SMH	50mm	10/pack

THUNDERMAX SQ2 IMPACT POWER BIT HANDIPACK (x10)



New generation Impact driver bits. Extreme torsion. Perfect for metal to metal fastening when extreme tightening down is required. Superior magnetism helps the bit grip the screw and prevent cam-out

Item Code	Size	Packaging
AT-SQ2100SMH	100mm	10/pack
AT-SQ2150SMH	150mm	
AT-SQ250SMH	50mm	
AT-SQ275SMH	75mm	



THUNDERMAX 10 PIECE IMPACT DRIVER BIT SET



Alpha Thunder MAX is Alpha's new generation driver bit range with Maximum strength for high impact & extreme torque loads. Perfect for metal to metal fastening when extreme tightening down is required

Item Code
AT-TBS10TM

THUNDERMAX IMPACT DRIVER BIT SET 33 PIECE INCL. MAG BOOST IN PLASTIC CASE

Extreme torsion: 50x life. Maximum strength for high impact & extreme torque loads. Perfect for metal to metal fastening when extreme tightening down is required. Optimum full body hardness for longer service life and less wear



Item Code	Set Contents
AT-TMDSET-33	1 x Magnetic bit holder x 75mm
	1 x Magnetic booster
	4 x Phillips insert bits
	8 x phillips power bits
	1 x Pozidriv insert bits
	1 x Pozidriv power bit
	1 x Square insert bit
	3 x Square power bits
	1 x Hex insert bit
	4 x Hex power bits
	1 x Slotted insert bit
	4 x Torx power bits
	3 x Nutsetters



8MM A11 STYLE STAPLES



Strong flat wire style. Electro galvanised. Chisel point. Packed in a unique reusable plastic box. Used in framing & upholstery, carpet installation, insulation and plastering, commercial and household tacking jobs

Item Code	Packaging
AT-A1108-5M	5000/box
AT-A1108-2M	2000/box

10MM A11 STYLE STAPLES



Strong flat wire style. Electro galvanised. Chisel point. Packed in a unique reusable plastic box. Applicable in framing & upholstery, carpet installation, insulation and plastering, commercial and household tacking jobs

Item Code	Packaging
AT-A1110-5M	5000/box
AT-A1110-2M	2000/box

STERLING HEAVY DUTY HAMMER TACKER



Heavy duty construction. Compact metal design with hardened steel parts. Single handed operation. Ergonomic rubber grip handle. Face protection guard ensures staples finish flush with workface. Easy bottom loading of staples

**20oz FIBREGLASS HANDLE CLAW HAMMER**

Rubber grip handle. Forged head. Strong fibreglass handle to reduce vibration

Item Code	Packaging
AT-HC-020	6/box
	24/carton

Multiple Drive

1/4"DR, 3/8"DR & 1/2"DR SOCKET SET - 12PT METRIC /SAE - 59PC

12 Point. Multi - drive sockets & accessories. Cushioned grip handles for operator comfort. Quick release system for easy socket changes. Flat drive technology offers maximum contact and grip



Item Code	Set Includes
SP20280	1/4"Dr 12pt Sockets & Accessories
	Metric sockets
	SAE sockets
	45T Ratchet
	Wobble extension bar - 50mm
	3/8"Dr 12pt Sockets & Accessories
	Metric sockets
	SAE sockets
	Inhex
	45T Ratchet
	Wobble extension bar - 75mm
	1/2"Dr 12pt Sockets & Accessories
	Metric sockets
	SAE sockets
	45T Ratchet
	Flex handle - 250mm
	Wobble extension bar - 75mm

1 / 4" DR SOCKET SET - METRIC, IN HEX, TORX & SPLINE - 35PC

One piece steel sealed head ratchet & flex handle. Flat drive technology offers maximum contact grip. Chrome Vanadium Steel (Cr-V) for high durability. Meets & exceeds international ANSI & DIN standard. Twin knurling on sockets allows for improved grip, especially useful in oily / greasy conditions



Item Code	Set Includes
SP20116	Metric 6pt
	Hex bit sockets
	Torx bit sockets
	Spline bit sockets
	90T Sealed head Ratchet - 125mm
	Flex handle - 145mm
	Extension bars - 50 & 150mm
	Universal joint

3/8"DR SOCKET SET - METRIC, INHEX, TORX & SPLINE - 39PC

One piece steel sealed head ratchet & flex handle. Flat drive technology offers maximum contact and grip. Specially strengthened ratchet gear teeth to sustain maximum applied torque. Twin knurling on sockets allows for improved grip, especially useful in oily / greasy conditions



Item Code	Set Includes
SP20216	Metric 6pt
	Hex bit sockets
	Torx bit sockets
	Spline bit sockets
	90T Sealed head ratchet - 195mm
	Flex handle - 195mm
	Extension bars - 75 & 150mm
	Universal joint

1/2"DR IMPACT SOCKET SET - 6PT - METRIC ONLY - 40Pc

Colour coded when used in conjunction with SAE version of this set (SP20327). Flat drive technology offers maximum contact and grip. Manufactured to DIN standards



Item Code	Set Includes
SP20322	Standards - 8, 10 - 24, 26, 27, 30mm
	Deep - 8, 10 - 24, 26, 27, 30mm
	Universal joint
	Extension bar - 125mm

1/2" DR IMPACT SOCKET SET - 6PT METRIC - 15PC

6 point. Ideal for applications where impact sockets are required. High strength Chrome Molybdenum. Trade tough-suitable for use with pneumatic and electric impact wrenches. Lifetime warranty



Item Code	Set Includes
SP20310	10 - 15, 17 - 19, 21, 22 & 24mm impact sockets
	75mm & 125mm impact extension bars
	Impact universal joint

1/4", 3/8" & 1/2"DR - MULTI-DRIVE WOBBLE**EXTENSION BAR SET - LONG - 6PC**

Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays. Wobble end allows for angled reach to awkward nuts and bolts. Tough triple chrome finish. Knurling on bars allows for improved grip, especially useful in oily/greasy conditions. Meets & exceeds international ANSI & DIN standard

Item Code	Kit Includes
SP20987	1/4"DR - 300 & 450mm
	3/8"DR - 450 & 600mm
	1/2"DR - 500 & 750mm

KEY SET - LONG SERIES - METRIC - 9PC

Colour coded for easy and quick identification . Ball drive end allows for angled reach to awkward fasteners. Chrome Vanadium Steel (Cr-V) keys. Double ended, long series



Item Code	Set Includes
SPT834511	1. 5, 2, 3, 4, 5, 6, 7, 8 & 10mm metric Hex keys
	Organiser

KEY SET - LONG SERIES - SAE - 9PC

Colour coded for easy identification. Long series, Chrome plated. Powder coated, hardened CR-V steel. Hex shank and ball drive



Item Code	Set Includes
SPT834512	1/16, 5/16, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8" SAE Hex keys
	Organiser

COMBINATION ROE SPANNER SET - METRIC -14PC

Chrome Vanadium Steel (Cr-V) for high strength & durability. Meets & exceeds international ANSI & DIN standard. Lifetime warranty



Item Code	Set Includes
SP10014	6 – 19mm spanners

ADJUSTABLE WRENCH - WIDE JAW PREMIUM - CHROME INDIVIDUAL

Available in 8 individual sizes. Multiple spanner sizes in one tool. Non- protruding mechanism for limited space. 18-25% wider opening. Thicker heavy duty handle. Lifetime warranty



Item Code	Size
SP18052	100mm
SP18057	150mm
SP18062	200mm
SP18067	250mm
SP18072	300mm
SP18077	375mm
SP18082	450mm
SP18087	600mm

ADJUSTABLE WRENCH SET - 3PC

888 series. Slimline for tight areas. Laser etched width gauges. Precision ground jaws. Excellent leverage. Chrome Vanadium Steel (Cr-V) for high strength & durability. Lifetime warranty



Item Code	Size
SPT818000	150mm (6")
	200mm (8")
	250mm (10")

**STERLING ADJUSTABLE WRENCH CHROME CARDED**

Item Code	Size
AT-AW-150R	150mm (6")
AT-AW-200R	200mm (8")
AT-AW-250R	250mm (10")
AT-AW-300R	300mm (12")
AT-AW-375R	375mm (15")

**ADJUSTABLE SHAMMER WRENCH 300MM (12")**

Adjustable wrench with hammer head. Jaw capacity 38 mm (1 1/2"). Exceeds industry standard specifications. Durable Chrome-Vanadium steel

Item Code	Size
AT-AWH-300	300mm (12")



WIDE JAW WRENCH 200MM (8") L/H THREAD SAFETY NOSE WITH ORANGE GRIP CARDED

Extra wide jaw, 0-38mm, M1 - M24. Industrial quality, exceeds industry standard specifications. Anti-slip comfort grip handles made from impact and solvent resistant TPR material. Drop forged Chrome Vanadium

Item Code	Size
AT-AWP-200SR	200mm (8")



WIDE JAW WRENCH 150MM (6")

Industrial quality. Chrome Vanadium drop forged comfort grip handle. Smooth, precise jaw opening. Targeted towards industrial, plumbers, engineers who want to use multiple size range of fasteners, resulting in greater versatility

Item Code	Size
AT-AWP-150	150mm (6")



WIDE JAW WRENCH 200MM (8") L/H THREAD

Industrial quality. Chrome Vanadium drop forged. Comfort grip handle. Smooth, precise jaw opening

Item Code	Size
AT-AWP-200	200mm (8")



WIDE JAW WRENCH

Industrial quality. Chrome Vanadium drop forged. Comfort grip handle. Smooth, precise jaw opening

Item Code	Size
AT-AWP-250	250mm (10")
AT-AWP-300	300mm (12")

PREMIUM SCREWDRIVER SET - 12PC

Heavy duty screw drivers . Magnetic tips for greater fastener control. Chrome Vanadium Steel (SVCN) shafts. Impact resistant case. The case keeps your tools organised and easy to find



Item Code	Set Includes
SP34012	6 x slotted
	3.0 x 75mm
	5.5 x 100mm
	6.5 x 38mm
	6.5 x 100mm
	6.0 x 150mm
	8.0 x 150mm
	6 x Phillips
	#0 x 75mm
	#1 x 75mm
	#2 x 38mm
	#2 x 100mm
	#2 x 150mm
	#3 x 150mm

GO THRU SCREWDRIVER SET - 8PC

Go -thru with steel strike cap for use with a hammer to loosen stubborn screws. Durable ergonomic handle featuring anti - slipgrip. Magnetic tip for greater fastener control. Chrome Vanadium Steel (SVCN) shaft



Item Code	Set Includes
SP34020	4 x Slotted with Hex Bolster
	6.5 x 100mm
	6.5 x 150mm
	8.0 x 150mm
	8 x 200mm
	4 x Phillips with Hex Bolster
	#2 x 100mm
	#2 x 150mm
	#3 x 150mm
	#3 x 200mm

NUT RIVETER SET - LEVER TYPE - 90PC

Sets 3, 4, 5 & 6mm rivet nuts. 8 interchangeable riveter nozzles and mandrels. Quick release mandrel system. Comfortable ergonomic soft grip handles for extended use



Item Code	Set Includes
SP69011	Nut Rivet Gun
	4x Riveter Mandrels
	4x Nozzles
	1x Spanner
	20x M3 Nut Rivets
	20x M4 Nut Rivets
	20x M5 Nut Rivets
	20x M6 Nut Rivets

NUT RIVETER SET - LEVER TYPE - 74PC

Sets 3, 4, 5, 6, 8 & 10mm rivet nuts. 12 interchangeable riveter nozzles and mandrels. Quick release mandrel system. Heavy duty long lever type design reduces physical strength required to pop rivets, in-turn reducing energy fatigue



Item Code	Set Includes
SP69016	Nut Rivet Gun
	6x Riveter Mandrels
	6x Nozzles
	1x Spanner
	10x M3 Nut Rivets
	10x M4 Nut Rivets
	10x M5 Nut Rivets
	10x M6 Nut Rivets
	10x M8 Nut Rivets
	10x M10 Nut Rivets

**NUTSERT GUN**

Sets 3, 4, 5 & 6mm rivet nuts. Easy change mandrels. Single or two hand operation. Light weight cast aluminium construction. 250mm long

Item Code
SP69010

**RIVETER - 2 JAW (LEVER TYPE) COMPACT**

Spring loaded handle for automatic ejection of mandrel. Smooth, easy one - handed operation. High grade aluminium construction. Heavy duty, heat treated chrome steel 2-jaw & jaw case. 200mm long

Item Code
SP69022

**TORCH/WORKLIGHT - LED PEN MAG CLIP**

High power COB LED. Slimline design. Magnetic pocket clip. Micro USB charging system. Rechargeable. Battery: 3.7v, charging time: 2 hours, work light: 130Lumen and Torch: 50Lumen

Item Code	Size
SP81439	80 x 20mm

**WORK LIGHT/TORCH - COB LED - SLIMLINE**

Ultra bright COB LED worklight. High power LED torch / top light. 120° pivoting slimline head. 360° fold out hook. Strong magnetic base. Charging time : 4hrs. Work light run time: 1.5 to 8 hours, Top light run time: 8 hours

Item Code
SP81446

**TORCH/WORKLIGHT - SMD LED MAGBASE**

Bright SMD LED work light - 350 Lumens. Powerful LED torch 80 Lumens. Rechargeable Lithium-ion. Includes AC charger and 12v car charger. Pivoting magnetic base to 180°. 2x180° fold out hooks

Item Code
SP81456

HEADLAMP - COB LED - MOTION SENSE ON/OFF

Brightness control-2 settings. Smart on/off motion sensor. Charging time: 3 hours. Battery type: Lithium-ion. Battery: 3.7v 1500mAh. Micro USB charging system. Battery level and charge indicator

Item Code
SP81492

WORK LIGHT / FLASHLIGHT - SMD LED WIRELESS CHARGE - TWIN PACK

The new SP fast charge dual zone wireless charging pad lets you charge multiple compatible devices wirelessly, without requiring them to be fixed in one spot

Item Code
SP81499

BLUETOOTH SPEAKER / WORK LIGHT MAGNETIC BASE

6W Bluetooth speaker. 10W COB work light (2 settings) -800 lumen (high), 400 lumen (low). Running time: 5-hours (high), 8 hours (low). Includes 80cm USB Type-C cable. Battery capacity is 4400mAh

Item Code
SP81400

18 Volt

18V 13MM 5.0AH HAMMER DRILL DRIVER

Platform: 18 volt. No-load speed: Low - 0 - 460 rpm.
High - 0 - 1650 rpm. 2 speed gear box. 15 selections
clutch torque control plus hammer. All steel chuck.
Variable speed trigger



Item Code	Includes
SP81244	18v 13mm Hammer drill driver
	18v 2x 5.0Ah Battery packs
	18v Charger

18V BRUSHLESS 5" CUT OFF/ANGLE GRINDER 5.0 AH

Platform: 18 Volt. No-load speed: 7000rpm. High torque.
Powerful brushless induction motor delivering high torque.
Wheel size: 5"(125mm)



Item Code	Includes
SP81313	18v Brushless 5" cut off/angle grinder
	18v 5.0Ah Battery pack
	18v Charger

18V BRUSHLESS INDUSTRIAL RIVETER

Platform: 18v. High capacity: sets ± 650 rivets on one charge. Suits all materials - aluminium, steel & stainless steel. Includes interchangeable nozzles. Attached collection bottle. Charging time: 1 hour auto cut-off (± 10 min)



Item Code	Includes
SP81376	18v Industrial riveter
	2x 18v Max Lithium 5.0Ah Battery pack
	18v Charger

WET & DRY VACUUM CLEANER/BLOWER - 1250W COMMERCIAL



1250W high power motor. 20L stainless steel container. Vacuum: 16kpa. Air flow: 40L/s. Powerful blower port instantly converts vacuum to power blower. Light weight and compact. 3m power cord with cord hook. Swivel castors provide convenient multidirectional movement.

Item Code	Kit Includes
SP020	Extension Wand
	Floor Nozzle
	Crevice Nozzle
	Gulper Nozzle
	1.5mm Hose (32mm Ø)

WET & DRY VACUUM CLEANER/BLOWER - 1400W COMMERCIAL



1400W high power motor. 40L stainless steel container. Vacuum: 19kpa. Air flow: 57L/s. Wet and dry vacuum cleaner. Built-in easy drainage system. 4.8m power cord with cord hook. Swivel castors and large rear wheels provide ease of movement in any direction. Removable steel handle for easy storage.

Item Code	Kit Includes
SP040	Extension Wand
	Floor Nozzle
	Crevice Nozzle
	Gulper Nozzle
	3m Hose (38mm Ø)



Address: 40 Lisbon St, Fairfield East NSW 2165

Postal Address: PO BOX 266 Chester Hill 2162

Tel: 0061-2-97245566

Fax: 0061-2-97243977

alcentregroup.com.au

sales@alcentregroup.com.au